



City of Hamilton

HAMILTON MUNICIPAL HERITAGE COMMITTEE REVISED

Meeting #: 19-006
Date: August 22, 2019
Time: 12:00 p.m.
Location: Council Chambers, Hamilton City Hall
71 Main Street West

Loren Kolar, Legislative Coordinator (905) 546-2424 ext. 2604

1. CEREMONIAL ACTIVITIES

2. APPROVAL OF AGENDA

(Added Items, if applicable, will be noted with *)

3. DECLARATIONS OF INTEREST

4. APPROVAL OF MINUTES OF PREVIOUS MEETING

4.1 July 25, 2019

5. COMMUNICATIONS

*5.1 Correspondence from the Waterdown-East Flamborough Heritage Society respecting its Annual Fall Book Fair on October 19, 2019.

Recommendation: Be received.

6. DELEGATION REQUESTS

7. CONSENT ITEMS

7.1 Heritage Permit Applications - Delegated Approvals

7.1.a Heritage Permit Application HP2017-070 255 West Avenue North, Hamilton
By-law No. 88-182

- 7.1.b Heritage Permit Application HP2017-071 Proposed replacement of front steps and stoop 37 Mill Street North, Flamborough (Waterdown) By-law No. 93-34-H
- 7.1.c Heritage Permit Application HP2018-001 Shaver Family Cemetery-1160 Wilson Street West, Ancaster (Ward 12) Wall Rebuild & Tree Removal By-law No. 93-68
- 7.1.d Heritage Permit Application HP2018-002 Abrey-Zimmerman House -159 Carlisle Road, Flamborough (Ward 15) Construction of Detached Garage Heritage Conservation Easement Agreement/ By-law No. 2000-105-H
- 7.1.e Heritage Permit Application HP2018-003 262 MacNab Street North, Hamilton (Designation Plaque) Subject to Notice of Intention to Designate
- 7.1.f Heritage Permit Application HP2018-004 262 MacNab Street North, Hamilton (Facade Restoration) Subject to Notice of Intention to Designate
- 7.1.g Heritage Permit Application HP2018-005 Mortar Repointing 231 St. Clair Boulevard, Hamilton St. Clair Boulevard Heritage Conservation District
- 7.1.h Heritage Permit Application HP2018-008 11 Union Street, Flamborough (Ward 15) Construction of new addition Mill Street Heritage Conservation District By-law No. 93-34-H
- 7.1.i Heritage Permit Application HP2018-009 Installation of Fall Arrest System 900 Woodward Avenue (Hamilton Waterworks) By-law No. 84-30 as amended by By-law No. 86-25 (Ward 4)
- 7.1.j Heritage Permit Application HP2018-013 Handrail Installation 1280 Main Street West, Hamilton (McMaster University) By-law No. 08-002
- *7.1.k Heritage Permit Application HP2019-024: Proposed master bedroom restoration at 610 York Boulevard (Ward 1) (By-law No. 77-239)
- *7.1.l Heritage Permit Application HP2019-025: Proposed alteration of driveway at 24 Union Street, Waterdown (Ward 15) (By-law No.96-34-H)
- *7.1.m Heritage Permit Application HP2019-026: Proposed alteration of storm windows at 13-15 Inglewood Drive (Ward 2) (By-law No. 17-224)
- *7.2 For the information of the Hamilton Municipal Heritage Committee: 9 Main Street North, Waterdown - Municipal Register of Property of Cultural Value or Interest
- *7.3 Heritage Permit Review Sub-Committee - Minutes of June 25th, 2019
- *7.4 Education and Communication Working Group Meeting Notes - July 3, 2019

- *7.5 For the information of the Hamilton Municipal Heritage Committee: 292 Dundas Street East (Maple Lawn), Waterdown

8. PUBLIC HEARINGS / DELEGATIONS

8.1 Susan O'Rourke, respecting 745 Crooks Hollow Road, Dundas

8.2 Marc Bader, respecting Ancaster High School Building and Lands

- *8.2.a Delegation Deferred to the September 19, 2019 Meeting - Marc Bader, respecting Ancaster High School Building and Lands

As per the request from the delegate this item will be deferred to the September 19, 2019 meeting

9. STAFF PRESENTATIONS

9.1 Recommendation to Designate 231 Ferguson Avenue South, Hamilton (Ferguson Avenue Pumping Station) under Part IV of the Ontario Heritage Act (PED19164) (Ward 2)

- *9.1.a Staff Presentation

10. DISCUSSION ITEMS

11. MOTIONS

12. NOTICES OF MOTION

13. GENERAL INFORMATION / OTHER BUSINESS

13.1 Buildings and Landscapes

13.1.a Endangered Buildings and Landscapes (RED)

(Red = Properties where there is a perceived immediate threat to heritage resources through: demolition; neglect; vacancy; alterations, and/or, redevelopment)

(i) Tivoli, 108 James Street North, Hamilton (D) – T. Ritchie

(ii) Andrew Sloss House, 372 Butter Road West, Ancaster (D) – C. Dmitry

(iii) Century Manor, 100 West 5th Street, Hamilton (D) – G. Carroll

(iv) Beach Canal Lighthouse and Cottage (D) – R. McKee

(v) 18-22 King Street East, Hamilton (R)(NOI) – W. Rosart

(vi) 24-28 King Street East, Hamilton (R)(NOI) – W. Rosart

(vii) 2 Hatt Street, Dundas (R) – K. Burke

(viii) James Street Baptist Church, 98 James Street South, Hamilton (D) – J. Brown

(ix) 828 Sanatorium Road – G. Carroll

13.1.b Buildings and Landscapes of Interest (YELLOW)

(Yellow = Properties that are undergoing some type of change, such as a change in ownership or use, but are not perceived as being immediately threatened)

- (i) Delta High School, 1284 Main Street East, Hamilton (D) – D. Beland
- (ii) 2251 Rymal Road East, Stoney Creek (R) – B. Janssen
- (iii) Former Valley City Manufacturing, 64 Hatt Street, Dundas – K. Burke
- (iv) St. Joseph's Motherhouse, 574 Northcliffe Avenue, Dundas (R) (ND) – W. Rosart
- (v) Copley Building, 104 King Street West; 56 York Blvd., and 63-76 MacNab Street North (NOI) – G. Carroll
- (vi) 1021 Garner Road East, Ancaster (Lampman House) (NOI) – C. Dimitry
- (vii) Dunnington-Grubb Gardens, 1000 Main Street East (within Gage Park) – D. Beland
- (viii) 1 St. James Place, Hamilton (D) – J. Brown
- (ix) St. Clair Blvd. Conservation District – D. Beland
- (x) 51 Herkimer Street, Hamilton – J. Brown
- (xi) 52-56 Charlton Avenue West, Hamilton – J. Brown
- (xii) 292 Dundas Street, Waterdown – L. Lunsted

13.1.c Heritage Properties Update (GREEN)

(Green = Properties whose status is stable)

- (i) The Royal Connaught Hotel, 112 King Street East, Hamilton (R) – T. Ritchie
- (ii) Auchmar, 88 Fennell Avenue West, Hamilton (D) – R. McKee
- (iii) Treble Hall, 4-12 John Street North, Hamilton (R) – T. Ritchie
- (iv) 104 King Street West, Dundas (Former Post Office) – K. Burke
- (v) 45 Forest Avenue, Hamilton – G. Carroll

13.1.d Heritage Properties Update (BLACK)

(Black = Properties that HMHC have no control over and may be demolished)

(i) Auchmar Gate House, Claremont Lodge 71 Claremont Drive (R) – R. McKee

14. PRIVATE AND CONFIDENTIAL

15. ADJOURNMENT



Hamilton

**HAMILTON MUNICIPAL HERITAGE COMMITTEE
MINUTES 19-005
12:00 p.m.
July 25, 2019
Room 264, 2nd Floor
Hamilton City Hall
71 Main Street West**

Present: Councillor M. Pearson
D. Beland, J. Brown, K. Burke, G. Carroll, A. Denham-Robinson
(Chair), C. Dmitry (Vice-Chair), B. Janssen, L. Lunsted, T. Ritchie

**Absent with
Regrets:** R. McKee and W. Rosart

**THE FOLLOWING ITEM WAS REFERRED TO THE PLANNING COMMITTEE FOR
CONSIDERATION:**

1. Hamilton Municipal Heritage Committee working Groups (Item 10.1)

(Brown/Ritchie)

That the following membership list for the Hamilton Municipal Heritage Committee Working Groups be approved, as amended:

- (a) Heritage Permit Review Sub-Committee (2 members of the Hamilton Municipal Heritage Committee are required):

C. Dmitry, Chair
Tim Ritchie, Vice-Chair

- (b) Education and Communications Working Group:

Janice Brown
Robin McKee
Tim Ritchie
Alissa Denham-Robinson
Graham Carroll

- (c) Inventory and Research Working Group:

Graham Carroll
Janice Brown
Chuck Dmitry
Alissa Denham-Robinson

Lyn Lunsted

(d) Policy and Design Working Group

Will Rosart
Bill Janssen
Alissa Denham-Robinson
Lyn Lunsted
Chuck Dimitry

Main Motion as amended CARRIED

FOR INFORMATION:

(a) CEREMONIAL ACTIVITIES (Added Item 1)

The Chair presented a Hamilton Municipal Heritage Recognition Award for Heritage Property Developer to Megan Hobson, Built Heritage Consultant on behalf of James Street Residences Inc., for the William Thomas Residence, located at 48 James Street North, Hamilton.

(b) CHANGES TO THE AGENDA (Item 2)

The Clerk advised the Committee of the following changes:

1. CEREMONIAL ACTIVITIES (Item 1)

1.1 Hamilton Municipal Heritage Committee Heritage Nomination Award Presentation (no copy)

7. CONSENT ITEMS (Item 7)

7.1 For the Information of the Hamilton Municipal Heritage Committee respecting 23-25 King Street East, Stoney Creek, and 1 Main Street North, Waterdown (The Royal Coachman)

(Janssen/Ritchie)

That the Agenda for the July 25, 2019 Hamilton Municipal Heritage Committee be approved, as amended.

CARRIED

(c) DECLARATIONS OF INTEREST (Item 3)

There were no Declarations of Interest.

(d) APPROVAL OF MINUTES OF PREVIOUS MEETING (Item 4)

(i) June 20, 2019 (Item 4.1)

J. Brown advised that Item 13.1(a)(viii), Buildings and Landscapes, should be corrected to read **98** James Street North, Hamilton.

(Ritchie/Burke)

That the Minutes of the June 20, 2019 meeting of the Hamilton Municipal Heritage Committee be approved, as amended.

CARRIED

(e) COMMUNICATIONS (Item 5)

(i) Correspondence from John Vitulli Jr., Vitulli Law Group, respecting a Request to Register 180 Concession Street, Hamilton, Ontario as a Heritage Property (Item 5.1)

(Pearson/Carroll)

That the Correspondence from John Vitulli Jr., Vitulli Law Group, respecting a Request to Register 180 Concession Street, Hamilton, Ontario as a Heritage Property, be received.

CARRIED

(f) CONSENT ITEMS (Item 7)

(i) For the Information of the Hamilton Municipal Heritage Committee respecting 23-25 King Street East, Stoney Creek, and 1 Main Street North, Waterdown (The Royal Coachman) (Added Item 7.1)

(Pearson/Lunsted)

That the item respecting 23-25 King Street East, Stoney Creek, and 1 Main Street North, Waterdown (The Royal Coachman), be received.

CARRIED

(g) PRESENTATIONS (Item 9)

(i) An Introduction to Heritage Inventories and Strategies (Item 9.1)

Alissa Golden, Heritage Project Specialist, addressed the Committee with a presentation respecting An Introduction to Heritage Inventories and Strategies, with the aid of a PowerPoint presentation.

(Ritchie/Janssen)

That the presentation respecting An Introduction to Heritage Inventories and Strategies, be received.

CARRIED

The presentation is available at www.hamilton.ca, and through the Office of the City Clerk.

(h) DISCUSSION ITEMS (Item 10)

(i) Hamilton Municipal Heritage Committee Working Groups (Item 10.1)

(Burke/Pearson)

That C. Dmitry be appointed as Chair of the Heritage Permit Review Sub-Committee.

CARRIED

(Pearson/Carroll)

That T. Ritchie be appointed as Vice-Chair of the Heritage Permit Review Sub-Committee.

CARRIED

(Brown/Ritchie)

That the following membership list for the Hamilton Municipal Heritage Committee Working Groups be amended as follows:

- (a) Heritage Permit Review Sub-Committee (2 members of the Hamilton Municipal Heritage Committee are required):

C. Dmitry, Chair
~~Karen Burke~~
~~Will Rosart~~
Tim Ritchie, Vice-Chair
~~Alissa Denham-Robinson~~

- (b) Education and Communications Working Group:

Janice Brown
Robin McKee
Tim Ritchie
Alissa Denham-Robinson
Graham Carroll

- (c) Inventory and Research Working Group:

Graham Carroll
Janice Brown
Chuck Dmitry
Alissa Denham-Robinson
Lyn Lusted

- (d) Policy and Design Working Group

Will Rosart
Bill Janssen
Alissa Denham-Robinson
Lyn Lunsted
Chuck Dimitry

Amendment CARRIED

For further disposition of this matter, refer to Item 1.

(i) GENERAL INFORMATION/OTHER BUSINESS (Item 13)

(i) Buildings and Landscapes (Item 13.1)

This list is determined by members of the Hamilton Municipal Heritage Committee. Members provide informal updates to the properties on this list, based on their visual assessments of the properties, or information they have gleaned from other sources, such as new articles and updates from other heritage groups.

(Brown/Dimitry)

That the properties located at 51 Herkimer Street, Hamilton; 52-56 Charlton Avenue West, Hamilton and 292 Dundas Street, Waterdown be added to the List of Buildings and Landscapes of Interest (YELLOW).

CARRIED

(Brown/Dimitry)

That the property located at 828 Sanatorium Road, Hamilton, be added to the List of Endangered Building and Landscapes (RED).

CARRIED

(Janssen/Ritchie)

That the following members be assigned to properties on the List of Buildings and Landscapes, for future reports to Committee:

- (a) 51 Herkimer Street, Hamilton – J. Brown
- (b) 52-56 Charlton Avenue West – J. Brown
- (c) 292 Dundas Street, Waterdown – L. Lunsted
- (d) 828 Sanatorium Road, Hamilton – G. Carroll

CARRIED

(Beland/Janssen)

That the following updates be received:

(a) Endangered Buildings and Landscapes (RED):

(Red = Properties where there is a perceived immediate threat to heritage resources through: demolition; neglect; vacancy; alterations, and/or, redevelopment)

- (i) Tivoli, 108 James Street North, Hamilton (D) – T. Ritchie

A notice for the sale of condominiums has gone out for the property.

- (ii) Andrew Sloss House, 372 Butter Road West, Ancaster (D) – C. Dmitry

- (iii) Century Manor, 100 West 5th Street, Hamilton (D) – G. Carroll

- (iv) Beach Canal Lighthouse and Cottage (D) – R. McKee

- (v) 18-22 King Street East, Hamilton (R)(NOI) – W. Rosart

- (vi) 24-28 King Street East, Hamilton (R)(NOI) – W. Rosart

- (vii) 2 Hatt Street, Dundas (R) – K. Burke

- (viii) James Street Baptist Church, 98 James Street South, Hamilton (D) – J. Brown

A final site plan has been submitted. Housing sales will begin in the fall of 2019. Construction of the condominium is scheduled to begin by the end of 2019.

- (ix) 828 Sanatorium Road – G. Carroll

Damage to the property, such as broken windows, have been reported to the Property Standards Committee.

(b) Buildings and Landscapes of Interest (YELLOW):

(Yellow = Properties that are undergoing some type of change, such as a change in ownership or use, but are not perceived as being immediately threatened)

- (i) Delta High School, 1284 Main Street East, Hamilton (D) – D. Beland

- (ii) 2251 Rymal Road East, Stoney Creek (R) – B. Janssen

The establishment is under new management.

- (iii) Former Valley City Manufacturing, 64 Hatt Street, Dundas – K. Burke
- (iv) St. Joseph's Motherhouse, 574 Northcliffe Avenue, Dundas (R) (ND) – W. Rosart
- (v) Copley Building, 104 King Street West; 56 York Blvd., and 63-76 MacNab Street North (NOI) – G. Carroll
- (vi) 1021 Garner Road East, Ancaster (Lampman House) (NOI) – C. Dimitry
- (vii) Dunnington-Grubb Gardens, 1000 Main Street East (within Gage Park) – D. Beland

Damage has been reported to the back of the monument, on the map.

- (viii) 1 St. James Place, Hamilton (D) – J. Brown

The applicant appeared before the Heritage Permit Review Sub-Committee regarding changes to the property.

- (ix) St.Clair Blvd. Conservation District – D. Beland

An Ash tree has been removed from the end of the boulevard and replaced.

- (x) 51 Herkimer Street, Hamilton – J. Brown
- (xi) 52-56 Charlton Avenue West, Hamilton – J. Brown
- (xii) 292 Dundas Street, Waterdown – L. Lunsted

**(c) Heritage Properties Update (GREEN):
(Green = Properties whose status is stable)**

- (i) The Royal Connaught Hotel, 112 King Street East, Hamilton (R) – T. Ritchie
- (ii) Auchmar, 88 Fennell Avenue West, Hamilton (D) – R. McKee
- (iii) Treble Hall, 4-12 John Street North, Hamilton (R) – T. Ritchie

Renovations continue on the property.

- (iv) 104 King Street West, Dundas (Former Post Office) – K. Burke
- (v) 45 Forest Avenue, Hamilton – G. Carroll

(d) Heritage Properties Update (black):

(Black = Properties that HMHC have no control over and may be demolished)

- (i) Auchmar Gate House, Claremont Lodge 71 Claremont Drive
(R) – R. McKee

CARRIED

(j) ADJOURNMENT (Item 15)

(Ritchie/Carroll)

That, there being no further business, the Hamilton Municipal Heritage Committee, be adjourned at 1:48 p.m.

CARRIED

Respectfully submitted,

Alissa Denham-Robinson, Chair
Hamilton Municipal Heritage Committee

Loren Kolar
Legislative Coordinator
Office of the City Clerk

The Waterdown – East Flamborough Heritage Society

P.O. Box 1044, Waterdown, Ontario L0R 2H0



May 6, 2019.

Dear Authors, Heritage Groups & Exhibitors,

The Flamborough Heritage Society is planning to hold its Twenty-Ninth Annual Fall Book Fair on Saturday, October 19, 2019 in Fellowship Hall at St. James United Church, 306 Parkside Drive, Waterdown from 9:30 AM – 2:30 PM. We found that moving the date up into October, helped us not compete with all the Christmas Bazaars.

Our membership has requested that we invite all authors, heritage groups and vendors that have attended in the past, so we are opening it up to all! We will have a café open through out the day with coffee, tea and baked goods, as well as selling sandwiches at lunchtime.

This is your opportunity to reserve the space to exhibit/sell your publications. Table set-up time is from 8:15 AM onward. St. James' Fellowship Hall is a spacious, warm, well-lit building situated in the Village of Waterdown just north of Highway 5 with ample parking spaces and handicapped access.

Exhibitor tables are \$25 per six feet and Author tables are \$15 for a four-foot table. We will be limiting each exhibitor to a maximum of three 6-foot tables. Author tables are single tables and cannot be added together. These fees help to cover the costs of set-up and promotion of the Book Fair. Tables will again be made available on a **“first come, first serve”** basis with receipt of payment ensuring space at the Fair.

You may return the attached response form by e-mail to society@flamboroughhistory.com or online at our website <http://flamboroughhistory.com/flamborough-heritage-society/book-fair-invitation/> and pay using Paypal at our website store, <http://flamboroughhistory.com/product/book-fair-table-fees/> There is a small fee for using PayPal. If replying by post, please return the response form attached to this e-mail to confirm your involvement and your specific table/space needs. Cheques should be made payable to The Waterdown – East Flamborough Heritage Society.

The exhibitors are welcomed with a ‘cuppa’ and muffin gratis before opening. There will be coffee/tea/water and refreshments for sale throughout the time the Book Fair is open. This event will be publicized through our newsletter, the City of Hamilton Library chain, area information services, radio stations, newspapers and social media.

Any questions concerning this year's arrangements can be sent to the Heritage Society's e-mail at society@flamboroughhistory.com.

We look forward to a most enjoyable day and your participation in this programme.

Book Fair Committee

Chris Rivait

President – The Waterdown-East Flamborough Heritage Society

Flamborough Heritage Society Book Fair

Saturday, October 19 2019

Name and address of Author / Business / Organization:

Telephone Number:

Email Address:

Table fees: Exhibitor Table - \$25/ 6'; Author Table - \$15

You may return form by e-mail and remit by PayPal at flamboroughhistory.com

Table and Space Requirements (Maximum of 3 – 6' Tables): _____

Product Description (Including Any New Material): _____

**Please submit this form and your table fee to WEFHS, P. O. Box 1044,
Waterdown, ON L0R 2H0, or you may return form by e-mail and remit by
PayPal at flamboroughhistory.com.**



Mailing Address:
71 Main Street West
Hamilton, Ontario
Canada L8P 4Y5
www.hamilton.ca

Planning and Economic Development Department
Planning Division
71 Main Street West, 6th Floor, Hamilton, Ontario, L8P 4Y5
Phone: 905-546-2424, Ext. 4281
Fax: 905-540-5611

7.1(a)

FILE: HP2017-070

January 9, 2018

Spallacci Group

ATTN: Rudi Spallacci
1 James St S, 8th floor
Hamilton, ON L8P 4R5

Absolute Blast Corp.

PO Box 333
Mount Hope, ON L0R 1W0

**Re: Heritage Permit Application HP2017-070
255 West Avenue North, Hamilton
By-law No. 88-182**

Please be advised that pursuant to By-law No. 05-364, as amended by By-law No. 07-322, which delegates the power to consent to alterations to designated property under the *Ontario Heritage Act* to the Director of Planning and Chief Planner, Heritage Permit Application HP2017-070 is approved for the designated property at 255 West Avenue North, in accordance with the submitted Heritage Permit Application for the following alterations:

- Removal of graffiti located on west façade of building (located on both stone and brick masonry) with a steam system pressure washer with a chemical graffiti remover as a softening agent.
- Application of soft charcoal to cleaned masonry to match uncleaned patina.

Subject to the following conditions:

- a) That any minor changes to the plans and elevations following approval shall be submitted, to the satisfaction and approval of the Director of Planning and Chief Planner, prior to submission as part of any application for a Building Permit and / or the commencement of any alterations; and,

**Re: Heritage Permit Application HP2017-070
255 West Avenue North, Hamilton
By-law No. 88-182**

**January 9, 2018
Page 2 of 2**


- b) That implementation of the alterations, in accordance with this approval, shall be completed no later than January 31, 2020. If the alterations are not completed by January 31, 2020, then this approval expires as of that date and no alterations shall be undertaken without a new approval issued by the City of Hamilton.

Please note that this property is designated under Part IV of the *Ontario Heritage Act*, and that this permit is only for the above-noted alterations. Any departure from the approved plans and specifications is prohibited, and could result in penalties, as provided for by the *Ontario Heritage Act*. The terms and conditions of this approval may be appealed to the Conservation Review Board within 30 days of your receipt of this permit.

The issuance of this permit under the *Ontario Heritage Act* is not a waiver of any of the provisions of any By-law of the City of Hamilton, the requirements of the *Building Code Act*, the *Planning Act*, or any other applicable legislation.

We wish you success with your project, and if you have any further questions please feel free to contact Jeremy Parsons, Cultural Heritage Planner, at 905-546-2424 ext. 1214, or via email jeremy.parsons@hamilton.ca.

Yours truly,



Steve Robichaud, MCIP RPP
Director of Planning and Chief Planner

cc: Jeremy Parsons, Planner II - Cultural Heritage
Chanell Ross, Plan Examination Secretary
John Lane, Manager, Building Inspections
Loren Kolar, Legislative Coordinator
Erin Semande, Registrar, Ontario Heritage Trust
Matthew Green, Ward 3



Hamilton

Mailing Address:
71 Main Street West
Hamilton, Ontario
Canada L8P 4Y5
www.hamilton.ca

Planning and Economic Development Department
Planning Division
71 Main Street West, 6th Floor, Hamilton, Ontario, L8P 4Y5
Phone: 905-546-2424, Ext. 4281
Fax: 905-540-5611

7.1(b)

FILE: HP2017-071

January 5, 2018

Jude Lopes & Charlotte Clark
37 Mill Street North, Flamborough
Waterdown, ON L0R 2H0

**Re: Heritage Permit Application HP2017-071
Proposed replacement of front steps and stoop
37 Mill Street North, Flamborough (Waterdown)
By-law No. 93-34-H**

Please be advised that pursuant to By-law No. 05-364, as amended by By-law No. 07-322, which delegates the power to consent to alterations to designated property under the *Ontario Heritage Act* to the Director of Planning and Chief Planner, Heritage Permit Application HP2017-071 is approved for the designated property at 37 Mill Street North, Flamborough, within the Mill Street Heritage Conservation District, in accordance with the submitted Heritage Permit Application for the following alterations:

- Proposed replacement of wooden front steps and stoop with like material.

Subject to the following conditions:

- a) That any minor changes to the plans and elevations following approval shall be submitted, to the satisfaction and approval of the Director of Planning and Chief Planner, prior to submission as part of any application for a Building Permit and / or the commencement of any alterations; and,
- b) That implementation of the alterations, in accordance with this approval, shall be completed no later than January 31, 2020. If the alterations are not completed by January 31, 2020, then this approval expires as of that date and no alterations shall be undertaken without a new approval issued by the City of Hamilton.

Please note that this property is designated under Part V of the *Ontario Heritage Act*, and that this permit is only for the above-noted alterations. Any departure from the approved plans and specifications is prohibited, and could result in penalties, as

**Re: Heritage Permit Application HP2017-071
Proposed replacement of front steps and stoop
37 Mill Street North, Flamborough (Waterdown)
By-law No. 93-34-H**

**January 5, 2018
Page 2 of 2**


provided for by the *Ontario Heritage Act*. The terms and conditions of this approval may be appealed to the Ontario Municipal Board within 30 days of your receipt of this permit.

The issuance of this permit under the *Ontario Heritage Act* is not a waiver of any of the provisions of any By-law of the City of Hamilton, the requirements of the *Building Code Act*, the *Planning Act*, or any other applicable legislation.

We wish you success with your project, and if you have any further questions please feel free to contact Jeremy Parsons, Planner II - Cultural Heritage, at 905-546-2424 ext. 1214, or via at email jeremy.parsons@hamilton.ca.

Yours truly,



 Steve Robichaud, MCIP RPP
Director of Planning and Chief Planner

cc: Jeremy Parsons, Planner II - Cultural Heritage
Chanell Ross, Plan Examination Secretary
John Lane, Manager, Building Inspections
Loren Kolar, Legislative Coordinator
Erin Semande, Registrar, Ontario Heritage Trust
Judi Partridge, Ward 15



Hamilton

Mailing Address:
71 Main Street West
Hamilton, Ontario
Canada L8P 4Y5
www.hamilton.ca

Planning and Economic Development Department
Planning Division
71 Main Street West, 6th Floor, Hamilton, Ontario, L8P 4Y5
Phone: 905-546-2424, Ext. 4281
Fax: 905-540-5611

FILE: HP2018-001

Februray 16, 2018

Shaver Family Trust
c/o Heather Lord
7 Mary Street
Branchton, ON
N0B 1L0

**Re: Heritage Permit Application HP2018-001
Shaver Family Cemetery – 1160 Wilson Street West, Ancaster (Ward 12)
Wall Rebuild & Tree Removal
By-law No. 93-68**

Please be advised that pursuant to By-law No. 05-364, as amended by By-law No. 07-322, which delegates the power to consent to alterations to designated property under the *Ontario Heritage Act* to the Director of Planning and Chief Planner, Heritage Permit, Application HP2018-001 is approved for the designated property at 1160 Wilson Street West, Ancaster, in accordance with the submitted Heritage Permit Application for the following alterations:

- Removal of three mature maple trees located along the north wall; and,
- Restoration of east, west, and north walls of the Shaver Family Cemetery. Proposed procedure will be the same as 2017 south wall restoration, including:
 - Hand excavation approximately 1m out from all three walls;
 - Hand excavation to approximately 1m below footings;
 - Reparation of original stone footings as required (parging);
 - Pouring approximately 1m of reinforced concrete along length of walls;
 - Installation of rigid foam insulation over new concrete footings;
 - Numbering and removal of capstones;
 - Dismantling and numbering of outer ashlar stones (inner wall to remain undisturbed);
 - Removal of old mortar (cementitious mortar);
 - Reassembling of outer ashlar stones and application of lime-based mortar;
 - Repointing of ashlar stones, and reinstallation of capstones;
 - Re-grading and re-seeding ground as appropriate; and,
 - Maintaining the memorial plaque, capstone, and stone pillars in situ as located on west wall.

**Re: Heritage Permit Application HP2018-001
Shaver Family Cemetery - 1160 Wilson Street West,
Ancaster (Ward 12) / Wall Rebuild & Tree Removal
By-law No. 93-68**

**February 16, 2018
Page 2 of 2**

Subject to the following conditions:


- a) That any minor changes to the proposed method of stone wall restoration (including dismantling, numbering and replacing capstones and ashlar stones) following approval shall be submitted, to the satisfaction and approval of the Director of Planning and Chief Planner, prior to submission as part of any application for a Building Permit and / or the commencement of any alterations;
- b) That the applicant successfully obtain approval from the City of Hamilton's Forestry Conservation By-law Officer, in the form of a By-law Permit, before the commencement of any tree removals; and,
- c) That implementation of the alterations, in accordance with this approval, shall be completed no later than February 29, 2020. If the alterations are not completed by February 29, 2020, then this approval expires as of that date and no alterations shall be undertaken without a new approval issued by the City of Hamilton.

Please note that this property is designated under Part IV of the *Ontario Heritage Act*, and that this permit is only for the above-noted alterations. Any departure from the approved plans and specifications is prohibited and could result in penalties as provided for by the *Ontario Heritage Act*. The terms and conditions of this approval may be appealed to the Conservation Review Board within 30 days of the receipt of this permit.

The issuance of this permit under the *Ontario Heritage Act* is not a waiver of any of the provisions of any By-law of the City of Hamilton, the requirements of the *Building Code Act*, the *Planning Act*, or any other applicable legislation.

We wish you success with your project, and if you have any further questions please feel free to contact Jeremy Parsons, Planner II, Cultural Heritage, at 905-546-2424 ext. 1214, or via email at jeremy.parsons@hamilton.ca.

Yours truly,



Steve Robichaud, MCIP RPP
Director of Planning and Chief Planner

cc: Jeremy Parsons, Planner II, Cultural Heritage
John Lane, Manager, Building Inspections
Loren Kolar, Legislative Coordinator
Erin Semande, Registrar, Ontario Heritage Trust
Lloyd Ferguson, Ward 12



Hamilton

Mailing Address:
71 Main Street West
Hamilton, Ontario
Canada L8P 4Y5
www.hamilton.ca

Planning and Economic Development Department
Planning Division
71 Main Street West, 6th Floor, Hamilton, Ontario, L8P 4Y5
Phone: 905-546-2424, Ext. 4281
Fax: 905-540-5611

FILE: HP2018-002

March 29, 2018

Larry Tansley and Kathy Jones
159 Carlisle Road, Flamborough
L0R 1H0

**Re: Heritage Permit Application HP2018-002
Abrey-Zimmerman House – 159 Carlisle Road, Flamborough (Ward 15)
Construction of Detached Garage
Heritage Conservation Easement Agreement / By-law No. 2000-105-H**

Please be advised that pursuant to By-law No. 05-364, as amended by By-law No. 07-322, which delegates the power to consent to alterations to designated property under the *Ontario Heritage Act* to the Director of Planning and Chief Planner, Heritage Permit Application HP2018-002 is approved for the designated property at 159 Carlisle Road, Flamborough in accordance with the submitted Heritage Permit Application for the following alterations:

- Erection of a detached garage west of the existing dwelling.

Subject to the following conditions:

- a) That any minor changes to the proposed plans and elevations following approval shall be submitted, to the satisfaction and approval of the Director of Planning and Chief Planner, prior to submission as part of any application for a Building Permit and / or the commencement of any alterations;
- b) That the proposed construction shall be completed no later than March 31, 2020. If the alterations are not completed by March 31, 2020 then this approval expires as of that date and no alterations shall be undertaken without a new approval issued by the City of Hamilton;
- c) That the applicant clarify colour details of proposed cladding material with staff prior to submission as part of any application for a Building Permit and / or the commencement of any alterations; and,
- d) That the applicant either complete a Stage 3 Archeological Assessment or mitigate any adverse impacts to any significant archaeological resources by employing an Ontario-licensed archaeologist to monitor any on-site construction,

**Re: Heritage Permit Application HP2018-002
159 Carlisle Road, Flamborough (Ward 15)
Construction of Detached Garage
Heritage Conservation Easement Agreement / By-law
No. 2000-105-H**

**March 29, 2018
Page 2 of 2**


soil disturbance, or soil piling arising from this project. This assessment or monitoring report is required to be circulated to the City of Hamilton and to the Ministry of Tourism, Culture, and Sport.

Please note that this property is designated under Part IV of the *Ontario Heritage Act* and protected under a Heritage Conservation Easement. Please also note that this permit is only for the above-noted alterations. Any departure from the approved plans and specifications is prohibited and could result in penalties as provided for by the *Ontario Heritage Act*. The terms and conditions of this approval may be appealed to the Conservation Review Board within 30 days of the receipt of this permit.

The issuance of this permit under the *Ontario Heritage Act* is not a waiver of any of the provisions of any By-law of the City of Hamilton, the requirements of the *Building Code Act*, the *Planning Act*, or any other applicable legislation.

We wish you success with your project, and if you have any further questions please feel free to contact Jeremy Parsons, Planner II, Cultural Heritage, at 905-546-2424 ext. 1214, or via email at jeremy.parsons@hamilton.ca.

Yours truly,



Steve Robichaud, MCIP RPP
Director of Planning and Chief Planner

cc: Jeremy Parsons, Planner II, Cultural Heritage
John Lane, Manager, Building Inspections
Loren Kolar, Legislative Coordinator
Erin Semande, Registrar, Ontario Heritage Trust
Judi Partridge, Ward 15



Hamilton

Mailing Address:
71 Main Street West
Hamilton, Ontario
Canada L8P 4Y5
www.hamilton.ca

Planning and Economic Development Department
Planning Division
71 Main Street West, 6th Floor, Hamilton, Ontario, L8P 4Y5
Phone: 905-546-2424, Ext. 4281
Fax: 905-540-5611

FILE: HP2018-003

February 28, 2018

Robin McKee
83 Leinster Avenue South, Hamilton
L8M 3A4

**Re: Heritage Permit Application HP2018-003
262 MacNab Street North, Hamilton (Designation Plaque)
Subject to Notice of Intention to Designate**

Please be advised that pursuant to By-law No. 05-364, as amended by By-law No. 07-322, which delegates the power to consent to alterations to designated property under the *Ontario Heritage Act* to the Director of Planning and Chief Planner, Heritage Permit Application HP2018-003 is approved for the designated property at 262 MacNab Street North, Hamilton, in accordance with the submitted Heritage Permit Application for the following alterations:

- Installation of cast-metal oval plaque to identify property designated under the *Ontario Heritage Act*; and,
- Plaque to be secured into the façade of the building including:
 - Drilling of two (2) holes into the façade;
 - Inserting two 1/4 inch (non-rusting) lead or plastic anchor sleeves into the two (2) holes;
 - Mounting the 12-inch cast aluminum plaque with two (2) 2-inch screws screwed into the anchors and sealed with 'locktight'; and,
 - Backfilling of the screw heads on the façade of the plaque with epoxy and matching paint to obscure the location of the screws and to deter vandalism.

Subject to the following conditions:

- a) That any minor changes to the plans and elevations following approval shall be submitted, to the satisfaction and approval of the Director of Planning and Chief Planner, prior to submission as part of any application for a Building Permit and / or the commencement of any alterations; and,

**Re: Heritage Permit Application HP2018-003
262 MacNab Street North, Hamilton (Designation
Plaque)
Subject to Notice of Intention to Designate**

**February 28, 2018
Page 2 of 2**


- b) That implementation of the alterations, in accordance with this approval, shall be completed no later than February 29, 2020. If the alterations are not completed by February 29, 2020, then this approval expires as of that date and no alterations shall be undertaken without a new approval issued by the City of Hamilton.

Please note that this property is designated under Part IV of the *Ontario Heritage Act*, and that this permit is only for the above-noted alterations. Any departure from the approved plans and specifications is prohibited, and could result in penalties, as provided for by the *Ontario Heritage Act*. The terms and conditions of this approval may be appealed to the Conservation Review Board within 30 days of your receipt of this permit.

The issuance of this permit under the *Ontario Heritage Act* is not a waiver of any of the provisions of any By-law of the City of Hamilton, the requirements of the *Building Code Act*, the *Planning Act*, or any other applicable legislation.

We wish you success with your project, and if you have any further questions please feel free to contact Chelsey Tyers, Cultural Heritage Planner, at 905-546-2424 ext. 1202, or via email chelsey.tyers@hamilton.ca.

Yours truly,



Steve Robichaud, MCIP RPP
Director of Planning and Chief Planner

cc: Chelsey Tyers, Cultural Heritage Planner
Chanell Ross, Plan Examination Secretary
John Lane, Manager, Building Inspections
Loren Kolar, Legislative Coordinator
Erin Semande, Registrar, Ontario Heritage Trust
Jason Farr, Ward 2



Hamilton

Mailing Address:
71 Main Street West
Hamilton, Ontario
Canada L8P 4Y5
www.hamilton.ca

Planning and Economic Development Department
Planning Division
71 Main Street West, 6th Floor, Hamilton, Ontario, L8P 4Y5
Phone: 905-546-2424, Ext. 4281
Fax: 905-540-5611

FILE: HP2018-004

February 28, 2018

Robin McKee
83 Leinster Avenue South, Hamilton
L8M 3A4

**Re: Heritage Permit Application HP2018-004
262 MacNab Street North, Hamilton (Façade Restoration)
Subject to Notice of Intention to Designate**

Please be advised that pursuant to By-law No. 05-364, as amended by By-law No. 07-322, which delegates the power to consent to alterations to designated property under the *Ontario Heritage Act* to the Director of Planning and Chief Planner, Heritage Permit Application HP2018-004 is approved for the designated property at 262 MacNab Street North, Hamilton, in accordance with the submitted Heritage Permit Application for the following alterations:

- Restoration of the façade including:
 - Restoration of facia, windows and other architectural details;
 - Entry door restoration and paint; and,
 - Installation of new storm windows.

Subject to the following conditions:

- (a) That the final detailed methods and materials required for restoration of the woodwork shall be submitted, to the satisfaction and approval of the Director of Planning and Chief Planner, prior to submission as part of any application for a Building Permit and / or the commencement of any alterations;
- (b) That the final design and samples of the storm windows be submitted, to the satisfaction and approval of the Director of Planning and Chief Planner, prior to the commencement of any alterations;

**Re: Heritage Permit Application HP2018-004
262 MacNab Street North, Hamilton (Façade
Restoration)
Subject to Notice of Intention to Designate**

**February 28, 2018
Page 2 of 2**


- (c) That any minor changes to the plans and elevations following approval shall be submitted, to the satisfaction and approval of the Director of Planning and Chief Planner, prior to submission as part of any application for a Building Permit and / or the commencement of any alterations; and,
- (d) That implementation of the alterations, in accordance with this approval, shall be completed no later than February 29, 2020. If the alterations are not completed by February 29, 2020, then this approval expires as of that date and no alterations shall be undertaken without a new approval issued by the City of Hamilton.

Please note that this property is designated under Part IV of the *Ontario Heritage Act*, and that this permit is only for the above-noted alterations. Any departure from the approved plans and specifications is prohibited, and could result in penalties, as provided for by the *Ontario Heritage Act*. The terms and conditions of this approval may be appealed to the Conservation Review Board within 30 days of your receipt of this permit.

The issuance of this permit under the *Ontario Heritage Act* is not a waiver of any of the provisions of any By-law of the City of Hamilton, the requirements of the *Building Code Act*, the *Planning Act*, or any other applicable legislation.

We wish you success with your project, and if you have any further questions please feel free to contact Chelsey Tyers, Cultural Heritage Planner, at 905-546-2424 ext. 1202, or via email chelsey.tyers@hamilton.ca.

Yours truly,



Steve Robichaud, MCIP RPP
Director of Planning and Chief Planner

cc: Chelsey Tyers, Cultural Heritage Planner
Chanell Ross, Plan Examination Secretary
John Lane, Manager, Building Inspections
Loren Kolar, Legislative Coordinator
Erin Semande, Registrar, Ontario Heritage Trust
Jason Farr, Ward 2



Hamilton

Mailing Address:
71 Main Street West
Hamilton, Ontario
Canada L8P 4Y5
www.hamilton.ca

Planning and Economic Development Department
Planning Division
71 Main Street West, 6th Floor, Hamilton, Ontario, L8P 4Y5
Phone: 905-546-2424, Ext. 4281
Fax: 905-540-5611

FILE: HP2018-005

April 13, 2018

Patricia Jeffrey
231 St. Clair Boulevard, Hamilton
LBM 2N9

**Re: Heritage Permit Application HP2018-005
Mortar Repointing
231 St. Clair Boulevard, Hamilton
St. Clair Boulevard Heritage Conservation District**

Please be advised that pursuant to By-law No. 05-364, as amended by By-law No. 07-322, which delegates the power to consent to alterations to designated property under the *Ontario Heritage Act* to the Director of Planning and Chief Planner, Heritage Permit Application HP2018-005 is approved for the designated property at 231 St. Clair Boulevard, in accordance with the submitted Heritage Permit Application for the following alteration:

- Repoint north elevation including chimney with a type N mortar.

Subject to the following conditions:

- a) That the final details of the repointing methods shall be submitted, to the satisfaction and approval of the Director of Planning and Chief Planner, prior to submission as part of any application for a Building Permit and / or the commencement of any alterations;
- b) That a test patch with the new mortar be completed to confirm the colour, to the satisfaction and approval of the Director of Planning and Chief Planner, prior to submission as part of any application for a Building Permit and / or the commencement of any alterations;
- c) That any minor changes to the plans and elevations following approval shall be submitted, to the satisfaction and approval of the Director of Planning and Chief Planner, prior to submission as part of any application for a Building Permit and / or the commencement of any alterations; and,

**Re: Heritage Permit Application HP2018-005
Repointing of mortar at 231 St. Clair Boulevard,
Hamilton
St. Clair Boulevard Heritage Conservation District
(Ward 3)**

**April 13, 2018
Page 2 of 2**


- d) That implementation of the alteration(s), in accordance with this approval, shall be completed no later than April 30, 2020. If the alteration(s) are not completed by April 30, 2020, then this approval expires as of that date and no alterations shall be undertaken without a new approval issued by the City of Hamilton.

Please note that this property is designated under Part V of the *Ontario Heritage Act*, and that this permit is only for the above-noted alterations. Any departure from the approved plans and specifications is prohibited, and could result in penalties, as provided for by the *Ontario Heritage Act*. The terms and conditions of this approval may be appealed to the Ontario Municipal Board within 30 days of your receipt of this permit.

The issuance of this permit under the *Ontario Heritage Act* is not a waiver of any of the provisions of any By-law of the City of Hamilton, the requirements of the *Building Code Act*, the *Planning Act*, or any other applicable legislation.

We wish you success with your project, and if you have any further questions please feel free to contact Chelsey Tyers, Cultural Heritage Planner, at 905-546-2424 ext. 1202, or via email chelsey.tyers@hamilton.ca.

Yours truly,



Steve Robichaud, MCIP RPP
Director of Planning and Chief Planner

cc: Chelsey Tyers, Cultural Heritage Planner
Chanell Ross, Plan Examination Secretary
John Lane, Manager, Building Inspections
Loren Kolar, Legislative Coordinator
Erin Semande, Registrar, Ontario Heritage Trust
Councillor Matthew Green, Ward 3



Mailing Address:
71 Main Street West
Hamilton, Ontario
Canada L8P 4Y5
www.hamilton.ca

Planning and Economic Development Department
Planning Division
71 Main Street West, 6th Floor, Hamilton, Ontario, L8P 4Y5
Phone: 905-546-2424, Ext. 4281
Fax: 905-540-5611

FILE: HP2018-008

March 29, 2018

Yvonne and Terry Taylor
11 Union Street, Flamborough
L0R 1H0

**Re: Heritage Permit Application HP2018-008
11 Union Street, Flamborough (Ward 15)
Construction of new addition
Mill Street Heritage Conservation District By-law No. 93-34-H**

Please be advised that pursuant to By-law No. 05-364, as amended by By-law No. 07-322, which delegates the power to consent to alterations to designated property under the *Ontario Heritage Act* to the Director of Planning and Chief Planner, Heritage Permit, Application HP2018-008 is approved for the designated property at 11 Union Street, Flamborough in accordance with the submitted Heritage Permit Application for the following alterations:

- Construction of new addition at rear of existing semi-detached dwelling.

Subject to the following conditions:

- a) That any minor changes to the proposed design and method of construction approved shall be submitted, to the satisfaction and approval of the Director of Planning and Chief Planner, prior to submission as part of any application for a Building Permit and / or the commencement of any alterations;
- b) That the proposed alterations, in accordance with this approval, shall be completed no later than March 31, 2020. If the alteration(s) are not completed by March 31, 2020, then this approval expires as of that date and no alterations shall be undertaken without a new approval issued by the City of Hamilton; and,
- c) That the applicant provide confirmation of the proposed colour scheme for the cladding material of the addition.

Please note that this property is designated under Part V of the *Ontario Heritage Act*. Please also note that this permit is only for the above-noted alterations. Any departure from the approved plans and specifications is prohibited and could result in penalties as

**Re: Heritage Permit Application HP2018-008
11 Union Street, Flamborough (Ward 15)
Construction of new addition
Mill Street HCD By-law No. 93-34-H**


**March 29, 2018
Page 2 of 2**

provided for by the *Ontario Heritage Act*. The terms and conditions of this approval may be appealed to the Ontario Municipal Board within 30 days of the receipt of this permit.

The issuance of this permit under the *Ontario Heritage Act* is not a waiver of any of the provisions of any By-law of the City of Hamilton, the requirements of the *Building Code Act*, the *Planning Act*, or any other applicable legislation.

We wish you success with your project, and if you have any further questions please feel free to contact Jeremy Parsons, Planner II, Cultural Heritage, at 905-546-2424 ext. 1214, or via email at jeremy.parsons@hamilton.ca.

Yours truly,



Steve Robichaud, MCIP RPP
Director of Planning and Chief Planner

cc: Jeremy Parsons, Planner II, Cultural Heritage
John Lane, Manager, Building Inspections
Loren Kolar, Legislative Coordinator
Erin Semande, Registrar, Ontario Heritage Trust
Judi Partridge, Ward 15



Hamilton

Mailing Address:
71 Main Street West
Hamilton, Ontario
Canada L8P 4Y5
www.hamilton.ca

Planning and Economic Development Department
Planning Division
71 Main Street West, 6th Floor, Hamilton, Ontario, L8P 4Y5
Phone: 905-546-2424, Ext. 4281
Fax: 905-540-5611

FILE: HP2018-009

April 13, 2018

Dave Turner
77 James Street North, Suite 305
Hamilton, ON
L8R 2K3

**Re: Heritage Permit Application HP2018-009
Installation of Fall Arrest System
900 Woodward Avenue (Hamilton Waterworks)
By-law No. 84-30 as amended by By-law No. 86-25 (Ward 4)**

Please be advised that pursuant to By-law No. 05-364, as amended by By-law No. 07-322, which delegates the power to consent to alterations to designated property under the *Ontario Heritage Act* to the Director of Planning and Chief Planner, Heritage Permit Application HP2018-009 is approved for the designated property at 900 Woodward Avenue, Hamilton (Hamilton Waterworks) in accordance with the submitted Heritage Permit Application for the following alteration:

- Installation of 10 metal plates to the stone and masonry wall of the Pump House to accommodate a fall arrest system.

Subject to the following conditions:

- a) That any minor changes to the plans and elevations following approval shall be submitted, to the satisfaction and approval of the Director of Planning and Chief Planner, prior to submission as part of any application for a Building Permit and / or the commencement of any alterations; and,
- b) That implementation of the alterations, in accordance with this approval, shall be completed no later than April 30, 2020. If the alterations are not completed by April 30, 2020, then this approval expires as of that date and no alterations shall be undertaken without a new approval issued by the City of Hamilton.

**Re: Heritage Permit Application HP2018-009
Installation of Fall Arrest System
900 Woodward Avenue (Hamilton Waterworks)
By-law No. 84-30 as amended by By-law No. 86-25
(Ward 4)**


**April 13, 2018
Page 2 of 2**

Please note that this property is designated under Part IV of the *Ontario Heritage Act*, and that this permit is only for the above-noted alterations. Any departure from the approved plans and specifications is prohibited, and could result in penalties, as provided for by the *Ontario Heritage Act*. The terms and conditions of this approval may be appealed to the Conservation Review Board within 30 days of your receipt of this permit.

The issuance of this permit under the *Ontario Heritage Act* is not a waiver of any of the provisions of any By-law of the City of Hamilton, the requirements of the *Building Code Act*, the *Planning Act*, or any other applicable legislation.

We wish you success with your project, and if you have any further questions please feel free to contact Chelsey Tyers, Cultural Heritage Planner, at 905-546-2424 ext. 1202, or via email chelsey.tyers@hamilton.ca.

Yours truly,



Steve Robishaud, MCIP RPP
Director of Planning and Chief Planner

cc: Chelsey Tyers, Cultural Heritage Planner
Chanell Ross, Plan Examination Secretary
John Lane, Manager, Building Inspections
Loren Kolar, Legislative Coordinator
Erin Semande, Registrar, Ontario Heritage Trust
Councillor Sam Merulla, Ward 4



Hamilton

Mailing Address:
71 Main Street West
Hamilton, Ontario
Canada L8P 4Y5
www.hamilton.ca

Planning and Economic Development Department
Planning Division
71 Main Street West, 6th Floor, Hamilton, Ontario, L8P 4Y5
Phone: 905-546-2424, Ext. 4281
Fax: 905-540-5611

FILE: HP2018-013

June 13, 2018

Invizij Architects
c/o Kasia Bednarz
185 Young Street, Hamilton, ON
L8N 1V9

**Re: Heritage Permit Application HP2018-013
Handrail Installation
1280 Main Street West, Hamilton (McMaster University)
By-law No. 08-002**

Please be advised that pursuant to By-law No. 05-364, as amended by By-law No. 07-322, which delegates the power to consent to alterations to designated property under the *Ontario Heritage Act* to the Director of Planning and Chief Planner, Heritage Permit Application HP2018-013 is approved for the designated property at 1280 Main Street West, in accordance with the submitted Heritage Permit Application for the following alteration:

- Addition of wrought iron handrails, on the stone steps on the south side of Hamilton Hall and University Hall.

Subject to the following conditions:

- a) That any minor changes to the proposed method of handrail installation following approval shall be submitted to the satisfaction and approval of the Director of Planning and Chief Planner, prior to submission of any application for a Building Permit and / or the commencement of any alterations; and,
- b) That installation of the alterations, in accordance with this approval, shall be completed no later than June 30, 2020. If the alterations are not completed by June 30, 2020 then this approval expires as of that date and no alterations shall be undertaken without a new approval issued by the City of Hamilton.

Please note that this property is designated under Part IV of the *Ontario Heritage Act*, and that this permit is only for the above-noted alterations. Any departure from the approved plans and specifications is prohibited, and could result in penalties, as

**Re: Heritage Permit Application HP2018-013
Installation of wrought iron handrails at 1280 Main
Street West, Hamilton
By-law No. 08-002**


**June 13, 2018
Page 2 of 2**

provided for by the *Ontario Heritage Act*. The terms and conditions of this approval may be appealed to the Conservation Review Board within 30 days of your receipt of this permit.

The issuance of this permit under the *Ontario Heritage Act* is not a waiver of any of the provisions of any By-law of the City of Hamilton, the requirements of the *Building Code Act*, the *Planning Act*, or any other applicable legislation.

We wish you success with your project, and if you have any further questions please feel free to contact Chelsey Tyers, Cultural Heritage Planner, at 905-546-2424 ext. 1202, or via email chelsey.tyers@hamilton.ca.

Yours truly,



Steve Robichaud, MCIP RPP
Director of Planning and Chief Planner

cc: Chelsey Tyers, Cultural Heritage Planner
Chanell Ross, Plan Examination Secretary
John Lane, Manager, Building Inspections
Loren Kolar, Legislative Coordinator
Erin Semande, Registrar, Ontario Heritage Trust
Councillor Aidan Johnson, Ward 1



Hamilton

Mailing Address:
71 Main Street West
Hamilton, Ontario
Canada L8P 4Y5
www.hamilton.ca

Planning and Economic Development Department
Planning Division
71 Main Street West, 5th Floor, Hamilton, Ontario, L8P 4Y5
Phone: 905-546-2424, Ext. 4281
Fax: 905-540-5611

FILE: HP2019-024

August 14, 2019

Carolyn Samko, Senior Project Manager, Heritage Facilities & Capital Planning
City of Hamilton
Lister Block: P. O. Box 2040
Hamilton, ON L8P 4Y5

**Re: Heritage Permit Application HP2019-024:
Proposed master bedroom restoration at 610 York Boulevard (Ward 1) (By-law No. 77-239)**

Please be advised that pursuant to By-law No. 05-364, as amended by By-law No. 07-322, which delegates the power to consent to alterations to designated property under the *Ontario Heritage Act* to the Director of Planning and Chief Planner, Heritage Permit Application HP2019-024 is approved for the designated property at 610 York Boulevard, Hamilton, in accordance with the submitted Heritage Permit Application for the following alterations:

- Restoration of the plaster ceilings in the master bedroom;
- Re-painting of the woodwork and plaster to match historic colours;
- Hanging of reproduction wallpaper to match samples of historic c.1850's wallpaper taken from the room; and,
- Re-installation of reproduction carpet and lighting to match the c. 1850's date.

Subject to the following conditions:

- a) Any minor changes to the plans and elevations following approval shall be submitted, to the satisfaction and approval of the Director of Planning and Chief Planner, prior to submission as part of any application for a Building Permit and / or the commencement of any alterations; and,
- b) Implementation of the alterations, in accordance with this approval, shall be completed no later than August 31, 2021. If the alterations are not completed by August 31, 2021, then this approval expires as of that date and no alterations shall be undertaken without a new approval issued by the City of Hamilton.

**Re: Heritage Permit Application HP2019-024:
Proposed master bedroom restoration at 610 York
Boulevard (Ward 1) (By-law No. 77-239)**

**August 14, 2019
Page 2 of 2**

Please note that this property is designated under Part IV of the *Ontario Heritage Act*, and that this permit is only for the above-noted alterations. Any departure from the approved plans and specifications is prohibited, and could result in penalties, as provided for by the *Ontario Heritage Act*. The terms and conditions of this approval may be appealed to the Conservation Review Board within 30 days of your receipt of this permit.

The issuance of this permit under the *Ontario Heritage Act* is not a waiver of any of the provisions of any By-law of the City of Hamilton, the requirements of the *Building Code Act*, the *Planning Act*, or any other applicable legislation.

We wish you success with your project, and if you have any further questions please feel free to contact David Addington, Cultural Heritage Planner, at 905-546-2424 ext. 1214, or via email at David.Addington@hamilton.ca

Yours truly,



Steve Robichaud, MCIP RPP
Director of Planning and Chief Planner

cc: David Addington, Cultural Heritage Planner
Chantal Costa, Plan Examination Secretary
John Lane, Manager, Building Inspections
Loren Kolar, Legislative Coordinator
Christine Vernem, Legislative Secretary
Erin Semande, Ontario Heritage Trust
Councillor Maureen Wilson, Ward 1



Hamilton

Mailing Address:
71 Main Street West
Hamilton, Ontario
Canada L8P 4Y5
www.hamilton.ca

Planning and Economic Development Department
Planning Division
71 Main Street West, 5th Floor, Hamilton, Ontario, L8P 4Y5
Phone: 905-546-2424, Ext. 4281
Fax: 905-540-5611

FILE: HP2019-025

August 14, 2019

Grace Ross & Deborah Shantz
24 Union Street
Waterdown, ON L0R 2H0

**Re: Heritage Permit Application HP2019-025:
Proposed alteration of driveway at 24 Union Street, Waterdown (Ward 15)
(By-law No.96-34-H)**

Please be advised that pursuant to By-law No. 05-364, as amended by By-law No. 07-322, which delegates the power to consent to alterations to designated property under the *Ontario Heritage Act* to the Director of Planning and Chief Planner, Heritage Permit Application HP2019-025 is approved for the designated property at 24 Union Street, Waterdown, in accordance with the submitted Heritage Permit Application for the following alterations:

- Resurfacing of existing pea gravel driveway with asphalt.

Subject to the following conditions:

- a) Any minor changes to the plans and elevations following approval shall be submitted, to the satisfaction and approval of the Director of Planning and Chief Planner, prior to submission as part of any application for a Building Permit and / or the commencement of any alterations; and,
- b) Implementation of the alterations, in accordance with this approval, shall be completed no later than August 31, 2021. If the alterations are not completed by August 31, 2021, then this approval expires as of that date and no alterations shall be undertaken without a new approval issued by the City of Hamilton.

Please note that this property is designated under Part V of the *Ontario Heritage Act*, and that this permit is only for the above-noted alterations. Any departure from the approved plans and specifications is prohibited, and could result in penalties, as

**Re: Heritage Permit Application HP2019-025:
Proposed alteration of driveway at 24 Union Street,
Waterdown (Ward 13) (By-law No. 96-34-H)**

**August 14, 2019
Page 2 of 2**

provided for by the *Ontario Heritage Act*. The terms and conditions of this approval may be appealed to the Local Planning Appeal Tribunal within 30 days of your receipt of this permit.

The issuance of this permit under the *Ontario Heritage Act* is not a waiver of any of the provisions of any By-law of the City of Hamilton, the requirements of the *Building Code Act*, the *Planning Act*, or any other applicable legislation.

We wish you success with your project, and if you have any further questions please feel free to contact Miranda Brunton, Cultural Heritage Planner, at 905-546-2424 ext. 1202, or via email at Miranda.Brunton@hamilton.ca.

Yours truly,



Steve Robichaud, MCIP RPP
Director of Planning and Chief Planner

cc: Miranda Brunton, Cultural Heritage Planner
Chantal Costa, Plan Examination Secretary
John Lane, Manager, Building Inspections
Loren Kolar, Legislative Coordinator
Christine Vernem, Legislative Secretary
Councillor Judi Partridge, Ward 15

City Clerk's Division

COUNCIL FOLLOW-UP NOTICE

TO: Steve Robichaud
Director, Planning

DATE: July 16, 2019

FROM: Loren Kolar
City Clerk's Division

RE: Council Follow up – Hamilton Municipal Heritage Committee

At the July 12, 2019 meeting of City Council, the following items were approved as part of Planning Report 19-011:

4. Hamilton Municipal Heritage Committee Report 19-004 (Item 7.4)

That the following recommendations be approved:

(a) Appointment of Chair and Vice Chair (Item 1)

- (i) That A. Denham-Robinson be appointed Chair of the Hamilton Municipal Heritage Committee for the 2018-2022 term; and,
- (ii) That C. Dmitry be appointed Vice-Chair of the Hamilton Municipal Heritage Committee for the 2018-2022 term.

(b) Bill 108 - Proposed Changes to the Ontario Heritage Act (PED19140) (City Wide) (Item 10.2)

That Report PED19140 respecting Bill 108 - Proposed Changes to the Ontario Heritage Act, be received.

10. 9 Main Street North, Waterdown - Municipal Register of Property of Cultural Value or Interest (Item 12.1)

WHEREAS, the owner of the lands located at 9 Main Street North, Waterdown, recently sold the property and closed the Village Fish & Chips restaurant;

WHEREAS, 9 Main Street North, Waterdown, is listed on the City's Heritage Inventory, but is not currently recognized through registration or protected through designation under the Ontario Heritage Act;

WHEREAS, a preliminary evaluation of Cultural Heritage Value or Interest conducted as part of the Waterdown Village Built Heritage Inventory found that 9 Main Street North, Waterdown meets the criteria specified in Ontario Regulation 9/06 including, but not limited to:

- (i) Historical Associations – The property is directly associated with potentially significant organizations, institutions and local businesses. Historically, the building was publically-owned and tied to the early village post office and an early Bell telephone office. In the mid-20th century the building housed the East Flamborough Police Department. The recently closed Village Fish & Chips restaurant, owned and operated by the Bos Family since 1969, served the community for almost 50 years.
- (ii) Physical and Architectural Design - The wood-framed building, clad in rough-cast stucco, with a low hip roof and projecting eaves, is a representative example of a local vernacular architectural style. Overall, the design of the building does not appear to have changed significantly since its construction circa the turn of the 20th century. The central doors, with flanking windows on the front façade, and the low hip roof date to at least the 1950s when the East Flamborough Police Department occupied building.
- (iii) Contextual Value – The property is important in defining the historic character of the area. It is physically, functionally and historically linked to its surroundings. This former public building is located on the historic transportation corridor of Main Street North just north of Dundas Street.

THEREFORE BE IT RESOLVED:

- (a) That 9 Main Street North, Waterdown, be added to the City's Municipal Heritage Register of Property of Cultural Heritage Value or Interest as a non-designated property; and,
- (b) That Council direct staff to add 9 Main Street North, Waterdown, to staff's designation work plan and be assigned high priority for Heritage Designation.

Loren Kolar
Legislative Coordinator

Cc: Alissa Denham-Robinson, Chair, HMHC
David Addington, Cultural Heritage Planner
Miranda Brunton, Cultural Heritage Planner

7.3

MINUTES OF THE HAMILTON HERITAGE PERMIT REVIEW SUB-COMMITTEE

Tuesday, June 25th, 2019

Present: Melissa Alexander, Laurie Brady, Diane Dent, Andy MacLaren, Carol Priamo, John Scime, Stefan Spolnik, Steve Wiegand, Charles Dimitry (Interim Chair)

Attending Staff: Miranda Brunton, David Addington, Greg MacPherson

Absent with Regrets: No committee member was absent

Meeting was called to order by the Interim Chair, Charles Dimitry at 5:00 pm

1) Approval of Minutes from Previous Meetings: None at this meeting

**Heritage Permit Review Sub-Committee
Minutes – June 25, 2019**

2) Heritage Permit Applications

a. HP2019-015: 316 James Street South, Hamilton

- Replacement of portion of slate roof on east side of building, and;
- Replacement of portion of metal roof on east side of central tower.

Karin Wall from the condo board presented to the Sub-committee

The Sub-committee considered the application and together with input from the applicant and advice from staff, passed the following motion:

That the Heritage Permit Review Sub-committee advises that Heritage Permit application HP2019-015 be consented to, subject to the following conditions:

- a) That any minor changes to the plans and elevations following approval shall be submitted, to the satisfaction and approval of the Director of Planning and Chief Planner, prior to submission as part of any application for a Building Permit and / or the commencement of any alterations; and,
- b) That implementation / installation of the alteration(s), in accordance with this approval, shall be completed no later than July 31, 2021. If the alteration(s) are not completed by July 31, 2021, then this approval expires as of that date and no alterations shall be undertaken without a new approval issued by the City of Hamilton.
- c) That the applicant provide staff with details of the colour and design of the new gutters, flashing and valleys and the colour of the replacement slate shingles to the satisfaction and approval of the Director of Planning and Chief Planner, prior to the commencement of any alterations.

Motion - Diane Dent

Seconded - Carol Priamo

Carried by unanimous vote

**Heritage Permit Review Sub-Committee
Minutes – June 25, 2019**

b. HP2019-016: 1 St. James Place, Hamilton

- Installation of exhaust vent to front of dwelling;
- Replacement of front and garage doors

The Applicant, and proposed new owner of the property, attended and presented to the Sub-committee.

Change moved by Diane Dent, 2nd by Andy MacLaren, carried by a unanimous vote

The Sub-committee considered the application and together with input from the applicant and advice from staff, passed the following motion:

That the Heritage Permit Review Sub-committee advises that Heritage Permit application HP2019-016 be consented to, subject to the following conditions:

a) That any minor changes to the plans and elevations following approval shall be submitted, to the satisfaction and approval of the Director of Planning and Chief Planner, prior to submission as part of any application for a Building Permit and / or the commencement of any alterations; and,

b) That implementation / installation of the alteration(s), in accordance with this approval, shall be completed no later than July 31, 2021. If the alteration(s) are not completed by July 31, 2021, then this approval expires as of that date and no alterations shall be undertaken without a new approval issued by the City of Hamilton.

c) That the final details of the proposed bathroom vent (including dimensions, design and colour) shall be submitted, to the satisfaction and approval of the Director of Planning and Chief Planner, prior to the commencement of any alterations

d) That the final details of the replacement front door and garage door (including design, colour and materials) shall be submitted, to the satisfaction and approval of the Director of Planning and Chief Planner, prior to the commencement of any alterations

Motion for first additional condition

Moved by: Laurie Brady

Seconded by: Carol Priamo

Carried by unanimous vote

**Heritage Permit Review Sub-Committee
Minutes – June 25, 2019**

Motion for second additional condition

Moved by: Andy MacLaren

Seconded by: Laurie Brady / Carried = yes (unanimous)

Carried by unanimous vote

c. HP2019-017: 171 Forest Avenue, Hamilton

- Replacement of 11 existing windows with new, matte black six-over-six double-hung windows

The Sub-committee considered the application and together with input from the applicant and advice from staff, passed the following motion:

That the Heritage Permit Review Sub-committee advises that Heritage Permit application HP2019-017 be consented to, subject to the following conditions:

- a) That any minor changes to the plans and elevations following approval shall be submitted, to the satisfaction and approval of the Director of Planning and Chief Planner, prior to submission as part of any application for a Building Permit and / or the commencement of any alterations; and,
- b) That implementation / installation of the alteration(s), in accordance with this approval, shall be completed no later than July 31, 2021. If the alteration(s) are not completed by July 31, 2021, then this approval expires as of that date and no alterations shall be undertaken without a new approval issued by the City of Hamilton.

Moved by: Laurie Brady

Seconded by: John Scime

Carried by unanimous vote

Additional note: Heritage staff to speak to owner regarding salvaging windows.

**Heritage Permit Review Sub-Committee
Minutes – June 25, 2019**

d. HP2019-018: 45 Main Street East, Hamilton

- Structural rehabilitation of perimeter masonry parapets and localized exterior masonry restoration.

Tim Finch, architect at A-link, presented to the Sub-committee on behalf of the client

The Sub-committee considered the application and together with input from the applicant and advice from staff, passed the following motion:

That the Heritage Permit Review Sub-committee advises that Heritage Permit application HP2019-018 be consented to, subject to the following conditions:

- a) That any minor changes to the plans and elevations following approval shall be submitted, to the satisfaction and approval of the Director of Planning and Chief Planner, prior to submission as part of any application for a Building Permit and / or the commencement of any alterations; and,
- b) That implementation / installation of the alteration(s), in accordance with this approval, shall be completed no later than July 31, 2021. If the alteration(s) are not completed by July 31, 2021, then this approval expires as of that date and no alterations shall be undertaken without a new approval issued by the City of Hamilton.

Moved by: Carol Priamo

Seconded by: Andy MacLaren

Carried by unanimous vote

**Heritage Permit Review Sub-Committee
Minutes – June 25, 2019**

e. HP2019-019: 1280 Main Street West, Hamilton

- Replacement of existing patio

Kyle Slote, architect at TCA, presented on behalf of his client McMaster University.

The Sub-committee considered the application and together with input from the applicant and advice from staff, passed the following motion:

That the Heritage Permit Review Sub-committee advises that Heritage Permit application HP2019-019 be consented to, subject to the following conditions:

- a) That any minor changes to the plans and elevations following approval shall be submitted, to the satisfaction and approval of the Director of Planning and Chief Planner, prior to submission as part of any application for a Building Permit and / or the commencement of any alterations; and,
- b) That implementation / installation of the alteration(s), in accordance with this approval, shall be completed no later than July 31, 2021. If the alteration(s) are not completed by July 31, 2021, then this approval expires as of that date and no alterations shall be undertaken without a new approval issued by the City of Hamilton.

Moved by: Laurie Brady

Seconded by: Stefan Spolnik

Carried by unanimous vote

**Heritage Permit Review Sub-Committee
Minutes – June 25, 2019**

f. HP2019-020: 47 Mill Street North, Waterdown

- Replacement of flagstone walkway with new flagstone of the same size and in same location as existing
- Replacement of concrete front stairs with wood in the same location as existing

No homeowner representative attended. Andy MacLaren offered comments based on his discussion with the homeowner

The Sub-committee considered the application and together with input from the applicant and advice from staff, passed the following motion:

That the Heritage Permit Review Sub-committee advises that Heritage Permit application HP2019-020 be consented to, subject to the following conditions:

- a) That any minor changes to the plans and elevations following approval shall be submitted, to the satisfaction and approval of the Director of Planning and Chief Planner, prior to submission as part of any application for a Building Permit and / or the commencement of any alterations; and,
- b) That implementation / installation of the alteration(s), in accordance with this approval, shall be completed no later than July 31, 2021. If the alteration(s) are not completed by July 31, 2021, then this approval expires as of that date and no alterations shall be undertaken without a new approval issued by the City of Hamilton.

Motion – Melissa Alexander

Seconded – Laurie Brady

Carried by unanimous vote

**Heritage Permit Review Sub-Committee
Minutes – June 25, 2019**

g. HP2019-021: 78 Highway 8, Flamborough

- Repointing of portion of building's north wall
- Repair and capping of chimneys

Robert Eastman, homeowner, presented to the Sub-committee

The Sub-committee considered the application and together with input from the applicant and advice from staff, passed the following motion:

That the Heritage Permit Review Sub-committee advises that Heritage Permit application HP2019-021 be consented to, subject to the following conditions:

- a) That any minor changes to the plans and elevations following approval shall be submitted, to the satisfaction and approval of the Director of Planning and Chief Planner, prior to submission as part of any application for a Building Permit and / or the commencement of any alterations; and,
- b) That implementation / installation of the alteration(s), in accordance with this approval, shall be completed no later than July 31, 2021. If the alteration(s) are not completed by July 31, 2021, then this approval expires as of that date and no alterations shall be undertaken without a new approval issued by the City of Hamilton.

Motion – Andy MacLaren

Seconded – John Scime

Carried by unanimous vote

**Heritage Permit Review Sub-Committee
Minutes – June 25, 2019**

h. HP2019-022: 160 Mill Street North, Waterdown

- Remove and replace existing front gardens;
- Replace cracked front door and remove aluminum storm door;
- Refinish portico ceiling; and,
- Raise garage by 1' and repave driveway.

No homeowner representative attended. Andy MacLaren offered comments based on his discussion with the homeowner

The Sub-committee considered the application and together with input from the applicant and advice from staff, passed the following motion:

That the Heritage Permit Review Sub-committee advises that Heritage Permit application HP2019-022 be consented to, subject to the following conditions:

- a) That any minor changes to the plans and elevations following approval shall be submitted, to the satisfaction and approval of the Director of Planning and Chief Planner, prior to submission as part of any application for a Building Permit and / or the commencement of any alterations; and,
- b) That implementation / installation of the alteration(s), in accordance with this approval, shall be completed no later than July 31, 2021. If the alteration(s) are not completed by July 31, 2021, then this approval expires as of that date and no alterations shall be undertaken without a new approval issued by the City of Hamilton.

Motion – Stefan Spolnik

Seconded – John Scime

Carried by unanimous vote

**Heritage Permit Review Sub-Committee
Minutes – June 25, 2019**

i. HP2019-023: 306 King Street West, Dundas

- Repair of tuckpointing and replacement of bricks on front façade; and,
- Replacement of laminate sills with painted oak sills.

Homeowner presented to the Sub-committee

The Sub-committee considered the application and together with input from the applicant and advice from staff, passed the following motion:

That the Heritage Permit Review Sub-committee advises that Heritage Permit application HP2019-023 be consented to, subject to the following conditions:

- a) That any minor changes to the plans and elevations following approval shall be submitted, to the satisfaction and approval of the Director of Planning and Chief Planner, prior to submission as part of any application for a Building Permit and / or the commencement of any alterations; and,
- b) That implementation / installation of the alteration(s), in accordance with this approval, shall be completed no later than July 31, 2021. If the alteration(s) are not completed by July 31, 2021, then this approval expires as of that date and no alterations shall be undertaken without a new approval issued by the City of Hamilton.

Motion – Stefan Spolnik

Seconded – Carol Priamo

Carried by unanimous vote

3) Reviewed forthcoming application for 36 Union Street

4) **Adjournment:** Meeting was adjourned at 8:05 pm

5) **Next Meeting:** Tuesday July 30th from 4:30 – 8:30pm, Room 192

**HMHC Education and Communication Working
Group**

**Wednesday July 3rd, 2019 (6:00 pm)
Hamilton City Hall, Room 222**

Meeting Notes

Present: Alissa Dehnam-Robinson (Acting Chair), Janice Brown, Chuck Dimitry, Robin McKee, Tim Ritchie, Graham Carroll

Regrets: Kathy Stacey

Also present: N/a

Resignations Received: Ron Sinclair, Terri Wallis

RECOMMENDATIONS:

None at this time.

1. Previous Meeting Notes

None.

2. Review of Working Group Mandate

The Working Group reviewed the current mandate; to advise on education, celebration, Commemoration and interpretation of the community's cultural heritage; and to advise on awards for volunteer efforts in heritage conservation and education.

3. Budgets

Members request staff clarification on available operating and printing budgets in order to plan for future projects.

4. Public Outreach and Events

1. Discussed examples of past events that the working group has participated in, which include:
 - a. Waterdown Archives Heritage Book Fair
A.Denham-Robinson to source information for the upcoming 2019 event and provide an update to the Working Group.
 - b. Hamilton Heritage Day
Next event would be Heritage Week (February 2020)
 - c. Hamilton Public School Board Heritage Fair

HMHC Education and Communication Working Group
MEETING NOTES – July 3, 2019

- d. Static Display at the Hamilton Public Library
 - e. Active & Static Display at the National Heritage Trust Conference hosted in Hamilton (2016)
2. Discussed examples of on-going events organized by the Education Working Group, which include:
 - a. HMHC Heritage Recognition Awards Celebration – J.Brown volunteered to draft a project plan for the upcoming 2019-20 event.
 3. Discussed potential opportunities for future events, which include:
 - a. Places of Worship Community Engagement Event – a workshop to coincide with the work being undertaken by the Inventory and Research Working Group.

A.Denham-Robinson and former Heritage Planners Jeromy Parson and Chelsey Tyers had made some connections with Regenerating Places of Faith (National Trust for Canada, Faith & the Common Good) as well as some local groups (I.e. Hamilton Burlington Society of Architects, Indwell, etc.)
 - b. Heritage Workshop Event - J.Brown volunteered to draft a project proposal for a future heritage community event.
 4. For future events, Working Group to review the “display table content” for active and static displays, to see what we currently have to display and what the Working Group might need to prepare.

5. Publications & Print Projects

1. A.Denham-Robinson provided an overview of printed projects (past and present) such as:
 - Book marks
 - Colouring and Activity book (Heritage Properties)
 - Posters (Stone Terrace, Doors of Hamilton and Pigott Windows) – A.Denham-Robinson to provide inventory information for the Working Group to review.
2. A.Denham-Robinson provided an overview of future projects (approved by Council) such as:
 - Heritage Word Search Puzzles. C.Dimitry volunteered to draft some puzzles for the group to review.
3. A.Denham-Robinson provided an overview of heritage content on the City’s website. The Working Group can offer recommendations at any time.

6. Other Business:

1. Internal Education Opportunities

C.Dimitry commented that internal education for committee / working group members is important. Opportunities could include:

- Guest Speakers (Bert Duclos, etc.)
- Conferences (CHO, National Trust, etc.)
 - The next CHO Conference will take place in Markham May 28-30th, 2020.
 - J.Brown commented that there may be an opportunity for the City of Hamilton to host an upcoming ACO/CHO Conference. They are currently looking for host cities for 2021 (*deadline to submit closed June 2019*).

2. Designation Plaques

R.McKee requested clarification regarding the designation plaquing process since the Historical Board was dissolved. Currently plaques are prepared by the Culture Department (Christopher Redford). R.McKee asked if content review could fall within the Education Working Group's Mandate. Staff to review and comment.

3. Designation Reference Package

R.McKee shared his interest in having an information package produced for property owners so they may be better informed. Carol Priamo is undertaking a similar project. Staff to review and provide an update.

4. Social Media Coordination

Members suggested making contact with local reporters and media outlets (Hamilton Spectator, Mountain News, Cable 14, Community News, etc.) who might look to write about positive heritage stories of interest and promote local heritage events. Staff to review and comment on communication procedures.

7. Administration:

Selection of Working Group Chair / Vice-Chair / Co-Chair / Secretary – deferred to a future meeting.

8. Next Meeting: ~~Wednesday August 7th, 2019 (6pm – 8pm) Hamilton City Hall Rm. 222~~

(Rescheduled)
Wednesday August 14th, 2019 (6pm – 8pm)
Hamilton City Hall Rm. 222

City Clerk's Division

COUNCIL FOLLOW-UP NOTICE

TO: Steve Robichaud
Director, Planning

DATE: August 20, 2019

FROM: Loren Kolar
City Clerk's Division

RE: Council Follow up – Hamilton Municipal Heritage Committee

At the August 16, 2019 meeting of City Council, the following items were approved as part of Planning Report 19-012:

10. 292 Dundas Street East (Maple Lawn), Waterdown (Added Item 12.1)

WHEREAS, there is concern that 292 Dundas Street East, Waterdown, will be placed on the market for the purpose of redevelopment;

WHEREAS, 292 Dundas Street East, Waterdown, is listed on the City's Heritage Inventory, but is not currently recognized through registration or protected through designation under the *Ontario Heritage Act*;

WHEREAS, a preliminary evaluation of Cultural Heritage Value or Interest conducted as part of the Waterdown Village Built Heritage Inventory found that 292 Dundas Street East, Waterdown meets the criteria specified in *Ontario Regulation 9/06* including, but not limited to:

- Historical Associations – The property is located on an early transportation route known as “The Governor’s Road” that stretched from Mississauga to London and has been in use since the late 1700s. The property is associated with potentially significant people in Waterdown’s history, including George Allison and Harold Greene. George Allison, believed to be the first owner of the house, was a recognized character in the early development of the Village. He served the local community as a juror and magistrate. Harold Greene was the first publisher of the *Waterdown Review*. He lived in the house with his family in the late 1910s and a few of the early issues are believed to have been produced in a carriage house located on the property. Additionally, the property has the potential to yield information that contributes to the understanding of the community through additional research.

- **Physical and Architectural Design** – The property is a representative example of vernacular residence constructed in the Victoria period and influenced by Gothic Revival and Italianate architectural styles. The two-storey house of stretcher bond brick construction (now painted) sits on a rubble and brick foundation. The house is defined by its Gothic-style high-gabled roof three bay façade and bay window with Italianate detailing, all displaying a high degree of craftsmanship. Victorian style influences include the wide front verandah, decorative bargeboard, and other decorative flourishes. Over all, the design of the building does not appear to have changed significantly since its construction circa mid-to-late 20th century.
- **Contextual Value** – The property is important in defining the historic character of the area and maintaining the historic fabric of Dundas Street East. In addition to the property’s location along a historic transport route, the property is physically, visually, and historically linked to its surroundings. The 19th-century single-detached building helps define the early residential character at the west end of Dundas Street in the Village of Waterdown along with the other prominent estate homes including the Smith-Carson House at no. 289, the Crooker House at no. 299 and Chestnut Grove at no. 315. The property may be considered a local landmark.

THEREFORE BE IT RESOLVED:

- (a) That 292 Dundas Street East, Waterdown, be added to the City’s Municipal Heritage Register as a non-designated property, after consultation with the Hamilton Municipal Heritage Committee; and,
- (b) That Council direct staff to add 292 Dundas Street East (Maple Lawn), Waterdown, to staff’s designation work plan and be assigned immediate priority for Heritage Designation in Q4.

Loren Kolar
Legislative Coordinator

Cc: Alissa Denham-Robinson, Chair, HMHC
David Addington, Cultural Heritage Planner
Miranda Brunton, Cultural Heritage Planner

From: [Kolar, Loren](#)
To: ["Marc Bader"](#)
Subject: RE: change of date
Date: August 9, 2019 9:04:00 AM

Mr Bader,

Your delegation request will be deferred to the September 19, 2019 meeting.

Loren Kolar

Legislative Coordinator

T | (905) 546-2424 ext. 2604

E | loren.kolar@hamilton.ca

From: Marc Bader [REDACTED]
Sent: August 8, 2019 11:14 PM
To: Kolar, Loren <Loren.Kolar@hamilton.ca>
Subject: change of date

Hi Loren,

As per the telephone call yesterday with Lloyd Ferguson, I'm requesting for my delegation before the Heritage Committee be moved to the September meeting on September 19 at noon. Please confirm this for me.

Much appreciated and sorry for any inconvenience.

Marc Bader



CITY OF HAMILTON
PLANNING AND ECONOMIC DEVELOPMENT DEPARTMENT
Planning Division

TO:	Chair and Committee Members Hamilton Municipal Heritage Committee
COMMITTEE DATE:	August 22, 2019
SUBJECT/REPORT NO:	Recommendation to Designate 231 Ferguson Avenue South, Hamilton (Ferguson Avenue Pumping Station) under Part IV of the <i>Ontario Heritage Act</i> (PED19164) (Ward 2)
WARD(S) AFFECTED:	Ward 2
PREPARED BY:	David Addington (905) 546-2424 Ext. 1214
SUBMITTED BY:	Steve Robichaud Director, Planning and Chief Planner Planning and Economic Development Department
SIGNATURE:	

RECOMMENDATION

- (a) That the designation of 231 Ferguson Avenue South, Hamilton (Ferguson Avenue Pumping Station), shown in Appendix "A" to Report PED19164, as a property of cultural heritage value pursuant to the provisions of Part IV of the *Ontario Heritage Act*, be approved;
- (b) That the Statement of Cultural Heritage Value or Interest and Description of Heritage Attributes, attached as Appendix "B" to Report PED19164, be approved;
- (c) That the City Clerk be directed to take appropriate action to designate 231 Ferguson Avenue South, Hamilton (Ferguson Avenue Pumping Station) under Part IV of the *Ontario Heritage Act*, in accordance with the Notice of Intention to Designate, attached as Appendix "C" to Report PED19164; and,
- (d) That Report PED19164 be forwarded to the Director of the Water and Wastewater Division of the Public Works Department for information.

OUR Vision: To be the best place to raise a child and age successfully.

OUR Mission: To provide high quality cost conscious public services that contribute to a healthy, safe and prosperous community, in a sustainable manner.

OUR Culture: Collective Ownership, Steadfast Integrity, Courageous Change, Sensational Service, Engaged Empowered Employees.

SUBJECT: Recommendation to Designate 231 Ferguson Avenue South, Hamilton (Ferguson Avenue Pumping Station) under Part IV of the Ontario Heritage Act (PED19164) (Ward 2) - Page 2 of 11

EXECUTIVE SUMMARY

On October 18, 2011, staff received a third party request for designation of the city owned property located at 231 Ferguson Avenue South, Hamilton under Part IV of the *Ontario Heritage Act*.

The property is the site of the Ferguson Avenue Pumping Station, a single storey, brick structure, built by the City of Hamilton's Engineering Department in 1912-13 and enlarged in 1929 to facilitate pumping of the municipal water supply. It is no longer in operation since its replacement in 2012 by a new Ferguson Avenue Water Booster Pumping Station, constructed on the property to the east of the existing building.

After staff completed a preliminary evaluation of the property and consultation with the Hamilton Municipal Heritage Committee, Council added the property on the City of Hamilton's Register of Property of Cultural Heritage Value or Interest as a non-designated property and also added the property to the Council-approved designation work program for completion in 2017 on May 23, 2012 (PED12039).

Staff retained Golder Associates to complete a Cultural Heritage Assessment of the subject property (final report dated July 10, 2019 and attached as Appendix "D" to Report PED19164). This comprehensive research and assessment work is intended to inform staff's recommendation and to provide Committee and Council with adequate information upon which to base a decision regarding designation under Part IV of the *Ontario Heritage Act*.

The Cultural Heritage Assessment evaluated the subject property using both the Council adopted heritage evaluation criteria and the Criteria for Determining Cultural Heritage Value or Interest, as defined in Ontario Regulation 9/06 of the *Ontario Heritage Act*. It has been determined that the Ferguson Avenue Pumping Station meets the criteria for designation, therefore, staff recommend the Ferguson Avenue Pumping Station for designation under Part IV of the *Ontario Heritage Act*. The recommended Statement of Cultural Heritage Value or Interest and Description of Heritage Attributes and the Notice of Intention to Designate are attached as Appendices "B" and "C" respectively to Report PED19164.

The City of Hamilton has explored the potential of repurposing the former Ferguson Avenue Pumping Station building to accommodate a new use. Staff with the Water and Wastewater Division of the Public Works Department retained WSP to complete a condition assessment on the Ferguson Avenue Pumping Station, and to evaluate the suitability of repurposing the site. The final WSP report, dated March 2019, identified the conversion of the former Ferguson Avenue Pumping Station into office space as the most suitable repurposing option. The designation of the property will not prevent the future

SUBJECT: Recommendation to Designate 231 Ferguson Avenue South, Hamilton (Ferguson Avenue Pumping Station) under Part IV of the Ontario Heritage Act (PED19164) (Ward 2) - Page 3 of 11

repurposing of the building. However, should the subject property be designated, staff recommend that any subsequent conversion to a new use will require further Cultural Heritage Impact Assessment and the issuance of a Heritage Permit to ensure that the impact to the heritage attributes as identified in the Description of Heritage Attributes (attached as Appendix “B” to Report PED19164) is mitigated.

Alternatives for Consideration – See Page 10

FINANCIAL – STAFFING – LEGAL IMPLICATIONS

Financial: N/A

Staffing: N/A

Legal: The designation process will follow the requirements of the *Ontario Heritage Act*, and provide for adequate notice of Council’s intention to designate the property. Formal objections may be made under the *Ontario Heritage Act*, and heard before the Conservation Review Board, prior to further consideration by Council of the designation By-law.

Designation under Part IV of the *Ontario Heritage Act* allows municipalities to recognize a property’s cultural heritage value or interest, and to conserve and manage the property through the Heritage Permit process enabled under Sections 33 (alterations) and 34 (demolition or removal) of the Act.

Where alterations to designated properties are contemplated, a property owner is required to apply for, obtain, and comply with a Heritage Permit, for any alteration that “is likely to affect the property’s heritage attributes, as set out in the description of the property’s heritage attributes” (Sub-section 33(1)). Designation does not restrict the use of a property, prohibit alterations or additions, or restrict the sale of a property. The City of Hamilton also provides heritage grants and loan programs to assist in the continuing conservation of properties, once they are designated.

HISTORICAL BACKGROUND

The history of municipal waterworks at 231 Ferguson Avenue South, Hamilton, began in 1878 when a High Level Pumping Station was built to increase the water supply to the ‘High-Level District’ of Charlton Avenue, Forest Avenue, Herkimer Street, the Niagara Escarpment and a section of James Street. The pumping station initially used steam pumping machinery that was capable of lifting water up to 60 metres to a reservoir on the Mountain.

SUBJECT: Recommendation to Designate 231 Ferguson Avenue South, Hamilton (Ferguson Avenue Pumping Station) under Part IV of the Ontario Heritage Act (PED19164) (Ward 2) - Page 4 of 11

The City's growing population and issues with the water supply prompted the construction of a new pumping station at the subject property. In 1912-13, the new Ferguson Avenue Pumping Station was built immediately to the north of the existing pumping station on the same site. The new building was designed by City engineer Andrew F. Macallum and was constructed by City workers. Andrew F. Macallum also co-designed the Hamilton Pumping Station at 900 Woodward Avenue, Hamilton with architect W.A. Edwards in 1913. The design of the new Ferguson Avenue Pumping Station is noted for its combination of functional engineering requirements with consideration of aesthetics, an Edwardian interpretation of classical style and effective siting. By the time the new pumping station was completed, four electric-driven turbine pumps were installed, substantially increasing the water supply to the 'High-Level District'.

Between 1929 and 1930, the 1912-13 building was expanded to the south and east to house three new electric pumps and a 400 horsepower backup generator under the leadership of then City Engineer, William L. McFaul. The original 1878 building was demolished at this time. An additional pump was installed in 1945-46 and five new pumps and electrical switching gear were installed in 1955. The new pumps replaced the now obsolete original pumps and further increased the volume of water that could be transported to serve the growing city. Housing new gear associated with the pumping station's expansion required a further enlargement of the building to the south in 1955.

By the early 21st century, the existing equipment was in poor condition and there were accessibility issues. The City chose to demolish an engine room on the east side of the building and a new facility was opened on the property in 2012. With the completion of the new facility, the Ferguson Avenue Pumping Station was decommissioned.

POLICY IMPLICATIONS AND LEGISLATED REQUIREMENTS

Provincial Policy Statement:

Section 2.6 of the Provincial Policy Statement pertains to Cultural Heritage and Archaeology. Sub-section 2.6.1 states that "significant built heritage resources and significant cultural heritage landscapes shall be conserved". The recommendations of Report PED19164 are consistent with this policy as the property's designation under Part IV of the *Ontario Heritage Act* would formally protect the built heritage resource located at 231 Ferguson Avenue South, Hamilton.

Urban Hamilton Official Plan:

Volume 1, Section B.3.4 - Cultural Heritage Resources Policies of the Urban Hamilton Official Plan (UHOP) provide direction in the management of cultural heritage resources. The following policies are applicable to the recommendations in PED19164:

OUR Vision: To be the best place to raise a child and age successfully.
 OUR Mission: To provide high quality cost conscious public services that contribute to a healthy, safe and prosperous community, in a sustainable manner.
 OUR Culture: Collective Ownership, Steadfast Integrity, Courageous Change, Sensational Service, Engaged Empowered Employees.

SUBJECT: Recommendation to Designate 231 Ferguson Avenue South, Hamilton (Ferguson Avenue Pumping Station) under Part IV of the Ontario Heritage Act (PED19164) (Ward 2) - Page 5 of 11

“B.3.4.2.1 (a) Protect and conserve the tangible cultural heritage resources of the City, including archaeological resources, built heritage resources, and cultural heritage landscapes for present and future generations.

B.3.4.2.1(b) Identify cultural heritage resources through a continuing process of inventory, survey, and evaluation, as a basis for the wise management of these resources.

B.3.4.2.3 The City may by by-law designate individual and groups of properties of cultural heritage value under Parts IV and V respectively of the *Ontario Heritage Act*, including buildings, properties, cultural heritage landscapes, heritage conservation districts, and heritage roads or road allowances.”

The recommendations of Report PED19164 comply with these policies as the property is recommended for designation in order to formally protect and conserve the tangible built heritage of the Ferguson Avenue Pumping Station. The basis for the recommendation to designate the property is based on a comprehensive identification and evaluation of the heritage value of the subject property.

RELEVANT CONSULTATION

The City of Hamilton is the owner of the Ferguson Avenue Pumping Station property and staff with the Water and Wastewater Division of the Public Works Department were notified of the addition of the property to the designation work plan in 2012. Additionally, Water and Wastewater staff have reviewed and commented on a draft and revised version of the Cultural Heritage Assessment completed by Golder Associates Ltd. (attached as Appendix “D” to Report PED19164) and will be notified of Council's intent to designate through Report PED19164.

Pursuant to Sub-section 29 (2) of the *Ontario Heritage Act*, Council is required to consult with its Municipal Heritage Committee respecting designation of property under Sub-section (1) of the Act. Typically, Cultural Heritage Assessments are reviewed by the Inventory and Research Working Group (IRWG) of the Hamilton Municipal Heritage Committee in accordance with the Council approved process, attached as Appendix “E” of Report PED19164. A draft Cultural Heritage Assessment prepared by Golder Associates Ltd. (dated October 18, 2018) was reviewed by the IRWG of the Hamilton Municipal Heritage Committee at their meeting on May 6, 2019. The IRWG received the draft report and recommended that equipment within the building be considered for inclusion as heritage features and for staff to further evaluate the merit of this prospect. Subject to receiving a satisfactory response to this consideration, the IRWG supported the recommendation to proceed with the property's designation. A final version of the Cultural Heritage Assessment was reviewed by the IRWG on July 22, 2019. The IRWG

SUBJECT: Recommendation to Designate 231 Ferguson Avenue South, Hamilton (Ferguson Avenue Pumping Station) under Part IV of the Ontario Heritage Act (PED19164) (Ward 2) - Page 6 of 11

supported the Cultural Heritage Assessment's recommendation that the long-term management of the collection of non-designated artefacts and equipment internal to the building be detailed in a Conservation Plan to be completed prior to the future conversion of the building. The IRWG supported the property's designation under Part IV of the *Ontario Heritage Act*.

Staff also informed the Ward Councillor of the request to designate and the recommendations of Report PED19164.

ANALYSIS AND RATIONALE FOR RECOMMENDATION

The intent of municipal designation, under Part IV of the *Ontario Heritage Act*, is to enable a process for the management and conservation of cultural resources. Once a property is designated, the municipality is enabled to manage change and alterations to the property through the Heritage Permit process and to ensure that the significant features of the property as identified in the designation by-law are maintained through the provision of financial assistance programs and the enforcement of Property Standards By-laws.

Cultural Heritage Evaluation:

Designation is guided by the process of cultural heritage evaluation and assessment. The evaluation process, as documented in the Cultural Heritage Assessment, attached as Appendix "D" to Report PED19164, attempts to clearly identify those heritage values associated with a property.

Council-Adopted Evaluation Criteria:

A set of criteria were endorsed by the City of Hamilton's Municipal Heritage Committee on June 19, 2003 and were adopted by Council as The City of Hamilton: Cultural Heritage Evaluation Criteria on October 29, 2008. The criteria are used to identify the cultural heritage values of a property, and to assess their significance. This evaluation assists in determining a property's merit for designation under the *Ontario Heritage Act*, as well as deriving a Statement of Cultural Heritage Value or Interest and Description of Heritage Attributes.

Through the consultant's evaluation, the property meets ten of the City's twelve criteria pertaining to built heritage value.

Ontario Regulation 9/06: Criteria for Determining Cultural Heritage Value or Interest:

Section 29 (1) of the *Ontario Heritage Act* permits the Council of a municipality to designate property to be of cultural heritage value or interest where property meets the

SUBJECT: Recommendation to Designate 231 Ferguson Avenue South, Hamilton (Ferguson Avenue Pumping Station) under Part IV of the Ontario Heritage Act (PED19164) (Ward 2) - Page 7 of 11

criteria prescribed by Provincial regulation. In 2006, the Province issued Ontario Regulation 9/06: Criteria for Determining Cultural Heritage Value or Interest. According to Sub-section 1 (2) of Ontario Regulation 9/06, a property may be designated under Section 29 of the *Ontario Heritage Act* where it meets one or more of the identified criteria. Ontario Regulation 9/06 identifies criteria in three broad categories: Design/Physical Value, Historical/Associative Value and Contextual Value.

As outlined in the attached Cultural Heritage Assessment (see Appendix “D” to Report PED19164), the subject property satisfies seven of the nine criteria contained in Ontario Regulation 9/06 in all three categories.

1. Design / Physical Value:

- i. In its scale, massing, style, materials and decoration, the 1912-13 block of the Ferguson Avenue Pumping Station and 1929-30 extension of the building is representative of an early 20th century ‘Electric Era’ waterworks and the application of the Romanesque Revival style to public infrastructure buildings.
- ii. There is a relatively high degree of design competence and masonry craftsmanship on the fine brick Ferguson Street façade which also extends to the water table of the north wall, the cogging of the north and south side walls, and the gauged brick voussoir of the surviving window of the south wall. The 1929-30 extension addressed well the engineering challenge of breaching the 1912-13 block of the building by bracing the upper wall with an I-beam and large columns.
- iii. The functional merit of the Ferguson Avenue Pumping Station lies in its expert combination of brick, concrete, I-beam, and glass construction, which is representative of ‘Electric Era’ waterworks construction across Ontario. This construction could stand the vibration loads generated by the water pumping machinery.

2. Historical / Associative Value:

- i. The Ferguson Avenue Pumping Station is most closely related to the theme of Urban Development since it is directly related to Hamilton’s consolidation as an industrial centre in the first quarter of the 20th century and linked to Hamilton’s population explosion between 1911 and 1920.
- ii. The property is not considered to have significant potential to yield information that contributes to an understanding of a community or culture.

SUBJECT: Recommendation to Designate 231 Ferguson Avenue South, Hamilton (Ferguson Avenue Pumping Station) under Part IV of the Ontario Heritage Act (PED19164) (Ward 2) - Page 8 of 11

- iii. The 1912-13 block of the building is directly associated with Andrew F. Macallum who designed the Ferguson Avenue Pumping Station while serving as City Engineer between 1909 to 1916. The 1929-30 and 1955 extensions were built during the tenure of William L. McFaul, City Engineer for thirty six years. There is also a strong association between the Ferguson Avenue Pumping Station and staff from the City's Water Department, who constructed and operated the facility for over a century.

3. Contextual Value:

- i. The Ferguson Avenue Pumping Station maintains and supports the character of the area as it continues the two-storey height, massing, moderate setback and red-brick materials of the adjacent designated row housing and the semi-detached properties on Foster Street and further reinforces this sense of architectural cohesion with these earlier buildings through its semi-circular headed window openings.
- ii. The Ferguson Avenue Pumping Station is physically, functionally, visually and historically linked to its surroundings. The land use as a municipal waterworks has continued since 1878 when a repumping station was built to increase the supply of water to the immediate area and the Niagara Escarpment. Furthermore, the visual relationships with the Escarpment and the adjacent historic architecture on Ferguson Avenue and Foster Street have been retained.
- iii. The property is not considered a landmark.

Potential Repurposing:

As the Ferguson Avenue Pumping Station is no longer operational, City of Hamilton Water and Wastewater staff have explored the potential for repurposing the building to accommodate a new use. The consultant, WSP, was retained to conduct a Facility Repurposing Study, dated March 2019, which recommended converting the building into office space after reviewing eight different repurposing options. The study identified several measures that may be required to adapt the building for office use including removing interior elements, filling the basement, constructing an interior mezzanine, constructing suitable plumbing and HVAC systems and restoring select heritage features.

It is anticipated that a conversion of the Ferguson Avenue Pumping Station to an office use could have a positive overall impact on the preservation of the building's heritage features. Repurposing to office space may be accomplished with relatively limited physical impact to the building's heritage attributes, the majority of which are contained

SUBJECT: Recommendation to Designate 231 Ferguson Avenue South, Hamilton (Ferguson Avenue Pumping Station) under Part IV of the Ontario Heritage Act (PED19164) (Ward 2) - Page 9 of 11

in the building's envelope which could be adapted to the new use. Furthermore, the building's reuse will spur the rehabilitation of the building and reanimate the space with new users, thereby contributing to the ongoing stewardship of the building.

The designation of the property will not prevent the future repurposing of the building. Further Cultural Heritage Impact Assessment is recommended to guide any future building conversion and to inform the review of a proposed conversion through the Heritage Permit process once the design details are prepared. The intent of the Cultural Heritage Impact Assessment will be to evaluate the impact of a proposed conversion on the building and to identify measures to mitigate the conversion's impact on designated heritage attributes and also to the building's non-designated features.

Non-designated features that may potentially be altered or removed to facilitate a conversion include the 1955 addition on the building's south side and many of the interior industrial artefacts such as the ten existing water pump trains, electrical equipment, basement piping and a control station. A conditions assessment of the pump trains has indicated that most were installed in 1960 or afterwards. The *Ontario Heritage Act* does not enable the heritage protection of moveable items that are not permanently attached to the property (ie. chattel), therefore, non-permanent fixtures such as the internal equipment have not been included as designated attributes. However, these non-designated features possess heritage value in that they contribute to an understanding of the 20th century evolution of a waterworks facility and are key components to its function. Consequently, it is recommended that a Conservation Plan be prepared to guide the long-term management and preservation of the collection of industrial artefacts as a condition to any Heritage Permit for the conversion of the building.

Conclusion:

The consultants have determined that the subject property, 231 Ferguson Avenue South, Hamilton is of cultural heritage value or interest, sufficient to warrant designation under Part IV of the *Ontario Heritage Act*. Staff concur with the findings of the Cultural Heritage Assessment report and recommends designation of 231 Ferguson Avenue South, Hamilton under Part IV of the *Ontario Heritage Act* according to the Statement of Cultural Heritage Value or Interest and the Description of Heritage Attributes, attached as Appendix "B" to Report PED19164 and the draft Notice of Intention to Designate attached as Appendix "C" to Report PED19164.

With respect to the potential repurposing of the building, any proposal to convert the building to a new use will be subject to the approval of a Heritage Permit and any other required applications. Staff recommend that any future Heritage Permit application for the building's conversion be accompanied by a Cultural Heritage Impact Assessment and Conservation Plan to evaluate the impact to the building's designated heritage attributes

SUBJECT: Recommendation to Designate 231 Ferguson Avenue South, Hamilton (Ferguson Avenue Pumping Station) under Part IV of the Ontario Heritage Act (PED19164) (Ward 2) - Page 10 of 11

and to guide the long-term management of the building's non-designated industrial artefacts.

ALTERNATIVES FOR CONSIDERATION

Under Part IV of the *Ontario Heritage Act*, the designation of property is a discretionary activity on the part of Council. Council, as advised by its Municipal Heritage Committee, may consider two alternatives: agree to designate property or decline to designate property.

Decline to Designate:

By declining to designate, the municipality would be unable to provide long-term, legal protection to this significant heritage resource (designation provides protection against inappropriate alterations and demolition) and would not fulfil the expectations established by existing municipal and provincial policies.

Without designation, the property would not be eligible for the City's heritage grant and loan programs. Designation does not restrict the use of property, prohibit alterations and additions, nor does it restrict the sale of a property, or affect its resale value.

ALIGNMENT TO THE 2016 – 2025 STRATEGIC PLAN

Clean and Green

Hamilton is environmentally sustainable with a healthy balance of natural and urban spaces.

Built Environment and Infrastructure

Hamilton is supported by state of the art infrastructure, transportation options, buildings and public spaces that create a dynamic City.

Culture and Diversity

Hamilton is a thriving, vibrant place for arts, culture, and heritage where diversity and inclusivity are embraced and celebrated.

APPENDICES AND SCHEDULES ATTACHED


Appendix "A":	Location Map
Appendix "B":	Statement of Cultural Heritage Value or Interest and Description of Heritage Attributes
Appendix "C":	Notice of Intention to Designate

SUBJECT: Recommendation to Designate 231 Ferguson Avenue South, Hamilton (Ferguson Avenue Pumping Station) under Part IV of the Ontario Heritage Act (PED19164) (Ward 2) - Page 11 of 11

- Appendix "D": Cultural Heritage Assessment Report for 231 Ferguson Avenue South, Hamilton (Ferguson Avenue Pumping Station), July 10, 2019
- Appendix "E": Council-Adopted Heritage Designation Process



● Site Location



Key Map - Ward 2

Location Map



Hamilton

PLANNING AND ECONOMIC DEVELOPMENT DEPARTMENT

File Name/Number:
PED19164

Date:
July 18, 2019

Appendix "A"

Scale:
N.T.S

Planner/Technician:
DA/NB

Subject Property

 231 Ferguson Avenue South, Hamilton (Ward 2)

231 Ferguson Avenue South, Hamilton

STATEMENT OF CULTURAL HERITAGE VALUE OR INTEREST AND DESCRIPTION OF HERITAGE ATTRIBUTES

Statement of Cultural Heritage Value or Interest

The Ferguson Avenue Pumping Station at 231 Ferguson Avenue South is located on the northwest portion of a 0.8 ha lot at the southern end and east side of Ferguson Avenue South in Ward 2 in the City of Hamilton. A short distance to the south is the foot of the Niagara Escarpment, while to the west is the intersection with Foster Street. Immediately east of the Ferguson Avenue Pumping Station is a new waterworks facility known as the New Ferguson Avenue Water Booster Pumping Station.

Initially built from 1912 to 1913 and expanded in 1929-30 and 1955, the Ferguson Avenue Pumping Station is of cultural heritage value as a representative example of an early 20th century waterworks modified over a century of continued use, and occupies a site selected for municipal waterworks since 1878.

DESIGN / PHYSICAL VALUE

The Ferguson Avenue Pumping Station demonstrates design and physical value in its scale and combination of cast-in-place concrete, brick, glass, and structural steel I-beams. This construction method and material is typical of the 'Electric Era' waterworks that replaced earlier steam facilities in the latter part of the 19th century. Its Romanesque Revival architecture is rendered in red brick, stone, and architectural sheet-metal and represents the classical styles favoured for public works, yet one reflecting the Edwardian taste for modest decoration. This style was also compatibly applied in its 1929-30 extension despite the popularity of other contemporary styles.

HISTORICAL / ASSOCIATIVE VALUE

The Ferguson Avenue Pumping Station's historical value lies in its association with City Engineer Andrew F. Macallum, who designed the 1912-13 building. He was also responsible for construction of the 1913 Pumping Station at 900 Woodward Avenue, Hamilton and went on to serve as Commissioner of Works for the City of Ottawa. The later additions to the Ferguson Avenue Pumping Station are associated with City Engineer William Lawrence McFaul, who constructed the Art Deco style Water Purification Plant at 900 Woodward Avenue, and oversaw a number of other important infrastructure developments in the City over his long career. The Pumping Station is also associated with the City's Water Department, who built the original and subsequent sections, and maintained the building and its water supply infrastructure over the past century.

CONTEXTUAL VALUE

Contextually, the Ferguson Avenue Pumping Station contributes to the local character of the area through its massing, setback, and red-brick construction, as well as its semi-circular headed window openings, which match those of adjacent designated and inventoried heritage structures. It is recognized as a valued community asset and keenly explored by local residents when presented with the opportunity to visit the building.

Description of Heritage Attributes

Three-bay, two-storey height original block constructed in 1912 to 1913 with a Romanesque Revival temple front composed of:

- Cast-in-place concrete foundation with large semi-circular arches in basement to accommodate large piping;
- Red brick load bearing walls capped by concrete slab coping;
- Pilasters terminating at a denticulated string course;
- Double-leaf central entrance with semi-circular arch head formed with two orders of brick voussoirs, a prominent keystone, and framed with pilasters;
- Window openings with semi-circular heads formed with stretcher brick voussoirs, concrete imposts and lug sills;
- Entablature and sheet-metal clad cornice;
- Open pediment with datestone;
- North and south side walls with water table and belt-course with cogging;
- Surviving bay on the west portion of the south wall with tall segmental arch head window formed with gauged brick voussoirs and with a plain stone lug sill;
- Interior engaged brick and stone columns supporting a longitudinal I-beam; and,
- Flat roof formed with transverse I-beams with 'Northern Engineering Works, Detroit, Mich. U.S.A.' plaques and chain hoists on beam trolleys and ceiling of wood strips running longitudinally.

Two-bay, storey-and-a-half height 1929-30 extension with:

- Cast-in-place concrete foundation;
- Red brick load bearing walls matching the original block;
- Large semi-circular headed, multi-paned windows with single order of soldier brick voussoirs, small stone or concrete imposts and plain concrete lugsills;
- Corner pilasters;
- Entablature and sheet-metal clad cornice;
- Internal chamfered free-standing columns supporting a longitudinal I-beam;
- 20-pane fixed sash window on the south side wall; and,
- Flat roof formed with transverse I-beams with 'Herbert Morris Chain and Hoist Company Ltd' plaques and chain hoists on beam trolleys and ceiling of wood strips running longitudinally.

Attributes that reflect the property's contextual attributes include its:

- Moderate setback from the street;
- Overall height and red brick construction mirroring adjacent built heritage resources; and,
- Visual connection with the numerous maintenance covers on the adjacent streets and sidewalks.

CITY OF HAMILTON

Notice of Intention to Designate

231 Ferguson Avenue South, Hamilton (Ferguson Avenue Pumping Station)

The City of Hamilton intends to designate 231 Ferguson Avenue South, Hamilton, under Section 29 of the *Ontario Heritage Act*, as being a property of cultural heritage value.

Statement of Cultural Heritage Value or Interest

Initially built from 1912 to 1913 and expanded in 1929 and 1955, the Ferguson Avenue Pumping Station is of cultural heritage value as a representative example of an early 20th century waterworks modified over a century of continued use, and occupies a site selected for municipal waterworks since 1878. In its scale and combination of cast-in-place concrete, brick, glass, and structural steel I-beams, it is typical of the 'Electric Era' waterworks that replaced earlier steam facilities in the latter part of the 19th century. Its Romanesque Revival architecture represents the classical styles favoured for public works, yet one reflecting the Edwardian taste for modest decoration.

The Statement of Cultural Heritage Value or Interest, Description of Heritage Attributes and supporting Cultural Heritage Assessment may be found online via www.hamilton.ca or viewed at the Office of the City Clerk, 71 Main Street West, 1st Floor, Hamilton, Ontario, during regular business hours.

Any person may, within 30 days after the date of the publication of the Notice, serve written notice of their objections to the proposed designation, together with a statement for the objection and relevant facts.

Dated at Hamilton, this [REDACTED] day of [REDACTED], 2019.

City Clerk
Hamilton, Ontario

CONTACT: David Addington, Cultural Heritage Planner, Phone: (905) 546-2424 ext. 1214, E-mail: david.addington@hamilton.ca

Website: www.hamilton.ca/heritageplanning



REVISED REPORT

Cultural Heritage Assessment

Ferguson Avenue Pumping Station, 231 Ferguson Avenue South, City of Hamilton, Ontario

Submitted to:

David Addington, RPP, Cultural Heritage Planner

Development Planning, Heritage & Design
Planning & Economic Development Department
71 Main Street West, 5th Floor
Hamilton, Ontario, L8P 4Y5


Submitted by:

Golder Associates Ltd.

309 Exeter Road, Unit #1 London, Ontario, N6L 1C1 Canada
+1 519 652 0099

1899502-2000-R01

July 10, 2019



July 10, 2019

1899502-2000-R01

Distribution List

1 e-copy: City of Hamilton

1 e-copy: Golder Associates Ltd.

Personnel

Project Director	Hugh Daechsel, M.A., Principal, Senior Archaeologist
Project Manager	Henry Cary, Ph.D., CAHP, Senior Cultural Heritage Specialist
Historical Research	Elizabeth Nicoll, M.PI., Cultural Heritage Specialist
Field Investigations	Henry Cary, Ph.D., CAHP
Report Production	Henry Cary, Ph.D., CAHP Elizabeth Nicoll, M.PI.
Maps & Illustrations	Henry Cary, Ph.D., CAHP David Hoskings, CAD/GIS Specialist
Senior Review	Bradley Drouin, M.A., Associate, Senior Archaeologist

Acknowledgements

City of Hamilton	David Addington, RPP, Cultural Heritage Planner
-------------------------	---

Executive Summary

The Executive Summary highlights key points from the report only, for complete information and findings as well as limitations, the reader should examine the complete report.

In May 2018, the City of Hamilton (the City) retained Golder Associates Ltd. (Golder) to conduct a cultural heritage assessment of the Ferguson Avenue Pumping Station at 231 Ferguson Avenue South in the City of Hamilton, Ontario. The City initiated the assessment after receiving a third-party request in 2011 that the property be considered for designation under Part IV of the *Ontario Heritage Act*. The property is currently listed on the municipal *Register of Properties of Cultural Heritage Value or Interest* as a non-designated property, and no longer in operation since its replacement in 2012 by the New Ferguson Avenue Water Booster Pumping Station, built immediately to the east.

A preliminary evaluation of the property by City staff recommended further cultural heritage assessment, and this was assigned to Golder as part of the City's low priority workplan under the City's Roster of Professional Consulting 2016-2017 (Category 27: Built Heritage and Cultural Heritage Landscapes).

Following guidelines provided in the City's *A Framework for Evaluating the Cultural Heritage Value or Interest of Property for Designation under Part IV of the Ontario Heritage Act* (2016) and the *City of Hamilton Cultural Heritage Assessment Report Outline* (n.d.), this document provides: an overview of the property's geographic and historical context; an inventory of its landscape and built features; an analysis of the structural sequence, construction and architectural style of built features on the property; an evaluation of the property's cultural heritage value based on criteria developed by the City and those prescribed under *Ontario Regulation 9/06*; and conclusions and recommendations for future action.

Golder's cultural heritage assessment concluded that:

- ***The property at 231 Ferguson Avenue South (the Ferguson Avenue Pumping Station) be designated under Part IV of the Ontario Heritage Act.***

Additionally, to guide rehabilitation of the Ferguson Avenue Pumping Station as office space as recommended in WSP's *Old Ferguson Pump Station Facility Repurposing Study* (Draft Version 6, October 22, 2018), Golder recommends that the City ***prepare a Heritage Conservation Plan (HCP) with:***

- ***Collection management strategy to guide the retention, conservation, and long-term management of machinery and other representative artefacts currently housed in the Ferguson Avenue Pumping Station; and,***
- ***Detailed advice and as-found documentation to guide the rehabilitation effort and ensure the property's heritage attributes are protected, conserved, and enhanced into the future.***

July 10, 2019

1899502-2000-R01

Study Limitations

Golder Associates Ltd. has prepared this report in a manner consistent with guidance developed by the City of Hamilton, the Ontario Ministry of Tourism, Culture and Sport, and Canada's Historic Places, subject to the time limits and physical constraints applicable to this report. No other warranty expressed or implied is made.

This report has been prepared for the specific site, design objective, developments and purpose described to Golder Associates Ltd. by the City of Hamilton (the Client). The factual data, interpretations and recommendations pertain to a specific project as described in this report and are not applicable to any other project or site location.

The information, recommendations and opinions expressed in this report are for the sole benefit of the Client. No other party may use or rely on this report or any portion thereof without Golder Associates Ltd.'s express written consent. If the report was prepared to be included for a specific permit application process, then upon the reasonable request of the Client, Golder Associates Ltd. may authorize in writing the use of this report by the regulatory agency as an Approved User for the specific and identified purpose of the applicable permit review process. Any other use of this report by others is prohibited and is without responsibility to Golder Associates Ltd. The report, all plans, data, drawings and other documents as well as electronic media prepared by Golder Associates Ltd. are considered its professional work product and shall remain the copyright property of Golder Associates Ltd., who authorizes only the Client and Approved Users to make copies of the report, but only in such quantities as are reasonably necessary for the use of the report by those parties. The Client and Approved Users may not give, lend, sell, or otherwise make available the report or any portion thereof to any other party without the express written permission of Golder Associates Ltd. The Client acknowledges the electronic media is susceptible to unauthorized modification, deterioration and incompatibility and therefore the Client cannot rely upon the electronic media versions of Golder Associates Ltd.'s report or other work products.

Unless otherwise stated, the suggestions, recommendations and opinions given in this report are intended only for the guidance of the Client in the design of the specific project.

Table of Contents

1.0	INTRODUCTION	1
2.0	SCOPE AND METHOD	1
3.0	PROPERTY LOCATION	2
4.0	PHYSIOGRAPHIC CONTEXT	4
5.0	SETTLEMENT CONTEXT	4
5.1	Barton Township, Wentworth County.....	4
5.2	A Brief History of Hamilton's Water System.....	6
5.3	City Engineers Andrew F. Macallum & William L. McFaul.....	8
5.3.1	Andrew F. Macallum, City Engineer from 1909 to 1916.....	8
5.3.2	William Lawrence McFaul, City Engineer from 1923 to 1959.....	9
5.4	Property History.....	10
5.4.1	Property History to 1878.....	10
5.4.2	First Waterworks at Ferguson Avenue, 1878 to 1912.....	14
5.4.3	A New Waterworks on Ferguson Avenue, 1913-1929.....	16
5.4.4	Expansion and Replacement, 1929 to 2018.....	20
6.0	PROPERTY DESCRIPTION	26
6.1	Setting.....	26
6.2	Built Features.....	32
6.2.1	1912-13 Block.....	36
6.2.1.1	Exterior.....	36
6.2.1.2	Interior.....	41
6.2.1.2.1	Ground Level.....	41
6.2.1.2.2	Basement.....	41
6.2.2	1929-30 Extension.....	47
6.2.2.1	Exterior.....	47
6.2.2.2	Interior.....	48
6.2.2.2.1	Ground Level.....	48

July 10, 2019

1899502-2000-R01

6.2.2.2.2	Basement.....	48
6.2.3	1955 Extension	52
6.2.3.1	Exterior.....	52
6.2.3.2	Interior	53
6.2.3.2.1	Ground Level	53
6.2.3.2.2	Basement.....	53
6.3	Structural History.....	55
6.4	Architectural Analysis.....	57
7.0	CULTURAL HERITAGE EVALUATION.....	61
7.1	Historical Associations	61
7.1.1	Thematic	61
7.1.2	Event.....	61
7.1.3	Person and/or Group.....	61
7.2	Architecture & Design	62
7.2.1	Architectural Merit	62
7.2.2	Functional Merit.....	62
7.2.3	Designer.....	62
7.3	Integrity.....	63
7.3.1	Locational & Built Integrity.....	63
7.4	Environmental Context.....	66
7.4.1	Landmark	66
7.4.2	Character	67
7.4.3	Setting	67
7.5	Social Value	68
7.5.1	Public Perception	68
7.6	<i>Ontario Regulation 9/06</i> Evaluation	68
8.0	CULTURAL HERITAGE VALUE: CONCLUSIONS AND RECOMMENDATIONS	69
8.1	Recommendation	69
8.1.1	Statement of CHVI	69

July 10, 2019

1899502-2000-R01

8.1.1.1	Description of Property	69
8.1.1.2	Statement of CHVI	69
8.1.1.3	Heritage Attributes	70
8.2	Additional Considerations	71
9.0	SUMMARY STATEMENT	72
10.0	BIBLIOGRAPHY	73

TABLES

Table 1: Location & Built Integrity Assessment of the Ferguson Avenue Pumping Station.	63
---	----

FIGURES

Figure 1: Location Map	3
Figure 2: The single front survey system, used from 1783 to 1818. As depicted here, each lot is 200 acres created from surveying 19 chains by 105.27 chains (1 chain = 66 feet/20.12 metres; Gentilcore 1969:61)	5
Figure 3: Macallum's portrait in the 1916 <i>Who's Who and Why: A Biographical Dictionary of Men and Women of Canada and Newfoundland</i> (Parker 1916:676)	9
Figure 4: 1842 <i>Plan of the Town of Hamilton District of Gore Canada</i> indicating 'Corktown'. The arrow indicates the approximate location of the subject property. George Hamilton's residence is depicted at bottom centre (Gentilcore & Head 1984:243)	11
Figure 5: Hamilton's First Hospital (McMaster University 2018)	12
Figure 6: Detail from the 1859 'Hamilton, C.W.' with possible location of the first hospital (courtesy http://www.haalsa.org)	12
Figure 7: Detail from the 1876 <i>Bird's eye view of the City of Hamilton</i> . The arrow indicates the subject property (McMaster Digital Archive)	13
Figure 8: Plaque marking completion of the 1929-30 Ferguson Avenue Pumping Station extension, with 'steam plant erected 1878'	13
Figure 9: Detail from the 1893 <i>Bird's eye view of the City of Hamilton</i> showing the 1878 Repumping Station with billowing stack (McMaster Digital Archive)	14
Figure 10: Detail from Goad's 1898 FIP of the 1878 Repumping Station (McMaster Digital Archive)	15
Figure 11: Circa 1905 photograph of the 1878 High-Level Pumping Station (City of Hamilton 1906)	15
Figure 12: 1913 postcard showing the 1878 Repumping Station and an open space to the north where the new Ferguson Avenue Pumping Station would be constructed (courtesy 'Vintage Hamilton')	16
Figure 13: The west façade of the new station in elevation (top), plan (bottom), and section (right) (City of Hamilton 1913)	17

Figure 14: South elevation (top), section (bottom left), and plan (bottom right) of the new station (City of Hamilton 1913) 18

Figure 15: The new pumping station under construction in 1912. The earlier 1878 Repumping Station is visible at right (City of Hamilton 1913)..... 19

Figure 16: New pumps at the Ferguson Avenue Pumping Station, manufactured by Canada Foundry Company Limited of Toronto (City of Hamilton 1913) 19

Figure 17: Detail from the 1911 (later updated) Fire Insurance Plan of the coexistent 1878 Repumping Station on the south, and new Ferguson Avenue Pumping Station to the north (McMaster Digital Archive). 20

Figure 18: South and west elevations of the Ferguson Avenue Pumping Station showing the 1929-1930 extension. 21

Figure 19: North and east elevations showing the 1929-1930 extension..... 22

Figure 20: View of the completed extension, circa 1930. 22

Figure 21: Schematic piping diagram for the Ferguson Avenue Pumping Station, dating after 1930 and prior to 1955. 23

Figure 22: Detail from the 1964 FIP showing the 1929-30 and 1955 extensions (McMaster Digital Archive) 24

Figure 23: 1963 photo with the now fully expanded Ferguson Avenue Pumping Station in the foreground at bottom right (Local History & Public Archives Hamilton Flickr 2018) 24

Figure 24: West facade of the 2012 New Ferguson Avenue Water Booster Pumping Station 25

Figure 25: Visitors to the 2013 Doors Open at the Ferguson Avenue Pumping Station (City of Hamilton 2014:41). 25

Figure 26: View facing east of the Ferguson Avenue Pumping Station (far right) and protected heritage properties at 219 to 227 Ferguson Avenue South (left) 27

Figure 27: View facing east along Foster Street toward the Ferguson Avenue Pumping Station (centre) 27

Figure 28: View facing northeast of the Ferguson Avenue Pumping Station (left) and new station (right) showing the irregular topography 28

Figure 29: 'HWW' (Hamilton Water Works) maintenance cover west of the Ferguson Avenue Pumping Station entrance. 28

Figure 30: Numerous round and square maintenance covers west of the Ferguson Avenue Pumping Station 29

Figure 31: View facing southeast from the intersection with Charlton Avenue East. The pumping station is just visible behind the trees at centre, and the designated heritage properties of 221-227 Ferguson Avenue South are at left..... 29

Figure 32: View of the pumping station facing southwest from east on Charlton Avenue East. The 1912-13 and 1929-30 elements of the pumping station are visible at centre..... 30

Figure 33: View facing north from the property of Ferguson Avenue South. Note the maintenance covers..... 30

Figure 34: View facing west from the property of Foster Street. Also note the maintenance covers in the foreground. 31

Figure 35: View of the irregular topography and views out from the centre of the property facing northwest from east of the pumping station (far left). The rear sides of the protected heritage properties at

219 to 227 Ferguson Avenue South are visible at centre-left, and the protected heritage properties of 207 to 215 Ferguson Avenue South visible at centre right across Charlton Avenue East 31

Figure 36: West façade of Ferguson Avenue Pumping Station (rectified to remove distortion) 32

Figure 37: West and south façades 33

Figure 38: South façade (rectified to minimize distortion)..... 33

Figure 39: South and east façades (rectified to minimize distortion) 34

Figure 40: East façade (rectified to minimize distortion) 34

Figure 41: East and north façades (rectified to minimize distortion) 35

Figure 42: Site plan..... 36

Figure 43: Concrete foundation, pedestal, and pilaster bases at the northwest corner 37

Figure 44: Brick water table at the northeast entrance 38

Figure 45: Blind windows and lower quality brick laid in common bond on the north façade. Note also the cogging course above the windows 38

Figure 46: Denticulated string course, pilaster capitals, and entablature above the north bay of the west façade..... 39

Figure 47: Date stone in the open pediment and recessed tympanum 39

Figure 48: Window of the south bay on the west façade..... 40

Figure 49: The west façade entrance and the south bay..... 40

Figure 50: Interior of the 1912-13 Block, facing east 42

Figure 51: Interior of the 1912-13 Block, facing west 42

Figure 52: Mountain Level Pump Trains, High Lift Pump Trains, and Control Panel on the north portion of the floor..... 43

Figure 53: Control Station on the southeast portion of the floor 43

Figure 54: I-beams, engaged columns, and blind windows on the north wall interior 44

Figure 55: Exterior wall with cogging of the 1912-13 Block as seen from within the 1929-30 Extension..... 44

Figure 56: Surviving bay and window of the south wall as seen from inside the 1929-30 Extension..... 45

Figure 57: Northern Engineering Works plaque on a lateral I-beam 45

Figure 58: View facing east of the south basement passageway..... 46

Figure 59: Arched cast-in-place concrete arches in the north portion of the basement 46

Figure 60: Large windows of the 1929-30 Extension west façade. 47

Figure 61: Interior of the 1929-30 Extension, facing west 48

Figure 62: Interior of the 1929-30 Extension, facing east..... 49

Figure 63: Chamfered and corbelled pillar or column supporting the 1929-30 breach into the 1912-13 Block, as seen facing south from inside the 1912-13 Block..... 49

Figure 64: 20-pane fixed sash window on the south wall 50

Figure 65: Chain pulley hoists suspended from lateral I-beams with Herbert Morris Chain and Hoist Company Ltd plaque. 50

Figure 66: One of five Middle Level Pump Trains in the 1929-30 Extension. 51

Figure 67: View facing east of the piping beneath the 1929-30 Extension. 51

Figure 68: View facing west of the piping beneath the 1929-30 Extension. 52

Figure 69: North interior portion of the 1955 Extension facing east 53

Figure 70: South wall entrance and blind windows of the 1955 Extension facing southwest. The ladder to the basement is in the far corner 54

Figure 71: Fire proof ceiling with elliptical lights, and Columbus McKinnon Cyclone 1/2-ton beam trolley with hanging chain hoist 54

Figure 72: Structural phases at the Ferguson Avenue Pumping Station property 56

Figure 73: Italianate Boiler House (bottom), and Engine House (top right) of the Hamilton Waterworks (February 2017) 59

Figure 74: Macallum and Edward’s 1913 Pumping Station at 900 Woodward Avenue, designated under By-law 86-310 (photo by Brian Kowalewicz, posted on Historical Hamilton 2009) 59

Figure 75: The 1889 Kingston Pumping Station, photographed in 1901 (Wevers 2013:2) 60

Figure 76: Photogrammetric profile of the 1889 Waterworks and circa 1910 Electrical Pump Wing of the Brantford Waterworks Complex, 2015 (Golder 2016) 60

Figure 77: Semi-circular headed openings matching those of the Ferguson Avenue Pumping Station (centre) can be seen on the bottom level of 219-227 Ferguson Avenue (left), and the top level of 32-34 Foster Street (right) 67

APPENDICES

APPENDIX A

Land Registry

APPENDIX B

Qualifications

1.0 INTRODUCTION

In May 2018, the City of Hamilton (the City) retained Golder Associates Ltd. (Golder) to conduct a cultural heritage assessment of the Ferguson Avenue Pumping Station at 231 Ferguson Avenue South in the City of Hamilton, Ontario. The City initiated the assessment after receiving a third-party request in 2011 that the property be considered for designation under Part IV of the *Ontario Heritage Act*. The property is currently listed on the municipal *Register of Properties of Cultural Heritage Value or Interest* as a non-designated property, and no longer in operation since its replacement in 2012 by the New Ferguson Avenue Water Booster Pumping Station, built immediately to the east.

A preliminary evaluation of the property by City staff recommended further cultural heritage assessment, and this was assigned to Golder as part of the City's low priority workplan under the City's Roster of Professional Consulting 2016-2017 (Category 27: Built Heritage and Cultural Heritage Landscapes).

Following guidelines provided in the City's *A Framework for Evaluating the Cultural Heritage Value or Interest of Property for Designation under Part IV of the Ontario Heritage Act* (2016) and the *City of Hamilton Cultural Heritage Assessment Report Outline* (n.d.), this document provides:

- An overview of the property's geographic context and historical context;
- An inventory of the property's landscape and built features;
- An analysis of the structural sequence, construction, and architectural style of built features on the property;
- An evaluation of the property's cultural heritage value or interest (CHVI) based on criteria developed by the City and those prescribed under *Ontario Regulation 9/06*; and,
- Recommendations for future action including draft Statement of Cultural Heritage Value or Interest (CHVI).

2.0 SCOPE AND METHOD

To assess the property, Golder conducted:

- Archival and secondary source research;
- Field investigations to document and identify any heritage attributes, and to understand the wider built and landscape context; and,
- Resource evaluation using municipal, provincial, and federal government guidance.

Primary and secondary sources, including historic maps and plans, aerial imagery, photographs, and newspaper and research articles were compiled from the McMaster University Lloyd Reeds Map Collection and Digital Archives, the Local History and Archives at the Hamilton Public Library, the Ontario Land Registry, Mount Allison University, and online sources. The City's department for Development Planning, Heritage & Design - Rural & Suburban also provided a number of documents to aid in this study.

Field investigations were conducted on May 23, 2018 and included photographing all exterior and interior features on the property and wider context with an Olympus E-volt E500 single lens reflex and Samsung Galaxy S6 digital cameras. Architectural features were documented with a *Canadian Inventory of Historic Buildings Recording Form*

(Parks Canada 1980) and a floor plan was sketched from measurements taken using hand tapes and Bosch Professional GLM 50C laser distance measurer.

From the collected information, the property was evaluated using the City's *A Framework for Evaluating the Cultural Heritage Value or Interest of Property for Designation under Part IV of the Ontario Heritage Act* (2016) and *Ontario Regulation 9/06, Criteria for Determining Cultural Heritage Value or Interest*. Other widely used and recognized manuals relating to evaluating cultural heritage resources were also consulted including:


- *Ontario Heritage Tool Kit* series (5 vols., Ministry of Tourism, Culture and Sport [MTCS] 2006);
- *Municipal Water and Sewage Works: A Guide to the Conservation of Municipal Sewage and Waterworks* (MTCS 1990);
- *Well-Preserved: The Ontario Heritage Foundation's Manual of Principles and Practices for Architectural Conservation* (Fram 2003);
- *Standards and Guidelines for the Conservation of Historic Places in Canada* (Canada's Historic Places 2010);
- *The Evaluation of Historic Buildings and Heritage Planning: Principles and Practice* (Kalman 1979, 2014);
- *Informed Conservation: Understanding Historic Buildings and their Landscapes for Conservation* (Clark 2001); and,
- *Industrial Heritage Re-Tooled: The TICCIH Guide to Industrial Heritage Conservation* (Douet, ed.2012).

3.0 PROPERTY LOCATION


The Ferguson Avenue Pumping Station at civic address 231 Ferguson Avenue South was originally within Lot 3, Concession 13 of the former Barton Township, now in the southern portion of Ward 2 in the single-tier municipality City of Hamilton (Figure 1). It is less than 1 km from the City's downtown core, and on the east side and south terminus of Ferguson Avenue South, to the south of Charlton Avenue East. It is also immediately east of the intersection with Foster Street, approximately 2.6 km south of Hamilton Harbour.

An irregular rectangle in shape, the property parcel is approximately 59 m long east-west by approximately 43.3 m long north-south. Overall, the property covers 0.1987 hectares (0.49 acres).

Client: City of Hamilton
 Original Format is Tabloid 279mm x 432mm
 Drawing file: 1899502-2000-R01001.dwg Jul 10, 2019 - 11:13am



BING AERIAL IMAGERY and OBM MAPPING



KEY PLAN

LEGEND


	APPROXIMATE STUDY AREA
	CITY OF HAMILTON BOUNDARY
	TOWNSHIP/MUNICIPALITY BOUNDARY
	HAMILTON TOWNSHIP/MUNICIPALITY

REFERENCE

DRAWING BASED ON MNR LIO, OBTAINED 2018, PRODUCED BY GOLDER ASSOCIATES LTD UNDER LICENCE FROM ONTARIO MINISTRY OF NATURAL RESOURCES, © QUEENS PRINTER 2018;
 PROPERTY LINE DATA PROVIDED BY THE CITY OF HAMILTON.
 BING AERIAL IMAGE AS OF JUNE 6, 2018 (IMAGE DATE UNKNOWN); AND
 CANMAP STREETFILES V2008.4.

NOTES

THIS DRAWING IS SCHEMATIC ONLY AND IS TO BE READ IN CONJUNCTION WITH ACCOMPANYING TEXT.
 BING IMAGERY USED FOR ILLUSTRATION PURPOSES ONLY AND NOT TO BE USED FOR MEASUREMENTS.
 ALL LOCATIONS ARE APPROXIMATE.



REGIONAL MAP

PROJECT			
CULTURAL HERITAGE ASSESSMENT REPORT 231 FERGUSON AVENUE SOUTH HAMILTON, ONTARIO			
TITLE			
LOCATION MAP			
PROJECT No.	1899502	FILE No.	1899502-2000-R01001
CADD	DCH	DATE	July 10/19
CHECK		SCALE	AS SHOWN
			FIGURE 1



4.0 PHYSIOGRAPHIC CONTEXT

The property is within the Iroquois Plain physiographic region, an area of rolling terrain encompassing much of the Lake Ontario shoreline from Cobourg to Niagara. The property's physiographic context can be further defined as within the Ontario Lakehead subsection of the Iroquois Plain, and is composed of well-drained, stone-free and sandy loam soil plains (Chapman & Putnam 1984:190). Immediately to the south is the Niagara Escarpment physiographic region, a massive limestone and dolostone outcrop running from the Niagara River to the Bruce Peninsula and Manitoulin Island.

The topography of the property rises in elevation from 105 metres above sea level (masl) to 112 masl from north to south. Just beyond the south property line the elevation increases sharply up to Niagara Escarpment to plateau at 190 masl approximately 200 m to the south.

5.0 SETTLEMENT CONTEXT

5.1 Barton Township, Wentworth County

Following the Toronto Purchase of 1787, today's southern Ontario was divided into four political districts — Lunenburg, Mechlenburg, Nassau, and Hesse— all within the old Province of Quebec. These became part of the Province of Upper Canada in 1791, and renamed the Eastern, Midland, Home, and Western Districts, respectively. The property was within the former Nassau District, then later the Home District, which originally included all lands between an arbitrary line on the west running north from Long Point on Lake Erie to Georgian Bay, and a line on the east running north from Presqu'île Point on Lake Ontario to the Ottawa River. Each district was further subdivided into counties and townships; the property was originally within Wentworth County and Barton Township.

In 1816, Wentworth County was created within Gore District from the southwest portion of York County in the Home District and the west portion of the Niagara Districts. Of Wentworth's eight townships (later eleven), Barton Township was initially surveyed by Deputy Provincial Land Surveyor Augustus Jones, who completed the work in 1796 (Gentilcore & Donkin 1973:42). Jones employed the single-front method, where only the concessions were surveyed and lots of 120 to 200 acres were delineated to be five times as long as they were wide (Schott 1981:77-93; Figure 2). In Barton Township, the concession lines were oriented east to west and numbered north to south (McIlwraith 1999:54).




Figure 2: The single front survey system, used from 1783 to 1818. As depicted here, each lot is 200 acres created from surveying 19 chains by 105.27 chains (1 chain = 66 feet/20.12 metres; Gentilcore 1969:61)

Similar to most counties along the north shore of Lake Ontario, initial European settlement was by soldiers and refugees displaced by the American War of Independence, but the settlement of Barton Township appears to have begun well before Augustus Jones' survey. Early American immigrant Richard Beasely had established a post to trade with Mississauga and other western Ojibwa groups at the 'Head-of-the-Lake', or Burlington Heights, as early as 1785 (Triggs 2004:159), and Robert Land was believed to have squatted on land near Barton and Leeming Streets (Freeman 2001:13). Once the survey was complete, European settlement of the township accelerated, although the system of land allocation disproportionately favoured those with social status. James Kirkpatrick and Samuel Ryckman, both of whom had aided Jones on the land survey, were generously compensated for their labour: Ryckman received 11,042 acres and Kirkpatrick 4,147 acres, which together comprised 6.3% of Barton Township (Widdis 1982:447).

Nevertheless, the population grew exponentially. In 1815 Barton Township had 102 ratepayers and 72 one-storey houses, yet just under a decade later in 1823, the township had three saw mills and one grist mill, and close to 4,978 acres of improved land, with 2,841 acres above the 'mountain' and 2,137 acres below. The 1832 assessment for Barton Township shows that growth in the area had more than doubled since the end of the War of 1812, with almost 6,500 acres made arable, and 152 framed or log houses under two storeys, 42 houses with two storeys, and two brick or stone houses had been erected. There were also sixteen merchant shops and six storehouses, while farm animals included 314 horses over the age of three, 149 oxen, 547 milk cows and 140 young cattle (Page and Smith 1875).

Smith's *Canadian Gazetteer*, published in 1846, recorded the cultivated land of Barton Township as extending over 8,993 acres and quoted the 1841 census, which enumerated 1,434 inhabitants living in the township (Smith 1846:8). By this time Hamilton—named for early merchant George Hamilton, who had laid out the town in 1813—was the district town for Gore District and regarded as the 'key to the west' for its strategic position at the head of Lake Ontario (Smith 1846:65, 75). Incorporated as a town in 1833, by 1845 it could boast an urban population of 6,475 that supported a thriving roster of 'Professions and Trades', a stone jail and courthouse, a brick market house, and eleven churches for the Catholic and Protestant denominations, including Baptist and Methodist African-Canadian congregations. Daily stagecoach and steamboat service to the other major towns of southwestern Ontario was also available (Smith 1846:75-76).

Hamilton's development during the second half of the 19th century was marred by a failed investment in the Great Western Railway and the depression of 1857-58, but the town eventually recovered and by the 1870s had emerged as a manufacturing centre, earning the moniker of being the 'Birmingham of Canada', then later 'Steeltown' (Palmer 1979:15). This had a knock-on effect for the building industry, which increased 92% between 1850 and 1871 (Palmer 1979:16). Hamilton continued to grow through the first half of the 20th century, playing a leading role in supporting the war effort during both the First and Second World Wars. However, its textile industry would falter in the 1960s, and by the 1980s significant manufacturing and steel plant employers such as International Harvester and Stelco were forced to institute major layoffs.

In 1974, Wentworth County was replaced by the Regional Municipality of Hamilton-Wentworth, and in 2001, the Regional Municipality and its six constituent municipalities were amalgamated into the City of Hamilton. Population growth since then has been modest. In 2006, the population numbered 504,560 while in 2016 it had grown to 536,917 (Statistics Canada 2016).

5.2 A Brief History of Hamilton's Water System

The origins of Hamilton's waterworks system can be traced to 1833, when an increasing frequency of accidental fires led the Board of Police to provide five public wells (James and James 1978:2). Despite this effort, pressure from dissatisfied citizens to replace the wells with a waterworks system prompted the Board to make a call for tenders in 1835 (Campbell 1966:117; James and James 1978:2). A lack of municipal funds, however, prevented construction of the winning submission, and hundreds of public and private wells remained the primary source of water for households, and civic, commercial, and industrial operations. A devastating cholera outbreak in September 1854 however spurred City Council to adopt a formal resolution to establish a waterworks system (Newell & Greenhill 1989:69; James and James 1978:21). *By-Law No. 110 – For Supplying the City of Hamilton with Water*, gave Council the authority to release funds to purchase lands for waterworks, retain engineers to design the system, and to have the plans constructed. The bylaw was passed on August 10, 1854.

The following month, on September 16, 1854, the Chairman of the Committee on Fire and Water Robert McElroy announced a public competition to design Hamilton's waterworks system, which would involve pumping water from Burlington Bay (James and James 1978:25-31). The City offered \$1000 for the best proposal, which would be judged by Engineer of the Montreal Water Works Thomas Coltrin Keefer (City of Hamilton 1959). Keefer selected a design by American engineer Samuel McElroy on December 23, 1854 that proposed drawing water from an intake well located off shore in the Burlington Bay and constructing a reservoir in Dundurn Park (City of Hamilton 1959). McElroy's design never came to fruition as several parties had voiced concerns about the propriety of taking water from Burlington Bay, which by then had become polluted and as a result, on January 28, 1855, the Committee on Fire and Water commissioned Keefer to assess the possible options (Newell & Greenhill 1989:69; James and James 1978:33-39). After dismissing several watercourses in the area as inadequate, Keefer ultimately determined Lake Ontario as the most appropriate source for domestic and industrial use based on its purity and supply, and that a pumping system would be required (Drakich 1990:513).

This opinion was seconded by two American engineers also retained by the City to consult on the water supply issue, prompting the newly appointed Board of Water Commissioners —chaired by Adam Brown and with D. B. Galbreath, M. W. Browne, and Peter Balfour as members— to engage Keefer as Chief Engineer for the Hamilton Waterworks on January 28, 1857 (Newell & Greenhill 1989:69; James and James 1978:33-39). Keefer was instructed to proceed immediately with all necessary surveys and estimates to build the system. Despite the financial constraints of the depressed economy and the physical challenges, the waterworks with its grand Italianate Enginehouse and Pumphouse at 900 Woodward Avenue were officially inaugurated in 1860 by no less

July 10, 2019

1899502-2000-R01

a celebrity than His Royal Highness Albert Edward, Prince of Wales, later King Edward VII (Drakich 1990:513). The system, installed at a cost of \$786,479.34¹, pumped 2.5-million gallons of water per day and could supply a population of 50,000, at that point double the number of people residing in Hamilton.

In 1860, the Board of Water Commissioners hired James McFarlane as Chief Engineer, a position he held for next 50 years, and the following year City Council took over responsibility for the Waterworks (City of Hamilton 2010:96). Just five years later water shortages became increasingly common, and in a bid to increase the flow of water into the basin at the 900 Woodward Avenue works, two openings to Lake Ontario were cut and filled with boulders in 1870 (City of Hamilton 1959:8). As this attempt failed further connection measures were undertaken in 1871 and the basin modified, and another added in 1876. Another expansion to the system occurred two years later when a 'Repumping Station' was built at the south terminus of Ferguson Avenue. This station was to increase the supply of water to the 'High-Level District' of Charlton Avenue, Forest Avenue, Herkimer Street, the Niagara Escarpment, and a section of James Street (City of Hamilton 1959:9).

Nevertheless, a major fire at King and John Streets in August 1879 prompted Keefer and John Kennedy to report on the need for additional water mains and other waterworks improvements in the City. In addition to new or expanded watermains, by 1888 a new pumping station at the 'Beach Plant' had been constructed and two years later a second pumping engine with 400,000 gallons per day capacity was installed at the Ferguson Avenue Repumping Station (City of Hamilton 1959:10, 13).

With the population surpassing 50,000 by 1900, more expansion of the system was required. Filter basins were enlarged, intakes added, and watermains increased in diameter, and in 1904 the 2 ½ million-gallon capacity James Street Reservoir was constructed to provide additional water storage in case of emergencies (City of Hamilton 1959:13-14). Five years later an Air Lift Station was added on Wentworth Street to provide water to residents living on the Escarpment plateau.

Changes to address the rapidly expanding city as well as issues with water supply and ice blockage necessitated yet more work, the most notable by 1913 was construction of a new pumping station at Ferguson Avenue to replace the now inadequate repumping station and building an elevated tank near Jolly Cut (Mountain Brow Park West) to replace the Air Lift Station on Wentworth Street. The following year at the Beach Pumping Station two 6.5 million-gallon pumps were installed, as was a larger force main running from the beach to the City centre (City of Hamilton 1959:16-17).

As Hamilton's population grew into the 1920s calls to improve the water system increased, prompting the City in 1926 to retain engineers Gore, Nasmith and Storrie to conduct a thorough review. Among other improvements, such as a 13.5 million-gallon reservoir on Mountain Avenue, they recommended a filtration and purification plant and chlorination, which was introduced in 1929. On November 3, 1931 the cornerstone for the Water Filtration Plant on Woodward Avenue was laid and the plant entered operation on March 17, 1933 (City of Hamilton 1959:21; 2010:108-109).

Through the 1940s and 1950s the issues with supplying water to the Mountain were incrementally addressed, leading by 1960 to construction of a High Lift Pumping Station at the Beach plant, construction of the Kenilworth

¹ This number is listed in the *Canadian Illustrated News* (1863, reprinted in Sinclair *et al.* 1974), and by Crossman & Maitland (1977:201). However, Newell & Greenhill (1989:70) report the estimates as \$590,000 and the cost of the individual elements in a 1903 Engineering Report (City of Hamilton 1903) add to \$622,185.67. Nevertheless, Keefer is generally credited with building the system within estimates.

Reservoir, improvements to the Ferguson Avenue Pumping Station and extensions to the Water Filtration Plant, and installation of a number of new mains and storage tanks.

Components of the original waterworks system, such as the Barton Reservoir, continued to operate until 1958 and in 1977 the surviving buildings of the Waterworks complex at 900 Woodward Avenue was designated as a National Historic Site of Canada in 1977 (Canada's Historic Places 2017). Improvements in water distribution and treatment continued, and in 2010 the City could boast a 150-year heritage of municipal drinking water. One of the more significant recent developments was construction of a new plant at Ferguson Avenue in 2012 to replace the original plant.

5.3 City Engineers Andrew F. Macallum & William L. McFaul

5.3.1 Andrew F. Macallum, City Engineer from 1909 to 1916

Succeeding City Engineer Ernest G. Barrow in 1909 was then 39-year old (b. August 9, 1870) Toronto-born and educated Andrew F. Macallum, B.A.Sc., C.E (Figure 3). Before his employment at the City, Macallum had gained a wide range of experience in Canada and the US, including as Resident Engineer for the 'Toronto, Hamilton and Buffalo Railway' and the 'Minneapolis and St. Paul Railway' in Chicago, and as 'Engineer in Charge of Waterworks' for the towns of Midland, Grimsby, and Bridgeburg (today Fort Erie). A biography published in the 1916 *Who's Who and Why: A Biographical Dictionary of Men and Women of Canada and Newfoundland* noted that 'among the more important affairs accomplished at Hamilton', Macallum had:

- (1) Rebuilt whole waterworks system, including intake pipes into Lake Ontario, conduits, pumping stations (3 levels) and new mains costing over a million dollars;
- (2) Reported on scheme for bringing water by gravity from Lake Erie to Hamilton;
- (3) Built new asphalt plant and constructed during 6 years about 50 miles of permanent pavement under day labour;
- (4) Built trunk sewer system for annexed portion (east end) of city, also west end trunk sewer, 6 ½ feet diameter;
- (5) Designed and built sewage disposal system for west portion of city (Parker 1916:677).

Interestingly, not mentioned were Macallum's role in designing the Pumping Station at 900 Woodward Avenue with architect W.A. Edwards (City of Hamilton 2004:149) in 1913 and the Ferguson Avenue Pumping Station the previous year. He was also noted for his numerous reports on topics as diverse as viaducts in Bracebridge, to the cable railway and plant for the Milton Brick Works, to the Alaska Central Railway. He also held memberships in the Hamilton Club, Royal Hamilton Yacht Club, and Engineer's Club, among others. The same year his biography was published, Macallum was serving as president of the American Society of Municipal Improvements, which merged with the International Association of Public Works Officials in 1937 to become the American Public Works Association.

However, Macallum left the City for Hamilton in 1916, his reputation possibly damaged as a result of the findings of a public inquiry led by Judge Colin George Snider that found widespread irregularities in the Hamilton works department, then under Macallum's supervision (Campbell 1966:215; Reilly 2013). Local papers included a picture of Macallum with captions such as 'Officials who are in the limelight' and 'Controllers want him to grip his department firmly, smoke fewer cigars, and not talk to newspapermen' (Reilly 2013). Controversy seemed to dog Macallum's later career too; in 1929 and 1931 sewer explosions blew as many as 28 maintenance covers into the air, forcing Macallum to resign as Ottawa's Commissioner of Works (Taylor 2001:340). Nothing could be found on

Macallum's life after his resignation but he may have retired, since by then he was 61; when he died is also unknown.



ANDREW F. MACALLUM, B.A.Sc., C.E.

Figure 3: Macallum's portrait in the 1916 *Who's Who and Why: A Biographical Dictionary of Men and Women of Canada and Newfoundland* (Parker 1916:676)

5.3.2 William Lawrence McFaul, City Engineer from 1923 to 1959

In 1923, William Lawrence McFaul succeeded Macallum's replacement E.R. Gray, and oversaw waterworks operations for the next thirty-six years. When interviewed by Marjorie Freeman Campbell for her 1966 book *A Mountain and a City: The Story of Hamilton* the 'chain-smoking' McFaul related that during his tenure the works department:

'supplied Westdale with sewers, watermains and roads; had two bridges built over the Grand Trunk in 1922 and '23, and the High Level Bridge in '32'; built the circle around York Street and Longwood Road to bypass the bridge over the canal; and opened Longwood through to Main Street and then south, past the Canadian Westinghouse plant which was then only a foundry and lamp division until World War II. Then came the Valley Street Road.' (Campbell 1966:216).

McFaul's work for the Longwood Road included designing a bridge, which like the High-Level Bridge still stands today (Historicbridges.org). For waterworks, McFaul could boast that he had 'built a new reservoir at the south end of Mountain Avenue' in 1931, and the 'prestige' water purification plant in 1933 (Campbell 1966:216). Again, work at the Ferguson Avenue Pumping Station is not mentioned.

McFaul had also served as Department Head or Building Commissioner for the Building Department until 1944, and his departure in that year may have been due to the findings of a judicial enquiry following 'Hamilton's deadliest fire' at Moose Temple dance hall that claimed the lives of 10, injured 47 and left 12 children orphaned (*Hamilton Spectator* 2014). The Building Commissioner and Building Inspectors were found 'negligent in the performance of their duties', primarily since 'The Commissioner had failed to prepare annual reports, building records had not been kept, proper inspections had not been undertaken, permits for places of assembly had not been issued, and the Inspectors had not used their powers to demand plans of buildings' (McMaster n.d.:72). Further research is required to determine the extent McFaul was implicated; it may not have been severe as he continued to serve as City Engineer until 1959. The year of McFaul's death is unknown, but he lived until at least the mid 1960s to be interviewed by Campbell.

5.4 Property History

5.4.1 Property History to 1878

The original and new plants on Ferguson Avenue are located within the eastern portion of Lot 13, Concession 3, once part of Barton Township, Wentworth County. The property is also in the historic neighbourhood of Corktown, bound by Wellington Street South on the east, James Street South on the west, Main Street East on the north and the Niagara Escarpment on the south (Figure 4). Corktown was predominately, though not exclusively, settled by Irish Catholics, and it is presumed that its name is derived from the south-western Irish city from which most had embarked (Weaver 1982:32; Campbell 1966:172).

The Crown Patent from 1801 lists Richard Springer as the first owner of the 100-acre Lot 13 (APPENDIX A), and he is believed to be a United Empire Loyalist from Delaware who arrived in Hamilton by way of Niagara-on-the-Lake (United Empire Loyalists' Association of Canada 2011). In 1806, Springer sold 19 acres to Captain James Durand, but the latter ran into financial difficulty after the War of 1812 and subsequently sold the property to George Hamilton, the City's namesake, in 1815 (Corktown Neighbourhood Association n.d.). An additional seven acres was purchased by George Hamilton in 1818 as he began to develop much of Corktown. George named several streets in Corktown after his children, including Augusta, Catharina, George, Robert Jarvis, Hunter, Hannah, Jarvis, and Maria. After George's death in 1836, these lots were transferred to son Robert Jarvis Hamilton, a banker who by 1851 was listed in the census as an Episcopalian, married to Mary J. Hamilton with six children, and owning 3 acres of land and a stone house.

In 1847 the Town of Hamilton had purchased from Robert Jarvis Hamilton two acres at the base of the Escarpment on Cherry Street (today Ferguson Avenue) to establish a permanent hospital (City of Hamilton 2009b). Three years later the hospital was built and served as an infirmary and 'House of Industry', but was also selected as the site of a municipal animal pound and powder magazine (Campbell 1966:104, 132). However, in 1851 the hospital was found to be continually impacted by rock slides from the quarry up the Escarpment on Wellington Street and in 1852 the hospital function was moved to the corner of John and Guy Street by the lakefront (Campbell 1966:133). From the 1859 prospect of 'Hamilton, C.W.' it is difficult to discern whether the hospital building survives, although it may be the two-storey structure north of the 'Residence of R.J. Hamilton, Esq.' (Figure 6).

No structures are depicted in the area of the subject property in the 1876 *Bird's Eye* (Figure 7), in contrast to a 'House of Refuge' shown on the 1883 Copp Clark & Co. *Map of the City of Hamilton* along with the pound. Although this map has led to speculation that the site was still being used as a poor house into the 1880s (ASI 2009:13), the later map is a cartographic error as in 1878 the first pumping station had been constructed. This

1878 date was inscribed on the plaque erected for the 1929-30 construction (Figure 8), and would have been within living memory of the politicians and engineers whose names also appear on the commemoration. Other late 19th century references to the 'House of Refuge' in Legislature of Ontario records (e.g. 1885) refer to another site in Hamilton.



Figure 4: 1842 Plan of the Town of Hamilton District of Gore Canada indicating 'Corktown'. The arrow indicates the approximate location of the subject property. George Hamilton's residence is depicted at bottom centre (Gentilcore & Head 1984:243).




Figure 5: Hamilton's First Hospital (McMaster University 2018).




Figure 6: Detail from the 1859 'Hamilton, C.W.' with possible location of the first hospital (courtesy <http://www.haalsa.org>).



Figure 7: Detail from the 1876 *Bird's eye view of the City of Hamilton*. The arrow indicates the subject property (McMaster Digital Archive).




Figure 8: Plaque marking completion of the 1929-30 Ferguson Avenue Pumping Station extension, with 'steam plant erected 1878'.

5.4.2 First Waterworks at Ferguson Avenue, 1878 to 1912

When it entered operation in 1878 the Repumping Station had a Killey steam pump with 300-thousand gallon per day capacity and could lift water 196 feet (60 m) to a small reservoir of 400-thousand gallons capacity on the Mountain (City of Hamilton 1959:9). Just over a decade later in 1888 the second 400-thousand gallon per day pumping engine was added, and the 1893 *Bird's Eye* and shows that the surrounding neighbourhood had developed significantly (Figure 9). On the 1898 Goad's Fire Insurance Plan (FIP) the Ferguson station is referred to as a 'High Level Pumping House' and its single storey five-part L-shaped plan having a section for 'Coal' on the northeast and the two west sections annotated as having '2 Pumps' (Figure 10).

A 1905 Annual Report stated that the 'High-Level Pumping House' had new boilers installed along with several unnamed 'improvements' installed in response to the 'great danger of a breakdown or explosion of the boilers, which were very old' (City of Hamilton 1906:15) (Figure 11). Nevertheless, Willis Chipman and Andrew F. Macallum's 1911 *Report No. 1 on Waterworks Improvements* noted that the Ferguson Repumping Station and reservoir were 'taxed to its limit this season' and the station's 'steam pumping machinery...is of a low duty type, of insufficient capacity, and old enough to be retired to the reserve list'; a picture of the growing city the pumping station was now required to service can be seen in a 1913 postcard (Figure 12).



Figure 9: Detail from the 1893 *Bird's eye view of the City of Hamilton* showing the 1878 Repumping Station with billowing stack (McMaster Digital Archive).




Figure 10: Detail from Goad's 1898 FIP of the 1878 Repumping Station (McMaster Digital Archive).




Figure 11: Circa 1905 photograph of the 1878 High-Level Pumping Station (City of Hamilton 1906).



Figure 12: 1913 postcard showing the 1878 Repumping Station and an open space to the north where the new Ferguson Avenue Pumping Station would be constructed (courtesy 'Vintage Hamilton').

5.4.3 A New Waterworks on Ferguson Avenue, 1913-1929

To replace the High-Level Pumping Station, Chipman and Macallum recommended a 'new building be constructed adjoining the present building' and that 'two electrically operated units should be adapted, each with a capacity of one million gallons per 24 hours' (Chipman & Macallum 1911:8-9). Building this new station was estimated to cost \$67,000.00 (Chipman & Macallum 1911:16). Drafting its design fell to City engineer Andrew F. Macallum, and its construction was to be by City workers (City of Hamilton 2010:104) (Figure 13 and Figure 14).

During the following year and into 1913 the new Ferguson Avenue Pumping Station was erected immediately north of the existing repumping station (Figure 15). As the 1912 Annual Report of the Board of Works Department described:

Work was commenced upon the foundation and wells for the new station which, when completed, will be built completely around the present electrical pumping station, and that station removed. The foundation and four pump wells have already been finished and tenders called for the pumping station. When completed the new pumping station will have sufficient accommodation for six electric driven turbine pumps.

Contracts for two electrical driven turbine pumps, each with a capacity of 6,500,000 gallons per twenty four hours, were given to the Canada Foundry Company, and the motors and electrical equipment to the Canadian General Electric Company. These pumps have about the same capacity as the present electric pumps and will pump to the same head of three hundred feet (City of Hamilton 1912:7).

By 1913, the Annual Report of the City Engineer could state that:

A new high level pumping station was built at the head of Ferguson Avenue, and four electric-driven turbine pumps, each of one million gallons capacity, were installed. Two of these units pump to the present high level reservoir, giving a supply for the high level district equal to three times the steam units on the same service (City of Hamilton 1913:8).

The 1913 report also included a photograph of the electric pumps with retouched 'Canada Foundry Company Limited Toronto Ontario' marking on the nearest pump (Figure 16). The February 1911 FIP map was revised in 1916 to show the new rectangular Ferguson Avenue Pumping Station between the row housing on the corner of Ferguson and newly named Charlton Avenue, and annotates it as between one and two storeys, and having 13-inch thick walls and 'Electric Pumps' (Figure 17).




Figure 13: The west façade of the new station in elevation (top), plan (bottom), and section (right) (City of Hamilton 1913).




Figure 14: South elevation (top), section (bottom left), and plan (bottom right) of the new station (City of Hamilton 1913).



Figure 15: The new pumping station under construction in 1912. The earlier 1878 Repumping Station is visible at right (City of Hamilton 1913).




Figure 16: New pumps at the Ferguson Avenue Pumping Station, manufactured by Canada Foundry Company Limited of Toronto (City of Hamilton 1913).




Figure 17: Detail from the 1911 (later updated) Fire Insurance Plan of the coexistent 1878 Repumping Station on the south, and new Ferguson Avenue Pumping Station to the north (McMaster Digital Archive).

5.4.4 Expansion and Replacement, 1929 to 2018

During improvements between 1929 and 1930 the original 1878 station was demolished, and the 1912-13 building expanded to house three new electric pumps and 400-horsepower Mirrlees diesel backup generator (City of Hamilton 1959:20). Architectural drawings and a 1930 photograph detail the extent of this expansion to the south and east, while an undated piping plan shows the high number of lines now running into the facility (Figure 18 to Figure 21).

Another pump with 2 million gallons per day capacity and a 16-inch diameter watermain was installed between 1945 and 1946. The next year, installation of five new pumps and electrical switching gear was recommended but would not be implemented until 1955 to match efforts by Ontario Hydro to convert the electrical system from 25 cycle to 60 cycle (City of Hamilton 1959:28). Replacing the now obsolete two original Mountain pumps and two High Level District electrical pumps were two pumping units capable of transporting 3-million gallons per day and a 2-million-gallon and 5-million-gallon pump for the Mountain, and a 7 ½ million-gallon pump and one 10-million-gallon pump for the Middle Level District (City of Hamilton 1959:29). Housing these new pumps and gear necessitated again expanding the station to the south.

This change did not make it onto the 1960 FIP, which shows the 1930 configuration, but it was depicted on the 1964 FIP (Figure 22). On this map the southwest wing is identified as an Engine Room and there is also an unidentified one-storey building south of the station; a photograph taken the previous year reveals few details of this building and its function (Figure 23).

By the early 21st century, the City identified several issues with the Ferguson Avenue Pumping Station: the existing equipment was in poor condition with no standby power, and there were accessibility issues. The City considered several options, including expanding and refurbishing the existing structure, establishing a new station

adjacent to the existing building but demolishing the Engine Room, and constructing a new station at Charlton Avenue East. The decision to demolish the Engine Room and construct a new adjacent building won out, and the facility was opened in 2012. As reported in 2013, the New Ferguson Avenue Water Booster Pumping Station services ‘two water districts from Corktown, all the way to Dundas, as well as parts of the west mountain, near the escarpment, serving two hospitals, a university, and scores of schools, restaurants, and downtown businesses’ (CHCH 2013) (Figure 24). With completion of the new station, the Ferguson Avenue Pumping Station was decommissioned, and it has been maintained but vacant ever since although a Doors Open event in 2013 drew over 400 people (City of Hamilton 2014) (Figure 25).




Figure 18: South and west elevations of the Ferguson Avenue Pumping Station showing the 1929-1930 extension.

July 10, 2019

1899502-2000-R01




Figure 19: North and east elevations showing the 1929-1930 extension.




Figure 20: View of the completed extension, circa 1930.

July 10, 2019

1899502-2000-R01




Figure 21: Schematic piping diagram for the Ferguson Avenue Pumping Station, dating after 1930 and prior to 1955.




Figure 22: Detail from the 1964 FIP showing the 1929-30 and 1955 extensions (McMaster Digital Archive).



Figure 23: 1963 photo with the now fully expanded Fergusson Avenue Pumping Station in the foreground at bottom right (Local History & Public Archives Hamilton Flickr 2018).



Figure 24: West facade of the 2012 New Ferguson Avenue Water Booster Pumping Station.



Figure 25: Visitors to the 2013 Doors Open at the Ferguson Avenue Pumping Station (City of Hamilton 2014:41).

6.0 PROPERTY DESCRIPTION

6.1 Setting

With the exception of the natural topography and thick vegetation of the Escarpment to the south, the property's setting can be characterized as urban residential. On the west side of Ferguson Avenue and along Foster Street are late 19th to mid 20th century single detached and double semi-detached one to two-storey dwellings constructed predominately in red brick, with some taller residential developments located a further distance to the west and northeast (Figure 26 and Figure 27). Immediately north of the property at 219 to 227 Ferguson Avenue South is two-storey, red-brick 'High Victorian' row housing built in 1894 and designated under Part IV of the *Ontario Heritage Act* in 1989 (Figure 26). Further north across Charlton Avenue at 207 to 215 Ferguson Avenue South, is more two-storey and red-brick row housing dating between 1886 and 1887 and designated under Part IV of the *Ontario Heritage Act* in 1995, while on the northwest corner of the intersection is the Queen Victoria School. Ferguson Avenue South is one lane in each direction with a narrow sidewalk (approximately 2 m), and since it is a dead end at the property it has noticeably limited and intermittent traffic compared to Charlton Avenue.

The topography of the property is uneven due to the artificial landscaping associated with the later pumping station but covered in maintained lawn devoid of trees (Figure 28). With a setback of approximately 9 m from Ferguson Avenue South and less than 2 m from the north property line, the earlier pumping station is situated at the northwest corner of the lot, and at its lowest elevation. Apart from a wide concrete path to the entrance of the early station and concrete retaining walls around the southeast corner of the building, there are no small-scale features although further away retaining walls, gabion walls, and chain link fencing defines the wider property boundaries.

Vehicle and pedestrian access to the property is only from Ferguson Avenue South as the other property boundaries are surrounded a high chain link fence. Conspicuous in both the road surface and sidewalk of Ferguson Avenue South immediately west of the pumping station is the high number of cast iron maintenance covers, some of which are marked with 'HWW' for Hamilton Water Works (Figure 29 and Figure 30).

Although there are no street trees, mature deciduous vegetation on private property along the sidewalk partially mask views of the Ferguson Avenue Pumping Station from north of Charlton Avenue, and views of the station from further west on Charlton are blocked by the structures on the west side of Ferguson Avenue and north side of Foster Street (Figure 31 and Figure 32). The clearest views into and out from the property are east-west on Foster Street (Figure 33 to Figure 34), while views outward from between the new and old pumping station are either obscured or channelled by surrounding structures and mature trees (Figure 35).

July 10, 2019

1899502-2000-R01



Figure 26: View facing east of the Ferguson Avenue Pumping Station (far right) and protected heritage properties at 219 to 227 Ferguson Avenue South (left).



Figure 27: View facing east along Foster Street toward the Ferguson Avenue Pumping Station (centre).



Figure 28: View facing northeast of the Ferguson Avenue Pumping Station (left) and new station (right) showing the irregular topography.



Figure 29: 'HWW' (Hamilton Water Works) maintenance cover west of the Ferguson Avenue Pumping Station entrance.



Figure 30: Numerous round and square maintenance covers west of the Ferguson Avenue Pumping Station.



Figure 31: View facing southeast from the intersection with Charlton Avenue East. The pumping station is just visible behind the trees at centre, and the designated heritage properties of 221-227 Ferguson Avenue South are at left.



Figure 32: View of the pumping station facing southwest from east on Charlton Avenue East. The 1912-13 and 1929-30 elements of the pumping station are visible at centre.



Figure 33: View facing north from the property of Ferguson Avenue South. Note the maintenance covers.

July 10, 2019

1899502-2000-R01



Figure 34: View facing west from the property of Foster Street. Also note the maintenance covers in the foreground.



Figure 35: View of the irregular topography and views out from the centre of the property facing northwest from east of the pumping station (far left). The rear sides of the protected heritage properties at 219 to 227 Ferguson Avenue South are visible at centre-left, and the protected heritage properties of 207 to 215 Ferguson Avenue South visible at centre right across Charlton Avenue East.

July 10, 2019

1899502-2000-R01

6.2 Built Features

Overall, the Ferguson Avenue Pumping Station is a single detached, storey-and-a-half and six-bay red-brick industrial building with flat roof and irregular plan (Figure 36 to Figure 41). At its furthest extents it measures approximately 25.5 m east-west by 21.8 m north-south and is composed of three distinct sections: an original 1912-1913 block (1912-13 Block); a 1929-1930 extension and wing (1929-30 Extension); and a 1955 extension (1955 Extension) (Figure 42). Each are described individually in the following sections.



Figure 36: West façade of Ferguson Avenue Pumping Station (rectified to remove distortion).



Figure 37: West and south façades.



Figure 38: South façade (rectified to minimize distortion).

July 10, 2019

1899502-2000-R01



Figure 39: South and east façades (rectified to minimize distortion).



Figure 40: East façade (rectified to minimize distortion).

July 10, 2019

1899502-2000-R01



Figure 41: East and north façades (rectified to minimize distortion).




Figure 42: Site plan.

6.2.1 1912-13 Block

6.2.1.1 Exterior

The three-bay and nearly two-storey high 1912-1913 Block is rectangular in plan and measures approximately 23.8 m east-west by 8.9 m north-south. It stands on a wide poured concrete foundation partially visible above grade; on the west façade this is covered by a course of brick under a concrete plinth, while on the north façade there is burnished or blackened stepped brickwork ascending to a splayed stretcher water table (Figure 43 and Figure 44). The walls on the principal west façade are a finer quality and brighter red colour, as well as bonded entirely in stretcher course, compared to those on the north and east façades, which are fired at a lower temperature and laid in one-in-six American or common bond (Figure 45).

Prominent but not full height pilasters mark the three bays, and their bases on the concrete plinth are decorated with burnished and cavetto shaped bricks forming the apophyge. These pilasters terminate at a full entablature with capitals decorated with a T-shaped motif, filet, niche, and dentils beneath the echinus and abacus. Between each pilaster at the one-storey height is a raised string course with widely spaced dentils, while above the capitals the projecting entablature has an architrave with filet, a frieze, and then a yellow-painted, sheet-metal-clad cornice

July 10, 2019

1899502-2000-R01

with alternating ovolos and coronas (Figure 46). Above this is an open pediment with recessed tympanum, which has a large rectangular date stone with sans-serif 'HWW 1912' in relief (Figure 47). The tympanum is capped by stone and shaped block centred over the date stone. Though classically inspired, the tristyle temple front of the 1912-1913 Block does not conform to any single Order. The north side wall has only a belt course for decoration, although this has a course of dog-tooth brickwork or cogging on its underside (Figure 45). At the top of the wall here and on the east end wall is a concrete slab coping. Other wall features include louvres on the Ferguson street facade, perforated metal brackets on the east facade for now disconnected electrical insulators, and outside lights and security cameras.

Centred in the outer bays are tall, semi-circular headed windows with soldier brick voussoirs terminating at fine concrete impostes (Figure 48). The lug sill is also fine concrete, and plain. Although blind, there is wood moulding within the structural opening, a louvre, and the plywood has been painted to replicate an eight-pane window. The central entrance is more grandly decorated; it too is semi-circular headed but there is an inner order of header brick, an outer order of soldier brick, and shaped keystone and impostes (Figure 49). The former is a tall console extending all the way up to a notch in the denticulated string course, while the impostes have a cyma reversa profile and visually form a capital for brick pilasters framing the door, which stand on stone bases. The semi-circular transom with moulding has been filled with painted wood, and the double-leaf doors are a four-hinged steel security type. Straight concrete steps lead to the narrow entrance platform, and may have had railings set in brick, which have since been partially demolished.

Seven tall and wide blind windows line the north facade, and have flat heads of stretcher brick and plain lug sills. A single leaf security door with segmental arch head and moulded wood trim is located near the northeast corner. On the east facade is a large blind entrance that corresponds to a taller blind entrance on the northeast wall of the 1955 Extension. This once led to the 1929-30 Extension, the roof for which was sealed in tar and has left a stain over both blind doors of this east façade (Figure 41).



Figure 43: Concrete foundation, pedestal, and pilaster bases at the northwest corner.



Figure 44: Brick water table at the northeast entrance.



Figure 45: Blind windows and lower quality brick laid in common bond on the north façade. Note also the cogging course above the windows.



Figure 46: Denticulated string course, pilaster capitals, and entablature above the north bay of the west façade.



Figure 47: Date stone in the open pediment and recessed tympanum.

July 10, 2019

1899502-2000-R01




Figure 48: Window of the south bay on the west façade.



Figure 49: The west façade entrance and the south bay.

6.2.1.2 Interior

6.2.1.2.1 Ground Level

The interior of the 1912-13 Block is primarily an open, single-level plan, with more recent room divisions in the east and west ends, and opens directly into the 1929-30 Extension on the south (Figure 50 and Figure 51). Three Mountain Level Pump Trains, two High Lift Pump Trains, a Control Panel, and a Control Station are distributed over the floor, which is covered in square ceramic tiles (Figure 52 and Figure 53). The exposed brick wall on the north is interspersed with pilasters between each window opening, each of which is filled with concrete masonry units (CMUs) (Figure 54). Stone blocks at the top of these chamfered pilasters support an iron I-beam that runs the full length of the north wall. There are no features on the east wall except for numerous perforations, which mark the place of brackets to hold what must have been a high number of electrical cables. Like the main facade, the bricks on the interior are a highly fired, high quality type.

The Block's south boundary is marked by pillars or columns and an upper wall with I-beam and brick masonry. Although the columns are part of the 1929-30 construction, the upper wall is a remnant of the original Block and its dog-tooth brickwork can be seen from inside the 1929-30 Extension. A complete section of 1912-13 wall also survives in the southwest, and here there is a tall blind window with segmental arch head with gauged brick voussoirs, and it has a plain lug sill (Figure 55 and Figure 56).

The roof of the 1912-13 Block is supported by I-beams with 'Northern Engineering Works, Detroit, Mich. U.S.A.' plaques that run the width of the building, and some have chain hoists on beam trolleys (Figure 57). Above these is a wood strip ceiling that runs the length of the interior. Lighting is provided by fluorescents suspended from the ceiling (Figure 50).

The northwest corner was enclosed for a bathroom at some point relatively early in the Block's history, and in the late 20th century a room for a chlorine storage tank was built in CMUs in the southwest corner, south of the central entrance (Figure 51). At the northeast corner is a space enclosed to create an engineers' office during construction of the 2012 Pumping Station.

6.2.1.2.2 Basement

The basement is entered via metal straight stairs descending from a breach in the southwest corner of the floor. It leads to a narrow passage with large diameter pipes suspended along the north side (Figure 58). On the north is an arcade of cast-in-place concrete (the impressions from the formwork planking is clearly visible), through which runs even larger diameter pipes and valves (Figure 59). These lead to wider piping, which is supported by concrete buttresses and brackets, and exits through the east end wall through formed concrete arches. The ceiling is also formed concreted, and most electrical lines run along that surface or the south wall. At the southwest corner is a breach providing access to the basement of the 1929-30 Extension.

July 10, 2019

1899502-2000-R01



Figure 50: Interior of the 1912-13 Block, facing east.



Figure 51: Interior of the 1912-13 Block, facing west.

July 10, 2019

1899502-2000-R01



Figure 52: Mountain Level Pump Trains, High Lift Pump Trains, and Control Panel on the north portion of the floor.



Figure 53: Control Station on the southeast portion of the floor.



Figure 54: I-beams, engaged columns, and blind windows on the north wall interior.



Figure 55: Exterior wall with coggling of the 1912-13 Block as seen from within the 1929-30 Extension.




Figure 56: Surviving bay and window of the south wall as seen from inside the 1929-30 Extension.



Figure 57: Northern Engineering Works plaque on a lateral I-beam.

July 10, 2019

1899502-2000-R01



Figure 58: View facing east of the south basement passageway.



Figure 59: Arched cast-in-place concrete arches in the north portion of the basement.

6.2.2 1929-30 Extension

6.2.2.1 Exterior

Built onto the south wall of the 1912-13 Block is the two-bay, storey-and-a-half height 1929-30 Extension, which measures approximately 25.5 m long (east-west) and 7 m wide (north-south). Its rectangular plan therefore extends approximately 1 m further to the east than the 1912-13 Block, and was further lengthened by new masonry presumably added in 2012 (Figure 40 and Figure 41). Like the 1912-13 Block it has a concrete foundation and stretcher bond red brick facade, while its south facade was built in one-in-five American or common bond with a top course and continuous lintel in soldier brick (Figure 37).

The Ferguson Avenue facade continues the pilaster, entablature, and sheet-metal clad cornice of the 1912-13 Block, although there is only a single pilaster at the corner and the entablature is more subtly defined with a recessed string course and at the level of the capital, and course of cyma reversa shaped brick to define the top of the architrave (Figure 36). The metal clad cornice continues around the corner pilaster, then transitions to a concrete slab, or possibly stone, coping. The east end wall projects past the south wall to mirror the pilaster on the southwest corner but is treated only with a projecting coping. A pilaster is also located on the south wall between two blind openings and has a plain shaped stone capital but no base.

Although there are double-leaf metal doors on the south facade and single-leaf security door entrance on the east end wall, entrance to the extension is primarily through the 1912-13 Block. On the principal facade of the extension are two large window openings with semi-circular heads and plain concrete lugsills. The arches are formed in a single order of soldier brick and terminate at relatively small stone or concrete blocks at the impost. Both windows are blind but retain their mouldings and metal muntins (Figure 60). Three exposed window openings on the south facade are also blind, this time filled with brick and the double leaf doorway. As mentioned above these have a continuous lintel, and have plain concrete lug sills (Figure 39).



Figure 60: Large windows of the 1929-30 Extension west façade.

6.2.2.2 Interior

6.2.2.2.1 Ground Level

As described in Section 6.2.1.2.1, the north division of the 1929-30 Extension is marked by the corbelled pillars, which are brighter in colour to the 1912-13 bricks (Figure 61 to Figure 63). There is no corresponding division in the floor between the 1912-13 and 1929-30 sections, suggesting both were tiled when the latter section was built, or possibly during a later refurbishment. Chamfered pilasters line the south wall and are taller than the pillars, and between each are blind windows filled with CMUs. CMUs have also been used to fill the large breach in the east wall, which originally led to the 1929-30 wing. An exception is found near the southwest corner, where a 20-pane fixed sash window was retained and lights the 1955 Extension (Figure 64). A door to the 1955 Extension is at the southwest corner, and to access it is a set of metal straight stairs with landing.

Wood strips were used to cover the ceiling and the space is lit by long fluorescents. Steel I-beams run the width of the Extension and also have chain pulley hoists on beam trolleys. These beams are plaqued with 'The Herbert Morris Chain and Hoist Company Ltd. Niagara Falls [US]' (Figure 65). Distributed relatively evenly across the floor are five Middle Level Pump Trains, and near the centre of the south wall is ladder access to the basement (Figure 66).

6.2.2.2.2 Basement

The basement is open in plan, with parged concrete walls and ceiling, and two rows of large diameter piping running east-west supported on concrete brackets (Figure 67 and Figure 68). Electrical conduit is suspended from the ceiling or run high against the walls.



Figure 61: Interior of the 1929-30 Extension, facing west.



Figure 62: Interior of the 1929-30 Extension, facing east.



Figure 63: Chamfered and corbelled pillar or column supporting the 1929-30 breach into the 1912-13 Block, as seen facing south from inside the 1912-13 Block.

July 10, 2019

1899502-2000-R01



Figure 64: 20-pane fixed sash window on the south wall



Figure 65: Chain pulley hoists suspended from lateral I-beams with Herbert Morris Chain and Hoist Company Ltd plaque.



Figure 66: One of five Middle Level Pump Trains in the 1929-30 Extension.



Figure 67: View facing east of the piping beneath the 1929-30 Extension.



Figure 68: View facing west of the piping beneath the 1929-30 Extension.

6.2.3 1955 Extension

6.2.3.1 Exterior

Setback the width of the corner pilaster at the southwest corner of the 1929-30 Extension is the storey-and-a-half height, single-bay 1955 Extension, which measures 12.4 m long (east-west) by 5.8 m wide (north-south), approximately 11.75 m shorter than the 1929-30 Extension. Unlike the other sections of the pumping station, it has a high formed concrete foundation with chamfered top, and the walls are constructed entirely in stretcher bond, except at the top of the wall where there is a course of soldier brick. Above this course is a projecting concrete slab coping for the flat roof. Two large conical capped vents exit the roof near the south wall (Figure 37 and Figure 38).

A blind, nearly square and flat head window with concrete lugsill and soldier course voussoirs is slightly off-centre on the Ferguson Avenue facade, while the south wall has two slightly smaller asymmetrically placed blind windows. Centrally located on the east end wall is a blind window. Direct entrance from the exterior is via an off-centre double leaf, steel reinforced wood doors placed between the two windows on the south facade; like the 1929-30 Extension, this exterior door is secondary to the primary access through building from the central entrance of the 1912-13 Block.

July 10, 2019

1899502-2000-R01

6.2.3.2 Interior

6.2.3.2.1 Ground Level

The 1955 Extension is divided into a large room on the west and a smaller room on the east. On the north wall of the large room can be seen the exterior pilasters of the 1929-30 Extension, and on the south wall are the blind window openings filled with CMUs (Figure 69 and Figure 70). The floor is poured concrete and, in contrast to the exterior, the exposed brick walls are one-in-five American or Common bond. There is a corrugated metal fire-proof ceiling with relatively light I-beams running laterally and an even lighter steel beam running the length of the interior. This has a 'Cyclone 1/2-ton' beam trolley with hanging chain hoist manufactured by Buffalo-based company Columbus McKinnon (Figure 71). Lighting is through large downlights with elliptical reflectors. Both rooms were used for electrical systems.

6.2.3.2.2 Basement

The basement was not investigated since it is considered a confined space.



Figure 69: North interior portion of the 1955 Extension facing east.



Figure 70: South wall entrance and blind windows of the 1955 Extension facing southwest. The ladder to the basement is in the far corner.



Figure 71: Fire proof ceiling with elliptical lights, and Columbus McKinnon Cyclone 1/2-ton beam trolley with hanging chain hoist.

6.3 Structural History

The structural history for the property can be divided into six phases, the first two are archaeological, and the others are represented in the standing buildings on the site today. These are listed below and illustrated in Figure 72.

Phase 1: circa 1850 to 1877

This first phase represents the establishment of the hospital, its demolition prior to 1878, and the site's use as a powder magazine and animal pound. It is unlikely that remnants of structures from this period survive as archaeological remains on the property.

Phase 2: 1878 to 1911

This second phase represents construction of the Ferguson Repumping Station in 1878 and its operation until 1911. Based on the schematic piping diagram and map overlays (Figure 21 and Figure 72), it is possible that archaeological remains of the south portion of this station survive beneath in the grassed area south of the Ferguson Avenue Pumping Station.

Phase 3: 1912 to 1929

This phase is represented by construction and operation of the 1912-13 Block of the Ferguson Avenue Pumping Station.

Phase 4: 1930 to 1954

This phase includes demolition of the 1878 Repumping Station and construction of the 1929-30 Extension, which also required:

- Partial demolition of the 1912-13 Block south wall and south basement wall;
- Pillar and I-beam construction to support the breach in the 1912-13 Block south wall; and,
- Replacement of the 1912-13 Block flooring in tile.

Phase 5: 1955-2011

This phase includes operation of the station but is marked by construction of the 1955 Extension. Also included in this phase are:

- New pumping equipment installed all sections;
- In fill of all windows in CMUs; and,
- Addition of the chlorine room in the 1912-13 Block.

Phase 7: 2012-present

Structural changes in the past six years include:

- Enclosing the temporary office for engineers in the 1912-13 Block;
- Demolition of the east wing of the 1929-30 Extension, lowering its southeast corner pillar, and refacing its east wall in brick;
- Construction of the New Ferguson Avenue Water Booster Pumping Station to the east;

- Landscaping around the new and existing station; and,
- Disconnection of all systems in the Ferguson Avenue Pumping Station.




Figure 72: Structural phases at the Ferguson Avenue Pumping Station property.

6.4 Architectural Analysis

Although the architectural style of the Ferguson Avenue Pumping Station was been defined as Neoclassical (City of Hamilton 2012:6), similar structures of the same period or function in the City and elsewhere in Canada, Britain, and the US have been variously described as 'Italianate', 'Classical Revival', 'Romanesque Revival', or even more specifically as 'waterworks style', or 'American round-arched style'. Neoclassical is the least favourable of these as it is most commonly applied to the 'more refined' and archaeologically informed Classical architecture developing from the Georgian style from between 1800 and 1820 to 1860, and features closed pediments, pilasters or columns replicating a Classical Order, and balanced use of flat arched and semi-circular or segmental arch headed windows (Blumenson 1990:13).

Italianate has been used to describe the first Hamilton Pumphouse completed in 1859, and in addition to the popularity of this style being closer in date to when the Ferguson Avenue Pumping Station was built, from between 1855 and 1900 for industrial buildings (Jones 1985:139), it shares with Ferguson a temple front, strong cornice, and round arched windows and entrances (Figure 73). However, in general Italianate is more ornate than the architectural design of the Ferguson Avenue Pumping Station, and Drakich (1990:518) notes that the Hamilton Pumphouse is 'the sole surviving Italianate pumping station in Canada'. By contrast, Italianate style was so widely applied to waterworks in the UK that it has become known as 'waterworks style' (Douet 1992:13-17; Historic England 2017:10) and is cited as an influence for the American round-arched style widely applied to industrial buildings (Bradley 1999:235). Although it does not have semi-circular headed openings, the brackets, segmental arch heads, and pedimented front place the 1878 Ferguson Repumping Station in the Italianate tradition.

'Classical Revival' was used in the designating by-law to describe Macallum's other pumphouse, a building he designed in 1913 with architect W.A. Edwards in nearly identical style and materials at 900 Woodward Avenue (City of Hamilton 1986) (Figure 74). However, in this case too the style description is less than ideal for either the Ferguson or Woodward pumphouses; *Classic Revival* as it is more commonly referred to was popular between 1830 and 1860, and most often has a Greek temple front, balance of flat arch and semi-circular headed windows, and pilasters that conform to a Classical Order (Blumenson 1990:28-36). While the Ferguson Avenue Pumping Station has a temple front, it has an open pediment and its decoration does not conform to any one Order; the Woodward pumphouse lacks a temple front and its pilasters combine Tuscan and Roman Doric profiles.

The term that may best describe both the Ferguson and Woodward pumping stations is 'Romanesque Revival'. Although a neo-Romanesque *Rundbogenstil* style emerged primarily in Germany in the 1820s and brought to the US by emigrant architects in the 1840s (Curran 1988:366), the Romanesque Revival was popularized in the 1880s and 1890s by American architect H.H. Richardson, who in turn influenced Thomas Fuller, the Chief Dominion Architect for Canada's Department of Public Works between 1881 and 1896 (Ricketts *et al.* 97-98). Romanesque Revival, 'characterized by a repetitive use of round-arched windows set in smooth brick walls articulated by thin pilaster strips' (Ricketts *et al.* 2004:97-98), was selected for a number of municipal works in Ontario and elsewhere. In Kingston, the large three-bay Kingston Water Works completed in 1889 took the Romanesque to a high Victorian level of decoration including stone engaged columns, arched corbel tables, and roundels, while Brantford's Waterworks and associated Engineer's Residence built the same year was more subdued and built in buff brick and hipped roof variant of the Romanesque Revival (Figure 75 and Figure 76).

The trend toward decorative austerity, but also a return to classicism, helped define the Edwardian period in industrial architecture (Jones 1985:172). This can be seen in the Ferguson and Woodward pumping stations, as well as the 1913 Victoria Park Waterworks in Toronto which, like the Ferguson Avenue Pumping Station had a

'simplified Romanesque language of round-arch openings in walls of flat red brick, relieved by occasional brick quoins or stone sills and keystones' (Mannell 2012:56-57). While it's been suggested that the Romanesque Revival was selected for waterworks to reference 'Roman aqueducts which, historically for the Western world, evoked the first large-scale advances in waterworks' (Tumak 2009:8), the style was also widely applied for other industrial buildings in Ontario such as railway stations and axillary buildings (de Fort-Menares 1996:30). Selection of the style therefore may be more closely related to its popularity at the time and Fuller's influence, although like the Italianate the 'classically based architectural tradition creates a powerful image of permanence and stability' (Drakich 1990:519).

This 'powerful image' is somewhat muted by the scale of the Ferguson Avenue Pumping Station, but this is a defining characteristic of 'Electric Era' waterworks built from 1900 onward (MTCS 1990:6; Historic England 2017:10). Unlike earlier structures that had to house massive steam-powered beam engines, the electric-driven turbines could be housed in a relatively small building and as Macallum reported, just two could supply 'three times the steam units on the same service'. Nevertheless, when expansion was required, it appears to have followed the trend seen elsewhere, where initial expansion mimicked or was compatible with the existing components, while the later 20th century expansion may use some elements but lacked any decoration. For the Ferguson Avenue Pumping Station, McFaul decided to continue the Romanesque Revival style for the 1929-30 Extension instead of the contemporary Art Deco style he would use in 1933 for the 'prestige' Water Purification Plant at 900 Woodward Avenue. This is also seen at the Brantford Waterworks, where the Electrical Pump Wing added by 1912 continued the Romanesque Revival window openings of the original water works but had a flat roof and parapet. The Brantford complex was expanded considerably in the 1930s, but the sections added in the 1950s—like the 1955 Extension at the Ferguson Avenue Pumping Station—made little attempt to match the architectural style of the earlier portions. At the Ferguson Avenue Pumping Station this is perhaps a puzzling omission, since Roman relieving arches were included in the design of the 1958 Kenilworth Reservoir access building.²

Another similarity between the Ferguson Avenue Pumping Station and other Hamilton Waterworks sites such as the Woodward facility and Barton and Kenilworth Reservoirs, the Brantford Waterworks, and the Toronto Victoria Park Water Works is its long history as an 'institutional landscape' (Historic England 2017:10). The City has continually owned and administered the property for 170 years and has used it as a waterworks site for 140 years. Instead of being abandoned once its equipment became obsolete, it was continually expanded and upgraded until its recent replacement by the 2012 Pumping Station and, even then, on the same property. Although institutional landscapes are maintained in part as an attempt to reduce the expense of establishing a new site, they can—as in the example of the Kingston Pump House—found to be redundant. The Ferguson Avenue Pumping Station's periodic expansion, as well as continued use as a waterworks site, reflects the foresight in the original waterworks planning despite changes in technology and the City's development.

² Also puzzling at the Ferguson Avenue Pumping Station is the use of imported I-beams for both the 1912-13 Block and the 1929-30 Extension. Hamilton's steel industry was well developed by 1901 (Anderson 1987:209) so it appears unusual that the I-beams for both components should be imported from two US sources.



Figure 73: Italianate Boiler House (bottom), and Engine House (top right) of the Hamilton Waterworks (February 2017).



Figure 74: Macallum and Edward's 1913 Pumping Station at 900 Woodward Avenue, designated under By-law 86-310 (photo by Brian Kowalewicz, posted on Historical Hamilton 2009).



Figure 75: The 1889 Kingston Pumping Station, photographed in 1901 (Wevers 2013:2).




Figure 76: Photogrammetric profile of the 1889 Waterworks and circa 1910 Electrical Pump Wing of the Brantford Waterworks Complex, 2015 (Golder 2016).

7.0 CULTURAL HERITAGE EVALUATION

The following evaluation follows the City's guidance category for built heritage and cultural heritage landscapes and references the *Ontario Regulation 9/06 Criteria for Determining Cultural Heritage Value or Interest*.

7.1 Historical Associations

7.1.1 Thematic

In relation to established themes, the Ferguson Avenue Pumping Station could be linked to the 'Modern Ontario' segment of the Political theme identified in *A Topical Organization of Ontario History* (MTCS 1973), and the 'Urban Development' and 'Built Form' themes defined in the 'A Story of Us/ A Story of Place' report submitted as part of the City's Cultural Plan. Of these, however, only the 'Built Form' theme references Hamilton's water engineering and focuses on the original Hamilton Waterworks. Nevertheless, the Ferguson Avenue Pumping Station is most closely related to the theme of Urban Development since it is directly related to Hamilton's consolidation as an industrial centre in the first quarter of the 20th century and linked to Hamilton's population explosion between 1911 and 1920, by some estimates representing a 53% increase (Weaver 1982:93; Wood 1987:123). Like the original Hamilton Waterworks, the Ferguson Avenue Pumping Station and other waterworks infrastructure built before the First World War were an important response to the fire prevention and potable water needs of the City, but also a pre-condition for the development that would follow, and with expansion and upgrades could sustain it into the post-war period. Technologically, the Ferguson Avenue Pumping Station is also representative of the 'Electric Era' of waterworks development between 1880 and 1920 (MTCS 1990:6).

7.1.2 Event

The Ferguson Avenue Pumping Station is not associated with any significant events locally, provincially, or nationally. Its planning and construction was in response to a significant population increase in Hamilton from 1900 to 1913, but this in-migration to the City was not prompted by any single internal or external event (for example displacement through war).

7.1.3 Person and/or Group

The 1912-13 Block of the Ferguson Avenue Pumping Station is directly associated with Andrew F. Macallum, while the 1929-30 and 1955 Extensions built during the tenure of William L. McFaul. Macallum designed the Ferguson Avenue Pumping Station while serving as City Engineer between 1909 to 1916, and over the same period he was president of the American Society of Municipal Improvements, designed with W.A. Edwards the 1913 Woodward pumping station, and was of sufficient status to be profiled in a national 1916 'Who's Who' publication. He later served as Ottawa's Commissioner of Works.

Compared to McFaul's work elsewhere, such as the Woodward water purification plant and the Longwood Bridge, his extensions to the Ferguson Avenue Pumping Station was a minor project. Nevertheless, it is representative of McFaul's broad expertise while City Engineer for thirty-six years, a period of significant growth and change in Hamilton. It is also important to note that adding to an existing structure and site can in many ways present more engineering challenges than a new build, and a full appreciation of McFaul's work at the Ferguson Avenue Pumping Station is difficult since approximately half of the 1929-30 Extension was demolished to make way for the new station.

Although the City's *Framework* states that public buildings will seldom merit recognition under the Person and/or Group criterion, there is a strong association between the Ferguson Avenue Pumping Station and the City's Water Department, who have been responsible since the mid 19th century with ensuring a sufficient water supply and

safe drinking water to all inhabitants of the municipality. It was staff of the Water Department who not only constructed the Ferguson Avenue Pumping Station and its subsequent extensions, but who also operated and maintained it to a high degree for over a century.

7.2 Architecture & Design

7.2.1 Architectural Merit

In its scale, massing, style, materials and decoration, the 1912-13 Block and 1929-30 Extension of the Ferguson Avenue Pumping Station is representative of an early 20th century 'Electric Era' waterworks, and the application of the Romanesque Revival style to public infrastructure buildings. Its scale represents the electric pumping technology that had replaced steam power, while its style reflects a 'permanence and stability' associated with classical Roman architecture. Its decoration with stylized pilasters, single order voussoirs, limited use of additional material such as concrete and stone and sheet-metal may be due to the primacy placed on the building's function over appearance, yet it also suggests an Edwardian reaction to ostentatious Victorian decoration. There is a relatively high degree of design competence and masonry craftsmanship on the fine brick Ferguson Street facade, but this also extends to the water table of the north wall, the cogging of the north and south side walls, and the gauged brick voussoir of the surviving window of the south wall.

Also representative of historic waterworks is the extension made in 1929-30, which is typical of the widespread practice in the first half of the 20th century to expand municipal waterworks, rather than replace them. It also follows the common decision to mirror the existing architectural style than apply a new contemporary design. Instead of building an extension in the Art Deco style as McFaul used for the water purification plant built just three years later, he continued the Romanesque Revival style of the 1912-13 Block. The 1929-30 Extension was executed with a relatively high degree of craftsmanship, and addressed well the engineering challenge of breaching the 1912-13 Block by bracing the upper wall with an I-beam and large columns.

The 1955 extension represents the evolution of the waterworks and the typical approach in the post war years of favouring an entirely functional design, but to the detriment of any architectural merit.

7.2.2 Functional Merit

The functional merit of the Ferguson Avenue Pumping Station lies in its expert combination of brick, concrete, I-beam, and glass construction, which is representative of 'Electric Era' waterworks construction across Ontario. This construction could stand the vibration loads generated by the water pumping machinery and in recent years the concrete has weathered numerous flooding events. Typical of 19th century to mid 20th century waterworks, all components of the Ferguson Avenue Pumping Station have large window openings 'in response to the requirements for light and ventilation' (Historic England 2017:10), and the I-beam elements not only provide structural strength but also a means to move heavy equipment around the interior. Additionally, the cast-in-place concrete arches of the 1912-13 Block basement not only have an aesthetic appeal, they balance structural strength with access to the piping components.

7.2.3 Designer

The 1912-13 Block is perhaps the most representative of Macallum's surviving work in the City. Unlike the Woodward Pumping Station that he co-designed with architect W.A. Edwards a year later, Macallum appears to have independently designed and executed construction of the Ferguson Avenue Pumping Station, and to do so combined the functional and engineering requirements with consideration for aesthetics, an Edwardian interpretation of classical style, and effective siting.

By contrast McFaul’s 1929-30 Extension to the Ferguson Avenue Pumping Station does not represent the full extent of his engineering and design expertise to the same degree as the ‘prestige’ Art Deco Water Purification Plant, but does illustrate his engineering and style repertoire to add a functional and architecturally compatible extension to an existing building.

7.3 Integrity

7.3.1 Locational & Built Integrity

The tabular approach used below to judge heritage integrity (Table 1) combines the advice under ‘Location integrity’ and ‘Built integrity’ in the City’s *Framework for Cultural Heritage Evaluation* with Kalman’s *The Evaluation of Historic Buildings* (1979), and a method for determining levels of change in conservation areas proposed in a report commissioned by Historic England in 2004 (The Conservation Studio 2004). A rating on the survival of original machinery—an important consideration for industrial site integrity—has also been added. Although the scoring for each element is inherently qualitative, when tabulated as a whole the heritage integrity of a structure can be determined more quantitatively.

Table 1: Location & Built Integrity Assessment of the Ferguson Avenue Pumping Station.

Element	Original Material / Type	Alteration	Survival (%)	Rating	Comment
Site location	231 Ferguson Avenue South	No change	100	Very Good	Original site although lot size reduced
Footprint	Rectangular	L-shaped extension added in 1929-30, rectangular addition added 1955, 1929-30 wing removed in 2012	85	Very Good	The extensions have been generally architecturally compatible with the original construction, and the 1929-30 Extension has architectural merit in its own right. A portion of this section was removed during construction of the 2012 pumping station.
Wall	Brick and poured concrete	The south wall of the 1912-13 Block was breached for the 1929-30 Extension and CMUs and brick was used to face the east wall of the 1929-30 Extension after the wing was removed in 2012.	85	Very Good	The 1929-30 Extension has architectural merit in its own right and the rating reflects the removal of its wing in 2012.

July 10, 2019

1899502-2000-R01

Element	Original Material / Type	Alteration	Survival (%)	Rating	Comment
Doors	Panelled wood	All doors replaced with steel security doors	0	Poor	No further comment.
Windows	Multi-pane with metal muntins	Most windows made blind with CMUs	55	Good	The rating reflects the removal of window framing and glazing, but also the survival of exterior window features and that no new window openings have been cut through in the original fabric.
Roof	Unknown covering, concrete slab coping	Asphalt	95	Very good	The manner and frequency of roof repairs is unknown but the roof maintains its original appearance and detailing
Chimneys	Unknown – only one chimney is visible on the 1929-30 Extension (see Figure 20)	Chimney removed from 1929-30 Extension, two are part of 1955 Extension design (still extant)	0	Poor	No chimneys from the 1912-13 or 1929-30 elements survive.
Water systems	None	No change	100	Very good	No potentially visually incompatible water systems have been added
Exterior decoration	Pilasters, keystones and imposts, string courses, cogging, architectural sheet-metal, date stone, transom	Decoration continued to 1929-30 Extension	95	Very Good	With the exception of the transom all exterior decoration survives unaltered.

Element	Original Material / Type	Alteration	Survival (%)	Rating	Comment
Porches, Verandahs, or additions	Figure 20 indicates the front entrance may have had a coping over the brick either side of the straight stairs leading to the west façade entrance	Removal of coping and partial demolition of brick side walls of straight stairs	55	Good	Remnants of the side walls remain.
Interior plan	Three rooms are shown on the architectural plan for the 1912-13 Block, no plan is available for the 1929-30 Extension	Temporary office added to the east portion of the 1912-13 Block, walls of the southwest room of the 1912-13 Block replaced in CMUs to create the chlorine storage room	75	Good	The temporary office is an easily reversible alteration
Interior walls	Exposed brick masonry, exposed cast-in-place concrete	No change	100	Very Good	No further comment
Interior features (e.g., stairs, doors)	Wood doors, gas lighting (assumed)	Most interior features appear to have been replaced (e.g. lighting is now by fluorescents) although the beam trolleys and tile flooring may date to 1929-30	50	Fair	The rating assumes that the number of interior features would be relatively few, and reflects that there have been no significant alterations to the exposed interior walls
Machinery	1912-13 Block: four Canada Foundry Company Limited electric-	1950 to 1960s Westinghouse/ Ingersoll Rand, Reliance Electric/ DeLaval pumping	25	Poor	The rating reflects the preservation of wide diameter piping in the basements of the 1912-13 and 1929-30 elements

Element	Original Material / Type	Alteration	Survival (%)	Rating	Comment
	driven turbine pumps; 1929-30 Extension: three electric pumps and 400-horsepower Mirrlees diesel backup generator	and electrical equipment			
Landscape features	Figure 12 indicates the lands surrounding the 1878 station (taken the same year the 1912-13 Block was constructed) to be maintained lawn	Significant change to the surrounding landscape was made for the 2012 facility.	55	Good	The rating reflects the scale of the 2012 landscaping but also that the new facility was placed behind (when viewed from Ferguson Avenue) from the Ferguson Avenue Pumping Station.
AVERAGE OF RATE OF CHANGE/HERITAGE INTEGRITY			61	Good	Rating of Good is based on original element survival rate of between 50-75%

7.4 Environmental Context

7.4.1 Landmark

Although the Ferguson Avenue Pumping Station may be regarded by the surrounding community as a local landmark, it is not visually conspicuous to the passing driver or pedestrian. It is sited on high ground but at the dead end of Ferguson Avenue, a distance from the main east-west thoroughway of Charlton Avenue, and its scale, materials, set back and surrounding mature vegetation serve to blend it into the neighbouring residences and minimize its silhouette against the backdrop of the Escarpment. Its architectural style and massing sets it apart from surrounding buildings but this does not provide a stark contrast, particularly since it is constructed in the same hues of red brick.

July 10, 2019

1899502-2000-R01

7.4.2 Character

Many of the same reasons that negate the Ferguson Avenue Pumping Station from being visually conspicuous landmark instead contribute to it influencing the local architectural character. It continues the two storey height, massing, moderate setback and red-brick materials of the adjacent designated row housing at 219-227 Ferguson Avenue and double semi-detached inventoried heritage properties on Foster Street, and further reinforces this sense of architectural cohesion with these earlier buildings through its semi-circular headed openings, which are also found on the ground level of 219-227 Ferguson Avenue, and the top level of 32-34 Foster Street (Figure 77).

The Ferguson Avenue Pumping Station also serves to mask views of the new pumping station, which is faced in red brick but unlike other buildings on Ferguson Avenue and Foster Street is functional and contemporary in design and with few divisions to break up the continuous wall of its facade.



Figure 77: Semi-circular headed openings matching those of the Ferguson Avenue Pumping Station (centre) can be seen on the bottom level of 219-227 Ferguson Avenue (left), and the top level of 32-34 Foster Street (right).

7.4.3 Setting

The integrity of the setting at the Ferguson Avenue Pumping Station remains at a high level, with many of its historical relationships still intact. The land use as a municipal waterworks has continued, and the visual relationships with the Escarpment and the adjacent historic architecture on Ferguson Avenue and Foster Street are retained, as is a visual and physical relationship between the Ferguson Avenue Pumping Station and the numerous maintenance covers on the roadways and sidewalks. Just as it has been since its construction, the building can be approached from the public realm, unlike the present facility where access is prohibited.

7.5 Social Value

7.5.1 Public Perception

Measuring the symbolic importance of the Ferguson Avenue Pumping Station within the community through interviews or questionnaire survey was beyond the scope of this assessment, but it can be inferred that the building has a high level of local importance from the third party request for designation, the decision to retain most of the building in the 2014 construction, and the number of visitors reaching 400 during the 2013 Doors Open event. All these suggest that the public perception of the Ferguson Avenue Pumping Station is as a valued community asset.

7.6 Ontario Regulation 9/06 Evaluation

For the reasons stated above, 231 Ferguson Avenue South also meets criteria of *Ontario Regulation 9/06*:

1) The property has **design or physical value** because it:

Criteria	Evaluation
i) is a rare, unique, representative or early example of a style, type, expression, material or construction method.	Meets criterion. See Section 7.2.1.
ii) displays a high degree of craftsmanship or artistic merit.	Meets criterion. See Section 7.2.1.
iii) demonstrates a high degree of technical or scientific achievement.	Meets criterion. See Section 7.2.2.

2) The property has **historic value or associative value** because it:

Criteria	Evaluation
i) has direct associations with a theme, event, belief, person, activity, organization or institution that is significant to a community.	Meets criterion. See Sections 7.1.1, 7.1.3 and 7.2.3.
ii) yields or has the potential to yield information that contributes to an understanding of a community or culture.	Does not meet criterion.
iii) demonstrates or reflects the work or ideas of an architect, artist, builder, designer or theorist who is significant to a community.	Meets criterion. See Sections 7.1.3 and 7.2.3.

3) The property has **contextual value** because it:

Criteria	Evaluation
i) is important in defining, maintaining or supporting the character of an area.	Meets criterion. See Sections 7.4.
ii) is physically, functionally, visually or historically linked to its surroundings.	Meets criterion. See Sections 7.4
iii) is a landmark.	Does not meet criterion. See Section 7.4.1.

8.0 CULTURAL HERITAGE VALUE: CONCLUSIONS AND RECOMMENDATIONS

8.1 Recommendation

This cultural heritage evaluation has found that the property demonstrates cultural heritage value or interest through nine of the City’s ten heritage evaluation criteria for built heritage and cultural heritage landscapes, and seven of nine criteria of *Ontario Regulation 9/06*.

Golder therefore recommends that:

- ***The property at 231 Ferguson Avenue South (the Ferguson Avenue Pumping Station) be designated under Part IV of the Ontario Heritage Act.***

To articulate the cultural heritage value of the property, the following Statement of Cultural Heritage Value or Interest (CHVI) is proposed.

8.1.1 Statement of CHVI

8.1.1.1 Description of Property

The Ferguson Avenue Pumping Station at 231 Ferguson Avenue South is located on the northwest portion of a 0.8 ha lot at the southern end and east side of Ferguson Avenue South in Ward 2 in the City of Hamilton. A short distance to the south is the foot of the Niagara Escarpment, while to the west is the intersection with Foster Street. Immediately east of the Ferguson Avenue Pumping Station is a new waterworks facility known as the New Ferguson Avenue Water Booster Pumping Station.

8.1.1.2 Statement of CHVI

Initially built from 1912 to 1913 and expanded in 1929 and 1955, the Ferguson Avenue Pumping Station is of cultural heritage value as a representative example of an early 20th century waterworks modified over a century of continued use, and occupies a site selected for municipal waterworks since 1878. In its scale and combination of cast-in-place concrete, brick, glass, and structural steel I-beams it is typical of the ‘Electric Era’ waterworks that replaced earlier steam facilities in the latter part of the 19th century, while its Romanesque Revival architecture rendered in red brick, stone, and architectural sheet-metal represents the classical styles favoured for public works, yet one reflecting the Edwardian taste for modest decoration. This style was also applied in its compatible 1929-30 extension despite the popularity of other contemporary styles.

The Ferguson Avenue Pumping Station's historical value lies in its association with City Engineer Andrew F. Macallum, who was responsible for construction of the 1913 Pumping Station at 900 Woodward Avenue, Hamilton, and went on to serve as Commissioner of Works for the City of Ottawa. The later additions to the Ferguson Avenue Pumping Station are associated with City Engineer William Lawrence McFaul, who constructed the Art Deco style Water Purification Plant at 900 Woodward Avenue, and oversaw a number of other important infrastructure developments in the City over his long career. The Pumping Station is also associated with the City's Water Department, who built the original and subsequent sections, and maintained the building and its water supply infrastructure over the past century.

Contextually, the Ferguson Avenue Pumping Station contributes to the local character of the area through its massing, setback, and red-brick construction, as well as its semi-circular headed openings, which match those of adjacent designated and inventoried heritage structures. It is recognized as a valued community asset and keenly explored by local residents when presented with the opportunity to visit the building.

8.1.1.3 Heritage Attributes

Three-bay, two-storey height original block constructed in 1912 to 1913 with a Romanesque Revival temple front composed of:

- Cast-in-place concrete foundation with large semi-circular arches to accommodate large piping;
- Red brick load bearing walls capped by concrete slab coping;
- Pilasters terminating at a denticulated string course;
- Double-leaf central entrance with semi-circular arch head formed with two orders of brick voussoirs, a prominent keystone, and framed with pilasters;
- Window openings with semi-circular heads formed with stretcher brick voussoirs, concrete imposts and lug sills;
- Entablature and sheet-metal clad cornice;
- Open pediment with datestone;
- North and south side walls with water table and belt-course with cogging;
- Surviving bay on the west portion of the south wall with tall segmental arch head window formed with gauged brick voussoirs and with a plain stone lug sill;
- Interior engaged brick and stone columns supporting a longitudinal I-beam; and,
- Flat roof formed with transverse I-beams with 'Northern Engineering Works, Detroit, Mich. U.S.A.' plaques and chain hoists on beam trolleys, and ceiling of wood strips running longitudinally;

Two-bay, storey-and-a-half height 1929-30 extension with:

- Cast-in-place concrete foundation
- Red brick load bearing walls matching the original block

- Large semi-circular headed windows with single order of soldier brick voussoirs, small stone or concrete imposts, plain concrete lugsills, and wood mouldings and metal muntins;
- Corner pilasters;
- Entablature and sheet-metal clad cornice;
- Internal chamfered free-standing columns supporting a longitudinal I-beam;
- 20-pane fixed sash window on the south side wall; and,
- Flat roof formed with transverse I-beams with 'Herbert Morris Chain and Hoist Company Ltd' plaques and chain hoists on beam trolleys, and ceiling of woodstrips running longitudinally.

Attributes that reflect the property's contextual attributes include its

- Moderate setback from the street;
- Overall height and red brick construction mirroring adjacent built heritage resources; and,
- Visual connection with the numerous maintenance covers on the adjacent streets and sidewalks.

8.2 Additional Considerations

As part of this assignment, the City also requested that Golder review the *Old Ferguson Pump Station Facility Repurposing Study* prepared by WSP (Draft Version 6, October 22, 2018) and evaluate its conclusion that 'conversion into office space' is the preferred alternative. This was suggested as a means to address local stakeholder concerns and the property's heritage values.

The WSP study does not follow a feasibility assessment approach specific to heritage properties (e.g. Rypkema 2017; Heritage Council Victoria 2010), does not consider the pump station's embodied and passive energy as a historic masonry structure and one with considerable natural lighting if the windows were reinstated (Kalman 2014:89; Canada's Historic Places 2016), nor explores potential options for parking such as purchasing and converting the vacant lot on the northwest corner of Foster Street and Ferguson Avenue. However, it does recommend an outcome in keeping with the Canada's Historic Places (2010) *Historic Places Standards and Guidelines for the Conservation of Historic Places in Canada*, and identifies the potential social and economic benefits to the local community made possible through adaptive re-use of the building.

Waterworks of similar age and scale have been successfully adapted for new uses across Canada, the United States, and Europe. These conversions include use as:

- Restaurants (e.g. Whitby's first pumphouse, Whitby Ontario, brick, constructed 1904)
- Brew houses (e.g. Albany Pump Station, Albany New York, brick, constructed 1873)
- Event venues (e.g. Youville Pumping Station, Pointe-à-Callière Montréal, brick, constructed 1915)
- Municipal offices (e.g. Long Pond Pumping Station, Falmouth Massachusetts, brick, constructed 1898)

9.0 SUMMARY STATEMENT

Following guidelines provided in the City's *A Framework for Evaluating the Cultural Heritage Value or Interest of Property for Designation under Part IV of the Ontario Heritage Act* (2016) and the *City of Hamilton Cultural Heritage Assessment Report Outline* (n.d.), this Cultural Heritage Assessment of the Ferguson Avenue Pumping Station has investigated the property's geographic and historical context, and has inventoried its landscape and built features and determined the structural sequence, construction and architectural style of built features on the property. From this information, the property's cultural heritage value based on criteria developed by the City and those prescribed under *Ontario Regulation 9/06* was evaluated, and concludes that:

- ***The Ferguson Avenue Pumping Station at 231 Ferguson Avenue South is of cultural heritage value or interest and should be considered for designation under Part IV of the Ontario Heritage Act.***

Additionally, to guide rehabilitation of the Ferguson Avenue Pumping Station as office space as recommended in WSP's *Old Ferguson Pump Station Facility Repurposing Study* (Draft Version 6, October 22, 2018), Golder recommends that the City ***prepare a Heritage Conservation Plan (HCP) with:***

- ***Collection management strategy to guide the retention, conservation, and long-term management of machinery and other representative artefacts currently housed in the Ferguson Avenue Pumping Station; and,***
- ***Detailed advice and as-found documentation to guide the rehabilitation effort and ensure the property's heritage attributes are protected, conserved, and enhanced into the future.***

10.0 BIBLIOGRAPHY

Waterworks Adaptive Re-Use Examples

Whitby's first pumphouse, Whitby Ontario - <https://www.durhamregion.com/news-story/7306882-waterfront-restaurant-proposed-for-historic-whitby-pumphouse/>

Albany Pump Station, Albany New York - <https://www.preservenys.org/awards-2000.html>

Youville Pumping Station, Pointe-à-Callière Montréal - <https://pacmusee.qc.ca/en/space-rental/venues/youville-pumping-station/>

Long Pond Pumping Station, Falmouth Massachusetts - <https://www.cpfundfalmouth.org/long-pond-pumping-station-restoration/>

Sources

Anderson, Letty

1988 *Water Supply*. In *Building Canada: A History of Public Works*. Pp. 195-220. Norman R. Ball, ed. University of Toronto Press, Toronto.

Archaeological Services Inc. (ASI)

2009 *Cultural Heritage Assessment Report: Built Heritage and Cultural Heritage Landscapes Ferguson Avenue Pumping Station Class Environmental Assessment and Conceptual Design*, City of Hamilton, Ontario. Report submitted to City of Hamilton Waste Water Division, ASI File 08EA-343, Toronto.

Blumenson, John

1990 *Ontario Architecture: A Guide to Styles and Building Terms, 1784 to Present*. Fitzhenry & Whiteside, Toronto.

Bradley, Betsy Hunter

1999 *The Works: The Industrial Architecture of the United States*. Oxford University Press, Oxford UK.

Campbell, Marjorie Freeman

1966 *A Mountain and a City*. McClelland and Stewart Limited, Toronto.

Canada's Historic Places

2017 *The Register: Hamilton Waterworks National Historic Site of Canada*, 900 Woodward Avenue, Hamilton, Ontario, Canada. [Online] <https://goo.gl/Mc95IP>

2016 *Building Resilience: Practical Guidelines for the Sustainable Rehabilitation of Buildings in Canada*. Canada's Historic Places, Gatineau.

2010 *Standards and Guidelines for the Conservation of Historic Places in Canada*. Second Edition. Canada's Historic Places, Gatineau.

Canadian Illustrated News

1863 *Hamilton and Its Water Works*. September 26, page 222.

Chapman, Lyman John and Donald F. Putnam

1984 *The Physiography of Southern Ontario*. 3rd ed. Ontario Geological Survey Special Volume 2. Ontario Ministry of Natural Resources, Toronto.

CHCH

2013 *Construction completed on Ferguson Ave pumping station*. [Online] <http://www.chch.com/construction-completed-ferguson-ave-pumping-station/>

July 10, 2019

1899502-2000-R01

Chipman, Willis and Andrew F. Macallum

1911 *Report No. 1 on Waterworks Improvements*. CIHM Microfiche Series (Monographs), 1966.

City of Hamilton

n.d. *City of Hamilton Cultural Heritage Assessment Report Outline*.2016 *A Framework for Evaluating the Cultural Heritage Value or Interest of Property for Designation under Part IV of the Ontario Heritage Act*.2012 Report No. PED12039-Request to Designate 231 Ferguson Avenue South (Ferguson Avenue Pumping Station) (Hamilton) Under Part IV of the *Ontario Heritage Act*. Planning and Economic Development Department, Hamilton.

2010 2010 Rate Book: Historical Highlights – Celebrating 150 Years of Municipal Drinking Water, Parts I & 2. Hamilton Water, Hamilton.

2007 *Hamilton's Heritage Volume 1: List of Designated Properties and Heritage Conservation Easements under the Ontario Heritage Act*. [Online] <https://goo.gl/GRPjzN>1985 By-law 86-310 To Designate the Property Located at Municipal No. 900 Woodward Avenue As Property of Historic and Architectural Value and Interest. [Online] <https://www.heritagetrust.on.ca/en/oha/details/file?id=4140>

1959 History of the Hamilton Waterworks. Compiled by C.G. Furry, W.A. Wheten. Manuscript on File, City of Hamilton.

1930 *Annual Report of the City Engineer of Hamilton*.1914 *Annual Report of City Engineer*. City of Hamilton, Hamilton.1913 *Annual Report of City Engineer*. City of Hamilton, Hamilton.1912 *Annual Report of the City Engineer of Hamilton, 1912*. Spectator Printing Company Limited, Hamilton.1906 *Annual Report of the City Engineer of Hamilton for 1905*. Spectator Printing Company Limited, Hamilton.

Clark, Kate

2001 *Informed Conservation: Understanding Historic Buildings and their Landscapes for Conservation*. English Heritage, London.

Corktown Neighbourhood Association.

n.d. History [Online Source]. Accessed from: www.corktownhamilton.ca/history

Curran, Kathleen

1988 The German Rundbogenstil and Reflections on the American Round-Arched Style. *Journal of the Society of Architectural Historians* 47(4): 351-373.

De Fort-Menares, Anne M.

1996 Durability and Parsimony: Railway Station Architecture in Ontario, 1953-1914. *Journal of the Society of Architectural Historians* 21(1):25-31.

Douet, James

2018 Thematic Study: The Water Industry as World Heritage. International Committee for the Conservation of Industrial Heritage, Lancaster, UK. [Online] <http://ticcih.org/wp-content/uploads/2018/05/TICCIH-Water-Report.pdf>2012 *Industrial Heritage Re-Tooled: The TICCIH Guide to Industrial Heritage Conservation* [editor]. International Committee for the Conservation of Industrial Heritage, Lancaster, UK.1992 *Temples of Steam: Waterworks Architecture in the Steam Age*. University of the West of England, Bristol.

Drakich, Sophie

1990 Hamilton Waterworks, 900 Woodward Ave., Hamilton, Ontario. Historic Sites and Monuments Board of Canada Agenda Paper 1990-57. Parks Canada, Ottawa.

July 10, 2019

1899502-2000-R01

Fram, Mark

2003 *Well-Preserved: The Ontario Heritage Foundation's Manual of Principles and Practice for Architectural Conservation*. Boston Mills Press, Erin, Ontario.

Freeman, Bill

2001 *Hamilton: A People's History*. Lorimer, Toronto.

Gentilcore, R. Louis

1969 Lines on the land-crown surveys and settlement in Upper Canada. *Ontario History* 61.1:57-73.

Gentilcore, R. Louis, and Kate Donkin

1973 *Land surveys of southern Ontario: an introduction and index to the field notebooks of the Ontario land surveyors 1784-1859*. Cartographica Monograph No. 8. BV Gutsell, Department of Geography, York University, Toronto.

Gentilcore, R. Louis and C. Grant Head

1984 *Ontario's History in Maps*. University of Toronto Press, Toronto.

Goad, Charles E.

1898 *Fire Insurance Plans for the City of Hamilton, Ontario*.

1911 *Fire Insurance Plans for the City of Hamilton, Ontario*.

1960 *Insurance Plan of the City of Hamilton, Ontario*

1964 *Insurance Plan of the City of Hamilton, Ontario*

Golder Associates Ltd.

2016 Heritage Impact Assessment: The Former Public Utilities Commission Water Treatment Complex, 324 Grand River Avenue, City of Brantford, Ontario. Report for J.L. Richards Associates for City of Brantford, Report No. 1547237-1000-R01. Golder Associates Ltd., London.

Hamilton Association for the Advancement of Literature, Science and Art (Haalsa)

n.d. Hamilton, C.W. Rice and Duncan, 1859 [online] <http://www.haalsa.org/archives/images/hamiltonCW-1859-RiceGS-birdseye.jpg>

Hamilton Spectator

2014 Moose Hall: 70 years after deadliest fire in Hamilton history. May 24 [Online]
<https://www.thespec.com/news-story/4537802-moose-hall-70-years-after-deadliest-fire-in-hamilton-history/>

Heritage Council of Victoria

2013 *Adaptive Reuse of Industrial Heritage: Opportunities & Challenges*. Heritage Council of Victoria, Victoria, Australia.

Historic England

2017 *Infrastructure: Utilities and Communication Listing Selection Guide*. [Online]
<https://content.historicengland.org.uk/images-books/publications/dlsg-utilities-communication-structures/heag117-infrastructure-utilities-and-communication-lsg.pdf/>

Historical Hamilton

2009 1913 Waterworks Pumphouse [Online] <http://historicalhamilton.com/special-features/doors-open-hamilton-2009/hamilton-waterworks-pumping-station/p-3176-1913-waterworks-pumphouse.html>

James, William and Evelyn M. James

1978 *A Sufficient Quantity of Pure and Wholesome Water: The Story of Hamilton's Old Pumphouse*. Phelps Publishing Company, London.

July 10, 2019

1899502-2000-R01

Jones, Edgar

1985 *Industrial Architecture in Britain, 1750-1939*. Batsford, UK.

Kalman

1979 *The Evaluation of Historic Buildings*. Parks Canada, Ottawa.2014 *Heritage Planning: Principles and Practice*. Routledge, Toronto.

Keefer, Thomas C.

1856 Report on the Supply of Water to the City of Hamilton. John Lovell, Montreal. [Online] Queen's University QSpace <https://goo.gl/8aoyFH>.

Library and Archives Canada

1851 Census of Canada East, Canada West, New Brunswick and Nova Scotia [Online resource]. Accessed from: <https://www.bac-lac.gc.ca/eng/census/1851/Pages/1851.aspx>

Mannell, Steven

2012 From Indifferent Shell to Total Environment: The Design Evolution of Toronto's Victoria Park Water Works, 1913-1936. *Journal of the Society for the Study of Architecture in Canada* 2:53-73.

McIlwraith, Thomas F.

1999 *Looking for Old Ontario: Two Centuries of Landscape Change*. University of Toronto Press, Toronto.

McMaster University

n.d. Medhumanities City of Hamilton Finding Aid [Online] <https://medhumanities.mcmaster.ca/docs/default-source/hamilton-public-library/city-of-hamilton-finding-aid.docx?sfvrsn=2>2018 Hamilton's First Municipal Hospital [Online] Accessed from: <https://fhs.mcmaster.ca/healthcarehistory/places/municipal.html>

Ministry of Tourism, Culture and Sport (MTCS)

2006 *Ontario Heritage Tool Kit: Heritage Property Evaluation – A Guide to Listing, Researching, and Evaluating Cultural Heritage Property in Ontario Communities*. Ministry of Tourism, Culture and Sport, Toronto.*Ontario Heritage Tool Kit: Heritage Resources in the Land Use Planning Process*. Ministry of Tourism, Culture and Sport, Toronto.*Ontario Heritage Tool Kit: Designating Heritage Properties: A Guide to Municipal Designation of Individual Properties Under the Ontario Heritage Act*. Ministry of Tourism, Culture and Sport, Toronto.*Ontario Heritage Tool Kit: Heritage Conservation Districts: A Guide to Designation Under the Ontario Heritage Act*. Ministry of Tourism, Culture and Sport, Toronto.1990 *Municipal Water and Sewage Works: A Guide to the Conservation of Municipal Sewage and Waterworks*. Ministry of Culture & Communications, Toronto.1973 *A Topical Organization of Ontario History*. Ministry of Natural Resources, Toronto.

Newell, Dianne and Ralph Greenhill

1989 *Survivals: Aspects of Industrial Archaeology in Ontario*. Boston Mills Press, Erin, Ontario.

Ontario Legislative Assembly

1887 *Sessional Papers – Legislature of the Province of Ontario*. [Online]. Accessed from: <https://books.google.ca/books?id=CYxOAAAAMAAJ>

Page and Smith

1875 *Illustrated Historical Atlas of the County of Wentworth*. Page and Smith, Toronto.

July 10, 2019

1899502-2000-R01

Palmer, Bryan D.

1979 *A Culture in Conflict: Skilled Workers and Industrial Capitalism in Hamilton, Ontario, 1860-1914*. McGill-Queen's Press-MQUP: Kingston.

Parker, C.W. (ed.)

1916 *Who's who in Canada: An Illustrated Biographical Record of Men and Women of the Time*. International Press Limited, Ottawa. [Online via Google Books].

Parks Canada Agency

2006 *Canadian Register of Historic Places: Writing Statements of Significance*. Parks Canada, Ottawa.2010 *Standards and Guidelines for the Conservation of Historic Places in Canada, Second Edition*. Her Majesty the Queen in Right of Canada.1980 *Canadian Inventory of Historic Building Exterior Recording Training Manual*. Parks Canada, Ottawa.

Reilly, Emma

2013 Public works probe a déjà vu moment. *Hamilton Spectator* Jan. 24 [Online]
<https://www.thespec.com/news-story/2141715-public-works-probe-a-d-j-vu-moment/>

Ricketts, Shannon, Leslie Maitland, and Jacqueline Hucker.

2004 *A Guide to Canadian Architectural Styles*. Second Edition. University of Toronto Press, Toronto.

Rypkema, Donovan D.

2017 *Feasibility Assessment Manual for Reusing Historic Buildings*. Place Economics, Washington DC.

Smith, Wm. H.

1846 *Smith's Canadian Gazetteer*. H. & W. Rowsell, Toronto.

Statistics Canada

2016 Census Profile, City of Hamilton, Census division. Electronic resource: www.statscan.gc.ca. Accessed May 2018.

Taylor, John

2001 Engineering, Audit and Fire: Governance and Modernity in Depression Ottawa. In *Ottawa: Making a Capital*, Jeff Keshen and Nicole St-Onge, eds. Pp. 333-348. University of Ottawa Press, Ottawa.

The Conservation Studio

2004 Measuring change in conservation areas: A research report for English Heritage. The Conservation Studio, Cirencester, UK. Available online: <http://historicengland.org.uk/images-books/publications/measuring-change-in-conservation-areas/> Last accessed: 4 April 2014

Tumak, Edgar

2009 Heritage Designation Report: Gananoque Waterworks Pump House, 110 Kate Street, Gananoque, Ontario. [Online] <https://www.gananoque.ca/sites/gananoque.ca/files/by-laws/2009-63-Heritage-Designation-Pumphouse.pdf>

Triggs, John R.

2004 The Mississauga at the Head-of-the-Lake: Examining Responses to Cultural Upheaval at the Close of the Fur Trade. *Northeast Historical Archaeology* 33(1):153-176.

United Empire Loyalists' Association of Canada

2011 *Hamilton Branch: Richard Springer* [Online resource]. Accessed from: <http://uel-hamilton.com/2012/11/22/richard-springer/>

July 10, 2019

1899502-2000-R01

Vintage Hamilton (facebook group)

n.d. 'View from the Mountain in 1913.'

<https://www.facebook.com/VintageHamilton/photos/a.474734169211548/740041342680828/?type=1&theater>

Weaver, John C.

1982 *Hamilton An Illustrated History*. Lorimer, Toronto.

Wevers, Henk

n.d. The Kingston Pump House Steam Museum: A Social History. [Online]

<https://me.queensu.ca/People/Wevers/files/phsmsocialhistoryjanuary312013final.pdf>

Widdis, Randy William.

1982 Speculation and the Surveyor: An Analysis of the Role Played by Surveyors in the Settlement of Upper Canada. *Histoire sociale/Social History* 15.30

Wood, Harold A.

1987 Emergence of the modern city: Hamilton, 1891-1950. In *Steel Town: Hamilton and Region*. M.J. Dear, J.J. Drake, and L.G. Reeds, eds. Pp. 119-137. University of Toronto Press, Toronto.

WSP

2018 Old Ferguson Pumping Station: Facility Repurposing Study, Draft Version 6 (October 22, 2018). Report submitted to the City of Hamilton, Project No. 171-05120-00. WSP, Hamilton.

July 10, 2019

1899502-2000-R01

Signature Page

Golder Associates Ltd.



Henry Cary, Ph.D., CAHP, RPA
Senior Cultural Heritage Specialist



Bradley Drouin, M.A.
Associate, Senior Archaeologist

HC/HD/ly

Golder and the G logo are trademarks of Golder Associates Corporation

APPENDIX A

Land Registry

July 10, 2019

1899502-2000-R01

Names of Grantors	Names of Grantees	Lands	Instrument	Consideration	Date of Instrument	Date of Recognition	No.	Remarks
The Crown	Richard Springer	All 100 acres	Patent		20 June 1801			
James Durand etux	George Hamilton	Pt 19 acres	B&S		25 July 1815	14 May 1807	5186	
Richard Springer etux	James Durand	Pt 19 acres	B&S	£12	6 Sept 1806	30 July 1816	19	
Richard Springer	George Hamilton	Pt 7 ac x 2" 12 ½	B&S		30 May 1818	6 February 1819	373	
Robert Jarvis Hamilton	George Perkins Bull	Pt et all (10.1.24)	B&S	£200	22 December 1843	2 January 1844	480	
Robert Jarvis Hamilton	George Perkins Bull	Pt 8W [illegible]	B&S	£100	22 December 1843	2 January 1844	484	
George Perkins Bull	Robert Jarvis Hamilton	Pt 65 [illegible]	B&S		31 October 1845	24 February 1846	933	
Robert Jarvis Hamilton etux	The City of Hamilton	Pt 2 acres	B&S		7 July 1847	9 July 1847	94	Hamilton

APPENDIX B

Qualifications



Henry Cary, Ph.D., CAHP

Cultural Heritage Specialist/ Archaeologist

PROFESSIONAL SUMMARY

Dr. Henry Cary has over 15 years public and private-sector experience directing cultural heritage projects in diverse environments across southern and northern Canada. He specialises in historic architecture and cultural landscapes, including industrial and military heritage, and since joining Golder has produced heritage impact assessments and heritage conservation plans for a wide range of properties in southern Ontario, from a pre-War of 1812 stone house in Niagara, a farmstead with log house in Caledon, a late 19th century water treatment complex in Brantford, and multiple properties in heritage conservation districts and character areas in the City of Hamilton, City of Vaughan, and Town of Collingwood. He has also written heritage property designation reports for the City of Hamilton and provided policy advice to the City of Cambridge. Prior to joining Golder, Dr. Cary worked for Parks Canada, notably for the Fort Henry National Historic Site Conservation Program and served as Heritage Manager for the Town of Lunenburg UNESCO World Heritage Site. He is a member of the Canadian Association of Heritage Professionals (CAHP) and ICOMOS Canada, and Adjunct Professor in the Department of Anthropology at Saint Mary's University.

Education

Ph.D., War Studies Programme (Military History & Architecture), Royal Military College of Canada, Kingston, Ontario, 2013

M.A., Historical Archaeology, Department of Anthropology, Memorial University, St. John's, Newfoundland, 2004

Combined Honours B.A. (with distinction), Department of Sociology & Anthropology/ and Department of Archaeology & Classics, Wilfrid Laurier University, Waterloo, Ontario, 2000

Certifications

Canadian Association of Heritage Professionals (CAHP)

Ministry of Transport Ontario RAQs-approved for Archaeology/Heritage

Province of Ontario Licence to Conduct Archaeological Fieldwork, Professional Class, No. P327.

ICOMOS Canada Professional Member

ICOFORT Associate Member

Parks Canada Research Permits, 2002-2012, 2015-2016

Certificate in Project Management, Department of Continuing Studies, Dalhousie University, 2014

EMPLOYMENT HISTORY

Golder Associates Ltd.

Cultural Heritage Specialist / Archaeologist (2015–present)

Saint Mary's University – Halifax, Nova Scotia

Adjunct Professor, Department of Anthropology (2014–present)

Mount Allison University – Sackville, New Brunswick

Lecturer, Department of Anthropology (2016-present)

CH2M HILL – Calgary, Alberta

Archaeology Field Manager (2014–2015)

Town of Lunenburg – Lunenburg, Nova Scotia

Heritage Manager, Corporate Services (2012–2014)

Parks Canada Agency – Inuvik, Northwest Territories

Field Unit Archaeologist/Historian, Western Arctic Field Unit (2009–2012)

Ground Truth Archaeology/ Past Recovery Archaeological Services/ Cataraqui Archaeological Research Foundation – Kingston, Ontario

Archaeological survey and mapping services (part-time) (2005–2009)

Parks Canada Agency – Cornwall, Ontario

Project Archaeologist, Ontario Service Centre (2002–2009)

Parks Canada Agency – Cornwall, Ontario

Assistant Archaeologist, Ontario Service Centre (1998, 1999)

RELEVANT EXPERIENCE

Structural Walls Policy Development for the Corporation of the City of Cambridge

City of Cambridge, ON

Principal investigator, task manager, and author of a technical memorandum assessing the heritage potential of structural walls in the City of Cambridge inventory and recommending conservation measures to support the City of Cambridge Asset Management Plan. Complete this assignment required background historical and heritage policy research, imagery-based evaluation, GIS analysis and mapping, and producing a detailed report with practical and cost-effective suggestions to manage the City's historic structural walls.

Heritage Impact Assessment – Victoria Square Boulevard

City of Markham, ON

Principal investigator and task manager for a heritage impact assessment of a 2.74-km long road improvement project within residential development and a historic hamlet. Reporting included application of Ontario heritage evaluation criteria, determining the impact of the proposed development on 30 known and designated heritage properties and the cultural heritage landscape of the hamlet, and coordinating archival research, mapping, and field investigations with junior staff.

Heritage Impact Assessment – Former Brantford Public Utilities Commission Water Treatment Complex

City of Brantford, ON

Principal investigator, task manager, and author of a heritage impact assessment for the large and sophisticated Brantford water treatment complex, constructed in phases between 1889 and the late 20th century. Reporting included photogrammetric recording, determining the structural sequence, application of Ontario heritage evaluation criteria to a multi-component industrial site, and coordinating archival research and reporting with junior staff.

Heritage Impact Assessment – TransCanada Pipelines Vaughan Mainline Extension

City of Vaughan, ON

Principal investigator and task manager for a heritage impact assessment of the 12-km long pipeline project west of Kleinburg. Reporting included field investigations of 13 heritage properties, application of Ontario heritage evaluation criteria, coordinating archival research and reporting with junior staff, and securing approvals from the Ministry of Tourism, Culture and Sport.



golder.com

