

# City of Hamilton HERITAGE PERMIT REVIEW SUB-COMMITTEE AGENDA

Meeting #:21-003Date:March 16, 2021Time:5:00 p.m.Location:Due to the COVID-19 and the Closure of City<br/>HallAll electronic meetings can be viewed at:<br/>City's YouTube Channel:<br/>https://www.youtube.com/user/InsideCityofHa<br/>milton

Shannon McKie, Senior Project Manager (905) 546-2424 ext. 1288

## 1. CEREMONIAL ACTIVITIES

## 2. APPROVAL OF AGENDA

(Added Items, if applicable, will be noted with \*)

## 3. DECLARATIONS OF INTEREST

## 4. APPROVAL OF MINUTES OF PREVIOUS MEETING

Approval of minutes from the February 16, 2021, Heritage Permit Review Su-Committee meeting.

- 5. COMMUNICATIONS
- 6. DELEGATION REQUESTS
- 7. CONSENT ITEMS
- 8. PUBLIC HEARINGS / DELEGATIONS
- 9. STAFF PRESENTATIONS
- 10. DISCUSSION ITEMS

Pages

3

- 11. MOTIONS
- 12. NOTICES OF MOTION
- 13. GENERAL INFORMATION / OTHER BUSINESS
- 14. PRIVATE AND CONFIDENTIAL
- 15. ADJOURNMENT

# Heritage Permit Review Subcommittee (Hamilton Municipal Heritage Committee)

Tuesday, March 16, 2021 Virtual Meeting

Members of the public are advised that individuals and the media may be audibly and/or visually recording this meeting. Please note that, while this meeting is open to the public for observation, any member of the public wishing to provide comment on any of the agenda items are encouraged to contact Cultural Heritage Planning staff or may choose to give a delegation to the Hamilton Municipal Heritage Committee.

Cultural Heritage Planning:

Alissa Golden, E-mail: Alissa.Golden@hamilton.ca, Phone: ext. 4654

# SUBCOMMITTEE AGENDA REVIEW

Agenda Review (4:30 pm)

The Subcommittee meeting commences at 5:00pm.

## AGENDA

1. Approval of Minutes from Previous Meetings:

- February 16, 2021
- 2. Heritage Permit Applications
  - a) HP2021-007 37 Mill Street North, Flamborough (Mill Street HCD)
    - Construction of a one-storey, 630 square foot rear addition, including:
      Board-and-batten cladding to match existing garage (Maibec, wood)
  - b) HP2021-008 36-42 James Street South, Hamilton (Pigott and Sun Life Buildings)
    - Low-pressure cleaning and removal of rust stains from exterior walls of the lower floors of the eastern (James Street South) facades, including:
      - Cleaning to be performed using hot water and steam;
      - Wash to be performed at low pressure (1000 psi) with hot water at 189 degrees Fahrenheit to avoid scouring the surface of the stone;
      - Distance of 24" from the surface will be maintained using a continuous back and forth motion
      - No scaffolding required

## c) HP2021-009 – 323-325 Dundas Street East, Flamborough (Mill Street HCD)

- Repair of the parapet walls and chimneys, including:
  - Repointing two stone chimneys
  - Dismantling the two existing brick parapet walls to the roofline and rebuilding with new Ibstock bricks to close match using Liecester Orange Stock Bricks
  - Repointing existing brick area above roofline facing west and north
  - Installation of new 16-oz lead-coated copper flashings, including step flashings, counter flashings, chimney flashings and chimney caps along newly constructed parapet walls and repointed chimneys
  - Roofing repairs to match existing, as required
  - Use of Type N Portland Lime Cement and standard brick sand for all masonry work and repairs
- Replacement of the existing aluminum eavestroughs and downspouts to match existing colour and style
- Temporary installation of scaffolding to conduct the work, to be secured to structural wood framing at eaves or, if not sufficient, anchored to mortar joints

Note: This application is to facilitate a Hamilton Heritage Property Grant Program application

# d) HP2021-010 – 5 Mill Street South, Flamborough (Mill Street HCD)

- Installation of exterior signage for the new retail store, including:
  - A primary exterior sign with logo/brand (9'10" L x 2' H x 6" W) to be fastened to the front of the building above the cornice in the location of the previous retail sign
  - A secondary exterior hanging sign to match the existing hanging signs of the other commercial units of the row

Next meeting: April 20, 2021