

City Hall
100 Queen Street West
East Tower, 11th Floor
Toronto, Ontario M5H 2N2

Tel: 416-392-3551
Fax: 416-392-1827
jpennac@toronto.ca
toronto.ca

December 2, 2014

Rose Caterini
City Clerk
City of Hamilton
71 Main St. W., 1st Floor
Hamilton, ON L8P 4Y5

Dear Ms. Caterini,

I am writing to you today on behalf of Toronto City Council to ask that your municipality support Toronto City Council's request that the Ontario Ministry of Environment and Climate Change acknowledge its responsibility as the 'implementing body' for the purpose of the Lake Ontario policies contained in the Credit Valley, Toronto and Region, Central Ontario (CTC) Source Water Protection Plan.

The City is asking for this in support of the Plan's existing Lake Ontario policies and in support of the CTC Source Protection Committee which has noted that the Ontario Government has a duty and is best positioned to protect Lake Ontario from various drinking water threats. These threats and policies are documented in the CTC Source Protection Plan, which need to be adopted and implemented to ensure 6 million Ontarians have continued access to clean and safe drinking water. For your information, I have attached a letter I sent to the Deputy Minister of Environment and Climate Change which outlines our specific concerns, along with the staff report and City Council's decision.

Like you, our municipality operates water treatment facilities that rely on Lake Ontario. It is in our shared interest to see that this vital, safe and abundant source of drinking water is protected as outlined in the CTC Source Protection Plan. If you have any questions, please contact Lou Di Gironimo, General Manager of Toronto Water at ldigi@toronto.ca or 416-392-8200. I look forward to your support.

Yours truly,

(original signed by)

Joseph P. Pennachetti
City Manager

cc: Mayor John Tory
John Livey, Deputy City Manager
Lou Di Gironimo, General Manager, Toronto Water

Attach. Letter to Paul Evans, Deputy Minister, Ministry of Environment and Climate Change

