### CITY OF HAMILTON 2017 WATER AND WASTEWATER/STORM FEES AND CHARGES Effective January 1, 2017

### A) Daily Water & Wastewater/Storm Fixed Charges

The fixed daily charge is not related to the direct costs of consumption and are not dependent upon or related to the amount of consumption incurred. The fixed charges are intended to offset the fixed costs of maintaining the water, wastewater and storm systems.

Meter Size	Water Rate	Wastewater/ Storm Rate
15 mm	\$ 0.33	\$ 0.34
16 mm	\$ 0.33	\$ 0.34
20 mm	\$ 0.33	\$ 0.34
25 mm	\$ 0.83	\$ 0.85
38 mm	\$ 1.65	\$ 1.70
50 mm	\$ 2.64	\$ 2.72
75 mm	\$ 5.28	\$ 5.44
100 mm	\$ 8.25	\$ 8.50
150 mm	\$ 16.50	\$ 17.00
200 mm	\$ 26.40	\$ 27.20
250 mm	\$ 37.95	\$ 39.10
300 mm	\$ 56.10	\$ 57.80

### B) Metered Water Consumption Charges

Water consumption shall be charged on a per cubic metre basis at the rates indicated in the table below. The total monthly Water Consumption Charge is the sum of usage in all blocks at the rate for each block.

		Residential	Multi- Residential, Commercial, Institutional & Industrial
Consumption	Monthly Water	Rate	Rate
Block	Consumption (m3)	(\$/m3)	(\$/m3)
1	0-10	0.72	1.43
2	>10	1.43	1.43

### C) Wastewater/Storm Treatment Charges

Wastewater/Storm Treatment Charges are based on metered water consumption and the cost of wastewater collection and treatment, and stormwater management. Charges are on a per cubic metre basis at the rates indicated in the table below. The total monthly Wastewater/Storm Treatment Charge is the sum of usage in all blocks at the rate for each block.

		Residential	Multi- Residential, Commercial, Institutional & Industrial
Treatment Block	Monthly Water	Rate	Rate
	Consumption (m3)	(\$/m3)	(\$/m3)
1	0-10	0.77	1.54
2	>10	1.54	1.54

D) Non-Metered Annual Water & Wastewater/Storm Rate Flat Rate Water Customers Annual Rate: \$521.95

Flat Rate Wastewater/Storm Customers Annual Rate: \$562.10

Combined Flat Rate Water & Wastewater/Storm Customers Annual Rate: \$1,084.05

### **City of Hamilton - 2017 Private Fire Line Rates**

This service shall consist of permanent unmetered connections to the main for the purpose of supplying water to private fire protection systems such as automatic sprinkler systems, standpipes and private hydrants. This service shall also include reasonable quantities of water used for testing check valves and other backflow protection devices.

### **Unmetered Service**

Size of Co	nnection	Мо	nthly Rate
mm	inches		
25	1	\$	3.15
38	1.5	\$	7.25
50	2	\$	12.60
75	3	\$	28.35
100	4	\$	50.40
150	6	\$	113.40
200	8	\$	201.60
250	10	\$	201.60
300	12	\$	201.60

For Billing Purposes. Regular Hours: M - F. 7:00am - 4:30pm After Hours: M - F. 4:30pm - 7:00am, Weekends and Holidays

PUBLIC WORKS HAMILTON WATER

Dept.				2016	2016	2017		2017			
By-Law				Existing H	HST including HST	Proposed	HST	including HST	% Fee	Basis for Fee	
Dept IC	Dept ID Account #	int# Ref#	# Service Offered	Ť	(y/n) (if applicable)	Fee	(l/X)	(if applicable)	Change	Increase or Decrease	
	<u></u>		WATER DISTRIBUTION								
R84-026 510220	0 47220	Z0 1	Water Meter Permit Fee Note: Under Installations. Includes supply and installation of water meter and remote reading and installation of water meter and remote reading resolves.								
		1a)	16mm Displacement	\$359.70	n \$359.70	0.8359.70	_	\$359.70	0.0%		
		<u>\$</u>		\$404.60	n \$404.60		· c	\$404.60	0.0%		
		10)	25mm Displacement	\$559.40	_			\$559.40	%0.0		
•		19		\$856.30				\$856.30	%0.0		
		1e)		\$1,218.80		25		\$1,218.80	%0.0		
		1		\$1,384.60				\$1,384.60	%0.0		
		1 <u>g</u>		\$3,316.40			_	\$3,316.40	%0.0		
		£:	•	\$3,500.60			_	\$3,719.75	6.3%	To achieve full cost recovery	_
		₽ €		\$4,880.40			_	\$5,003.80	2.5%	To achieve full cost recovery	
		<b>⊋</b> ≨	100mm Fire Service Turbine	\$6,144.20	n \$6,144.20	56,379.65	<b>-</b> 1	\$6,379.65	3.8%	To achieve full cost recovery	
		=======================================	_	68 275 00		_		90,203.00	%4%	To achieve full cost recovery	
		<u>)</u>		\$8,650,60				\$0,554.05	3.2%	To achieve full cost recovery	
		-	150mm Turbine	\$6.888.90	_			\$7,177.70	4.2%	To achieve full cost recovery	_
		10)	•	\$9,643.70				\$9.829.65	1.9%	To achieve full cost recovery	
		(d)	150mm Fire Service Turbine	\$10,244.20	n \$10,244.20	*	_	\$10,600.05	3.5%	To achieve full cost recovery	
		19	•	\$10,393.00	n \$10,393.00			\$10,751.80	3.5%	To achieve full cost recovery	
		13	·	\$11,475.00			<b>c</b>	\$11,855.45	3.3%	To achieve full cost recovery	
	_	18)	_	\$13,001.30	<b>~</b>	<u>~</u>	_	\$13,412.25	3.2%	To achieve full cost recovery	_
		₽:	_	\$8,504.60				\$8,666.80	1.9%	To achieve full cost recovery	
		<u> </u>		\$11,424.80				\$11,646.45	1.9%	To achieve full cost recovery	
		<u> </u>	Zuumm Magnetic Flow Meter (Must be approved by Supervisor of Meter Ope	\$11,370.60			_	\$11,590.75	1.9%	To achieve full cost recovery	
		¥, (¥	200mm Fire Rated Magnetic Flow Meter (Must be approved by Supervisor of Meter Operations)	\$12,408.00				\$12,649.25	1.9%	To achieve full cost recovery	
		₹	_	\$13,361.00	_			\$13,621.30	%6.1	To achieve full cost recovery	
		<u> </u>	OFFICE Service Compound	00.888,014	_		=	\$18,351.10	2.0%	to achieve full cost recovery	_
		123		414,563.40	14,585.40	514,656.23		\$14,868.25	7.0%	lo achieve full cost recovery	
		1 2 2	•	913,330,30				\$15,000.00	7.3% 0.00	To achieve full cost recovery	
		197)	•	\$15,005.00			= 0	\$16,400.60	%0%	To achieve full cost recovery	
		(20)	•	623 407 40	622 407 40			410,362,30	2.0%	To achieve full cost recovery	
		<u> </u>		01.104,624				\$50,000,02	70.79	To admeve full cost recovery	
R84-026 510220	0 45519	19 2	Water Meter Removal Fee								
			Note: Cost to remove a meter prior to the building being demolished and/or the water service being								
			decommissioned or abandoned. Failure to have the meter removed prior to the building being								
			demolished will incur a meter replacement cost charge. <i>Does not include a turn water off fee, which</i> is now included and other water off fee, which is now included and other water off fee, which is now included and other water of fee, which is now included and other water of fee, which is now included and other water of fee, which is now included and other water of fee, which is now included and other water of fee, which is now included and other water of fee, which is now included and other water of fee, which is now included and other water of fee, which is now included and other water of fee, which is now included and other water of fee, which is now included and other water of fee, which is now included and other water of fee, which is now included and other water of fee, which is now included and other water of fee, which is now included and other water of fee, which is now included and other water of fee, which is now included and other water of fee, which is now included and other water of fee, which is not included and other water of fee, which is now included and other water of fee, which is now included and other water of the fee, which is now included and other water of the fee, which is now included and other water of the fee fee, which is now included and other water of the fee fee, which is now included and other water of the fee fee fee fee fee fee fee fee fee f								
				-							_
		. 2a)		\$109.40			>	\$123.60	%0.0		
		(3p)		\$109.40				\$123.60	%0:0		
		2c)					>	\$123.60	%0.0		
		\(\frac{\text{G}}{3}\)	38mm - 250mm Meters (cost depends on size, labour, and meter location)	Cost + 10% OH	y Cost + 10% OH	H Cost + 10% OH	>	Cost + 10% OH	ΝΆ		
					_	_					_

\*Costs not specifically addressed in the schedule will be invoiced at Actual Cost plus overhead\*

"For general inquiries, plosse call (805) 546-425 between 8:35am - 4:30pm\*

For Billing Purposes.
Regular Hours: M - F. 7.00am - 4:30pm
After Hours: M - F. 4:30pm - 7:00am, Weekends and Holidays

PUBLIC WORKS HAMILTON WATER

Increase or Decrease To achieve full cost recovery
To achieve full cost recovery To achieve full cost recovery To achieve full cost recovery To achieve full cost recovery To achieve full cost recovery Basis for Fee To achieve full cost recovery New Fee for Strainer Only % Fee Change 0.00%
0.00%
0.00%
0.00%
0.00%
0.00%
0.00%
0.00%
0.00%
0.00%
0.00%
0.00%
0.00%
0.00%
0.00%
0.00%
0.00%
0.00%
0.00%
0.00%
0.00%
0.00%
0.00%
0.00%
0.00%
0.00%
0.00%
0.00%
0.00%
0.00%
0.00%
0.00%
0.00%
0.00%
0.00%
0.00%
0.00%
0.00%
0.00%
0.00%
0.00%
0.00%
0.00%
0.00%
0.00%
0.00%
0.00%
0.00%
0.00% %0.0 0.0% \$12,268.15 \$14,765.95 \$17,726.90 \$19,504.10 \$29,046.40 \$426.40 \$3,624.00 \$2,226.95 \$3,624.00 \$418.80 \$1,167.55 \$1,667.55 \$1,804.05 \$2,538.65 \$3,638.65 \$3,939.15 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.70 \$1,0470.7 \$11,550.95 \$15,545.70 \$20,889.40 \$123.60 \$161.95 \$237.85 \$363.75 \$14,031.60 including HST (if applicable) (u/x) HST > > \$370.62 \$1,024.38 \$1,024.38 \$1,026.50 \$2,086.60 \$3,264.10 \$6,844.22 \$8,672.46 \$9,672.46 \$9,672.46 \$10,487.00 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$1,0845.30 \$ \$1,152.56 \$1,970.75 \$3,207.06 \$109.40 \$143.30 \$210.50 \$210.50 \$321.90 Proposed 2017 흅 \$11.14 \$1,465.95 \$1,388.65 \$2,388.43 \$5,989.47 \$1,036.39 \$10,782.18 \$10,782.18 \$10,782.18 \$10,782.18 \$10,782.18 \$10,782.18 \$10,782.18 \$10,782.18 \$10,782.18 \$10,782.18 \$10,782.18 \$10,782.18 \$10,782.18 \$10,782.18 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.16 \$10,782.1 \$123.62 \$237.87 \$237.87 \$363.75 \$417.87 including HST (if applicable) (v/n) HST > > \*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\* \$12938 \$1297.30 \$1,596.50 \$3,264.10 \$6,323.60 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$1,000.50 \$109.40 Existing Replacement Cost for Lost Meter Note: Note: Cost to replace a meter, installation and administrative costs. Note: Cost for customer requested service relating to meter investigation Service Offered 150mm Magnetic Flow Meter 150mm Fire Rated Magnetic Flow Meter 200mm Turbine 200mm Fire Service Turbine 200mm Fire Service Compound 200mm Magnetic Flow Meter 200mm Fire Rated Magnetic Flow Meter 250mm Magnetic Flow Meter 250mm Fire Rated Magnetic Flow Meter 250mm Fire Service Turbine 250mm Fire Service Compound 100mm Magnetic Flow Meter 100mm Fire Rated Magnetic Flow Meter Water Meter Inspection Services 150mm Fire Service Turbine 150mm Fire Service Compound 100mm Fire Service Turbine 100mm Fire Service Compound Regular Hours Inspection 15mm Displacement 16mm Displacement 20mm Displacement After Hours Inspection 38mm Displacement 50mm Turbine 50mm Displacement 25mm Displacement 100mm Compound 50mm Compound 200mm Compound 50mm Compound 100mm Turbine 100mm Strainer 150mm Strainer 200mm Strainer 250mm Strainer 50mm Turbine 250mm Turbine Ref# 3a) 3b) က 4 Dept ID Account # 45519 45608 510220 510220 R84-026 By-Law R84-026 Dept.

"Costs not specifically addressed in the schedule will be involced at Actual Cost plus overhead"
"For general inquirtes, please call (905) 549-4426 between 8:30am - 4:30pm"

For Billing Purposes. Regular Hours: M - F: 7.00am - 4:30pm After Hours: M - F: 4:30pm - 7:00am, Weekends and Holidays

PUBLIC WORKS HAMILTON WATER

Basis for Fee Increase or Decrease	To achieve full cost recovery		Equal to variable water rate increase Equal to variable water rate increase Equal to variable water rate increase	Rate is 1.5x volumetric water rate To achieve full cost recovery
% Fee Change	1.0% 1.7% 1.7% 16.7% 0.0%	0.0% 0.0% 0.0% 0.0%	3.6% 3.6% 3.6%	3.6% -34.7% -17.6% 0.0% 0.0% 0.0%
2017 including HST (if applicable)	\$329.20 \$374.45 \$429.65 \$916.35 \$1,742.45	\$140.70 \$68.35 \$168.80 \$149.75 \$233.80	\$87.20 \$40.80 \$28.70	\$2.15 \$136.30 \$259.95 \$290.70 \$5,829.00 \$80.00
HST (y/n)	>>>>>	****	<b>555</b>	
2017 Proposed Fee	\$291.33 \$331.38 \$380.20 \$810.95 \$1,542.00	\$124.50 \$60.50 \$149.40 \$132.50	\$87.20 \$40.80 \$28.70	\$2.15 \$136.30 \$259.94 \$290.70 \$5,829.00 \$80.00 \$5.90
2016 including HST (if applicable)	\$326.01 \$368.27 \$422.39 \$785.01 \$1,742.46	\$140.69 \$68.37 \$168.82 \$149.73	\$84.16 \$39.40 \$27.70	\$2.07 \$208.80 \$315.50 \$290.70 \$5,829.00 \$80.00
HST (y/n)	>>>>>	>>>>	c c c	
2016 Existing Pee	\$288.50 \$325.90 \$373.80 \$694.70 \$1,542.00	\$124.50 \$60.50 \$149.40 \$132.50 \$206.90	\$84.15 \$39.40 \$27.70	\$2.07 \$208.80 \$315.50 \$290.70 \$5,829.00 \$80.00
Service Offered	Bench Testing Water Meters  Note: Cost to have a water meter tested for accuracy. If the meter tests within the accuracy standards as set out by AWWA then the property owner is responsible for the cost of the test and the replacement cost of the water meter, otherwise cost bome by the City. Fee includes removal of existing meter and installation of replacement meter.  25 mm Diameter  25 mm Diameter  38 mm Diameter  50 mm Diameter  50 mm Diameter	Backflow Prevention Program  Note: Costs for contractor registration fee, administration fees for processing backflow prevention  Note: reports and survey forms.  Annual Program Registration Fee Test Report receipt and processing (per submission of each test report)  Cross Connection Survey Form processing (per form upon submission)  Backflow Prevention Device Investigation - Regular Hours  Backflow Prevention Device Investigation - After Hours	Construction Water  Note: Charge for unmetered water used for construction prior to meter installation. Paid at the time of submitting building permit bayment.  Single Residential (per lot or townhouse)  Multi-residential (per apartment/condo unit)  Industrial/Commercial/Institutional (\$/1,000 sqft of building area or \$/ha where no structure is constructed)  Hydrant Adaptor Fees  Note: Costs to install or remove water meter & backflow prevention device. When moving a hydrant adaptor from one site to another for the same customer, both removal & installation fees apply. This	service requires a usage deposit and a damage deposit.  Usage Cost (Metred Hauled Water Rate/M²)  Hydrant Adaptor Connection/Disconnection Fee (Regular Hours-Fee for Both Services)  Hydrant Adaptor Connection/Disconnection Fee (After Hours/Emergency-Fee for Both Services)  Usage Deposit  Security/Damage Deposit  Hydrant adaptor rental fee for Initial 7 days  Per Diem hydrant adaptor rental fee after initial 7 days
Ref#	5a)	66) 66) 66)	7 (7a) (7b) (7c) 8	8a) 8c) 8c) 8d) 8f) 8g)
Dept ID Account # Ref#	45690	45644	45590	41208 41209 41209 41209 41209 41209
ept ID	510220	510220	514330	514330 514330 514330 514330 514330 514330
Dept. By-Law # D	R84-026	10-103	R84-026	R84-026 5 R84-02

\*Costs not specifically addressed in the achedule will be involced at Actual Cost plus overhead\*

"For general Inquiries, please call (805) 546-4426 between 8:33am - 4:30pm\*\*

For Billing Purposes. Regular Hours: M - F. 7:00am - 4:30pm After Hours: M - F. 4:30pm - 7:00am, Weekends and Holidays

PUBLIC WORKS HAMILTON WATER

	Basis for Fee	Increase or Decrease			To achieve full cost recovery	To achieve full cost recovery	To achieve full cost recovery	To achieve full cost recovery	To achieve full cost recovery	To achieve full cost recovery	To achieve full cost recovery		
	% Fee	Change	0.0%	0.0%	12.3%	%9.0	3.8%	2.8%	1.6%	5.5%	0.5%	%0.0	
2017	including HST	(if applicable)	\$357.80	\$1,193.20	\$227.85	\$59.20	\$144.60	\$74.90	\$55.45	\$45.45	\$45.45	\$56.50	
	HST	(n/v)	_	c	E	>	>	>	<u>_</u>	>	>	>	
2017	Proposed	Fee	\$357.80	\$1,193.20	\$227.87	\$52.39	\$127.97	\$66.28	\$55.47	\$40.20	\$40.20	\$50.00	
2016	HST including HST	(if applicable)	\$357.80	\$1,193.20	\$202.90	\$58.87	\$139.33	\$72.89	\$54.60	\$43.05	\$45.20	\$56.50	
	HST	(n/v)		_		>	>	>	_	>	>	>	
2016	50	Fee	\$357.80	\$1,193.20	\$202.90	\$52.10	\$123.30	\$64.50	\$54.60	\$38.10	\$40.00	\$50.00	
		Service Offered	Private Water Station Agreement Fees Annual Renewal	New Application	10 Water Haulage Fees 10a) Annual Water Haulage License Fee	Note: Annual license fee to utilize the City's public filling stations. Includes 2 cards provided annually. Extra/lost card replacement Note: Costs to purchase extra cards or to replace damaged/defective cards caused by owner's negligence.	10c) Account review Note: Costs charged for administrative services to provide customer account information for personal or taxation purposes.	General Administration Fees 11a) General Administrative Requests (per hour)/Report Requests	NSF Cheque	11c) Permit Cancellation administrative fee	11d) Permit Renewal Fee	Lead Line Loan Application Fee	
_		# Je	9a (se	(q <sub>6</sub>	10 v	106)	100)	13 0 0	11b)	11c) F	11d)	11e)	
		Dept ID Account # Ref#	47244		47232		-	45519				-	:
		pt ID	514330		514330			510220					-
Dept.	<u>*</u>	<u>م</u> #	R84-026 51		R84-026 51			R84-026 51					

"Costs not specifically addressed in the schedule will be involced at Actual Cost plus everhead"
"For general inquirtes, please call (803) 546-4426 between 6:30am - 4:30pm"

For Billing Purposes
Regular Hours: M - F: 7:00am - 4:30pm
After Hours: M - F: 4:30pm - 7:00am, Weekends and Holidays

PUBLIC WORKS HAMILTON WATER

							_			
Basis for Fee Increase or Decrease	To achieve full cost recovery	To achieve full cost recovery	To achieve full cost recovery	To achieve full cost recovery	To achieve full cost recovery To achieve full cost recovery	To achieve full cost recovery	To achieve full cost recovery To achieve full cost recovery	To achieve full cost recovery To achieve full cost recovery To achieve full cost recovery	To achieve full cost recovery	To achieve full cost recovery To achieve full cost recovery To achieve full cost recovery To achieve full cost recovery
% Fee Change	-3.1% 13.6% New Fee New Fee New Fee New Fee	New Fee	New Fee New Fee 43.5% -37.7%	-21.5%	-14.1% -8.2%	N/A	New Fee New Fee	2.0% 2.0% 0.0%	New Fee	New Fee New Fee New Fee New Fee
including HST (if applicable)	\$96.40 \$165.30 \$85.50 \$155.35 \$85.50 \$155.35	\$124.70	\$110.25 \$194.80 \$62.65 \$104.90	\$95.30	\$85.50	Cost + 33% OH	\$119.05 \$217.70	\$177.05 \$17.40 \$0.10	Cost + 33% OH	\$41.45 \$53.75 \$41.45 \$53.75
HST (y/n)	****	c		>	>>	>	<b>c</b> c	> > >	>	7755
Proposed Fee	\$85.33 \$147.15 \$75.65 \$137.47 \$15.65 \$137.47 \$53.94	\$124.70	\$110.25 \$194.82 \$62.63 \$104.91	\$84.33	\$75.65	Cost + 33% OH	\$119.06 \$217.70	\$156.67 \$15.40 \$0.10	Cost + 33% OH	\$36.70 \$47.56 \$36.70 \$47.56
including HST (if applicable)	\$99.55 \$146.34 N/A N/A N/A	N/A	N/A N/A \$110.90 \$168.50	\$121.36	\$99.55 \$169.16	Cost + 33% OH	N/A N/A	\$173.57 \$17.06 \$0.11	NIA	N/A N/A N/A
HST (y/n)	****	<b>c</b>		>	>>	>	<b>c</b> c	>>>	>	>>==
Existing Fee	\$88.10 \$129.50 N/A N/A N/A	N/A	N/A N/A \$110.90 \$168.50	\$107.40	\$88.10	Cost + 33% OH	N/A N/A	\$153.60 \$15.10 \$0.10	N/A	NIA NIA NIA
Service Offered	Water Inspection Services Note: Costs associated with various pen properties. Private Water Service Repair/Replacem: Private Water Service Repair/Replacem: Water Service Abandonment Inspection Water Service Inspection for Demolition i Water Service Inspection for Demolition i Water Service Inspection for Demolition Maser Service Inspection for Demolition i Water Service Inspection for Demolition Maser Cervice Inspection	Upsize Public Portion Water Service from 20mm to 25mm Note: Charge for upsizing a public portion water service from 20mm to 25mm, when a public portion water service replacement is already being completed by the City.	Turning Water Off or On Note: Turning water off at the curb to enable a property owner to complete internal plumbing repairs. Note: Turning water service repair or replacement, and then turning the water back on. Turning Water Cn/Off (Regular Hours)  Turning Water On/Off (After Hours/Emergency)  Turning Water On/Off (During the Same Visit (Regular Hours - Max 1/2 Hour Total Labour)  Turning Water On/Off During the Same Visit (After Hours/Emerg - Max 1/2 Hour Total Labour)	Hydrant Flow Test / Water Quality Flushing Note: Cost to operate a City Fire Hydrant(s) for a maximum of 1 hour total labour.	Water Quality/Quantity Service Calls  Note: Cost for a service call to investigate a water quality/quantity complaint and the issue resides on private property. No charge for water quality/quantity complaints related to issues originating from the City's distribution system. Missed appointments will be billed the corresponding service call rate. Service Call (Regular Hours - Max 1 Hour Total Labour)  Service Call (After Hours - Max 1 Hour Total Labour)	Hydrant Repair, Replace or Relocate Note: Cost to replace, or relocate a City Fire Hydrant including labour, parts, materials, equipment, and permanent restoration.	Watermain Shutdowns Note: Costs associated with isolating a watermain to facilitate third party work. Watermain Shutdown / Recharge (Regular Hours-Maximum 1 Hour Total Labour) Watermain Shutdown / Recharge (After Hours / Emergency-Maximum 1 Hour Total Labour)	Environmental Records Search PRISM Reports related to soil contamination Reports - Environmental Assessments and Master Plans - plus fee per page	Miscellaneous Water Distribution System Repair Note: Cost for the City to repair damage to the water distribution system caused by a third party. Costs include labour, parts, materials, equipment, and permanent restoration.	Additional Labour Charges  Note: Additional Labour Charges for all services/calls that exceed the allotted labour time. Costs are for a single Water Distribution Operator in minimum increments of 30 minutes.  1/2 Hour Additional Labour (Regular Hours)-Water Distribution Operator  1/2 Hour Additional Labour (Affer Hours)-Water Distribution Operator  1/2 Hour Additional Labour (Regular Hours)-Water Distribution Operator  1/2 Hour Additional Labour (Regular Hours)-Water Distribution Operator
Ref#		*	14a) 14b) 14c) 14d)	5	16 16a) 16b)	+	<b>18</b> 18a) 18b)	19 19a)	20	21a) 21a) 21b) 21c) 21d)
Dept ID Account # Ref#	47235 47235 45690 45690 45690 45690 45690	45690	45679	45636	45690	45690	45690	45408	45690	45690
ept 10	514330 514330 514330 514330 514330 514330 514330	514330	514330	514330	514330	510290	514330	510350	514330	514330
By-Law # De	R84-026 55 55 55 55 55 55 55 55 55 55 55 55 55		R84-026 5	R84-026 5	R84-026 5	R84-026 5	R84-026 5	R84-026 5	R84-026 5	R84-026 5

Appendix "G" to Report FCS16079 Page 8 of 13

# 2017 PROPOSED USER FEES AND CHARGES

For Billing Purposes Regular Hours: M - F: 7:00am - 4:30pm After Hours: M - F: 4:30pm - 7:00am, Weekends and Holidays

PUBLIC WORKS
HAMILTON WATER

					Keport FCS1
	To achieve full cost recovery To achieve full cost recovery New Fee To achieve full cost recovery	New Fee	new ree	To achieve full cost recovery  To achieve full cost recovery  Naw Fee	New Fee
	6.2% 27.9% N/A N/A	N.A.	0.2%	0.2% 0.0% 0.3% 0.3%	N A N
	\$105.70 \$187.20 \$65.60 Cost + 33% OH	\$83.45	56.353\$	\$565.30 \$328.85 \$379.70 \$355.95 \$433.90 Cost + 33% OH	\$43.30
	> >>>	, <b>&gt;</b> :	<b>&gt;</b>	****	<b>&gt;</b> >
	\$93.55 \$165.65 \$58.06 Cost + 33% OH	\$73.84	6.555.00 00.5284.00	1/2 1/2 1/2	
	\$99.55 \$146.34 N/A Cost + 33% OH	NIA	\$554.83	\$662.18 \$328.83 \$379.68 \$354.82 \$432.79	N/A N/A
	> >>>	> :	> >:	>>>>>	. >>
	\$88.10 \$129.50 N/A Cost + 33% OH	N/A	\$491.00	\$386.00 \$291.00 \$336.00 \$314.00 \$383.00	N/A N/A
ad to sewer laterals for laximum 1 Hour Total	rgency - Maximum 1	). Cost based on linear d the issue resides on aling from the City's vice call rate,	ant Program and chooses um amounts that will be stigation services		m caused by a third storation.  I labour time. Costs infimum increments of
COLLECTION SYSTEM INSPECTION & MAINTENANCE Mastewater Inspection Services Orde: Costs associated with various permit and inspection services relation properties. Private Sewer Lateral Repair/Replacement Inspection (Regular Hours - M	abour) >nivate dewer Lateral Repain/Replacement Inspection (After Hours / Eme Jour Total Labour) Missed or Cancelled Inspection Mainline Sewer Inspection	Vote: CCTV inspection of mainline sewers (storm, sanitary or combined meter inspection.)  Treter inspection.  Sewer Related Service Calls  Sewer Related Service call to investigate a sewer related complaint an onvite property. No charge for sewer complaints related to issues origin sewer system. Missed appointments will be billed the corresponding service Call (Regular Hours - Maximum I Hour Tretal Labour)  Service Call (Regular Hours - Maximum I Hour Tretal Labour)	Sewer Lateral Cleaning and Investigation Fees  Sewer Lateral Cleaning and Investigation Fees  When a property owner qualifies for the Sewer Lateral Managem teimbursed to me property owner for the sewer lateral cleaning and inve- cerformed by the independent Plumbing Contractor  Complete Sewer Lateral Investigation - Regular Hours	Complete Sewer Lateral investigation - Arter hours Partial Sewer Lateral Cleaning - Agouar Hours Partial Sewer Lateral Cleaning - After Hours Abandoned Sewer Lateral Investigation - Regular Hours Abandoned Sewer Lateral Investigation - After Hours Miscellaneous Wastewater Collection System Renair	Note: Cost for the City to repair damage to the wastewater collection syste party. Costs include labour, parts, materials, equipment, and permanent re Additional Labour Charges Note: Additional Labour Charges or all services/calls that exceed the allotte are for a single Wastewater Collection Operator or Contract Inspector in ma 20 minutes.  1/2 Hour Additional Labour (Regular Hours) - Wastewater Collection 1/2 Hour Additional Labour (After Hours) - Wastewater Collection
	Labour)     Private ver Lateral Repair/Replacement Inspection (After Hours / Emergency - Maximum 1     Hour Total Labour)     Missed or Cancelled Inspection     Mainline Sewer Inspection	Note: CCTV inspection of mainline sewers (storm, sanitary or combined). Cost based on linear meter inspection.  Sewer Related Service Calls  Note: Cost for a service call to investigate a sewer related complaint and the issue resides on private property. No charge for sewer complaints related to issues originaling from the City's sewer system. Missed appointments will be billed the corresponding service call rate.  2a) Service Call (Regular Hours: Maximum 1 Hour Total Labour)  2b) Control Onli (Mean Labour)  2c) Control Onli (Mean Labour)  2c) Service Call and Fourth 1 Hour Total Labour)		Domphere Swer Lateral Investigation - Arter Hours     Partial Swer Lateral Cleaning - After Hours     Abandoned Sewer Lateral Investigation - Regular Hours     Abandoned Sewer Lateral Investigation - After Hours     Miscellaneous Wastewater Collection System Renair	
4-					<b>5</b> (58)
-	£ 50£	2a) 2	3 e (8)	(S)	45690 5
		\$88.10 y \$99.55 \$93.55 y \$105.70 6.2%  \$129.50 y \$146.34 \$165.65 y \$165.60 NA  Cost + 33% OH y Cost + 33% OH cost + 33% OH NA	\$88.10 y \$99.55 \$93.55 y \$105.70 6.2% \$129.50 y \$146.34 \$165.65 y \$167.20 27.9% NA y Cost + 33% OH Cost + 33% OH y Cost + 33% OH NA NA y NA \$73.84 y \$83.45 NA	\$88.10 y \$99.55 \$93.55 y \$105.70 6.2% To achieve full cost recovery  \$129.50 y \$146.34 \$165.65 y \$157.20 77.9% To achieve full cost recovery  Cost + 33% OH y Cost + 33% OH Cost + 33% OH y Cost + 33% OH N/A N/A Fee  N/A y N/A \$573.39 y \$153.39 y \$150.75 N/A N/A Fee  S555.95 0.22% To achieve full cost recovery  To achieve full cost recovery  S555.95 0.22% To achieve full cost recovery  To achieve full cost recovery  S555.95 0.22% To achieve full cost recovery	\$88.10 y \$146.34 \$165.65 y \$105.70 6.2% \$125.50 y \$146.34 \$165.65 y \$157.20 Z7.3% INA y INA y INA y INA \$133.34 y \$133.36 J \$155.50 INA INA y INA \$133.34 y \$133.35 J \$155.75 INA S556.00 y \$133.39 y \$135.35 J \$155.75 INA INA y INA \$133.39 y \$135.30 INA INA y INA \$133.30 J \$133.30 J \$135.30 INA \$135.30 INA \$133.30 J \$135.30 INA \$135

\*Costs not specifically addressed in the schedule will be invoiced at Actual Cost plus overhead\*

"For general inquiries, please call (909) 546-426 between 8:30am \*4:30pm\*

PUBLIC WORKS
HAMILTON WATER

Account   Ref	Account # Ref #   Incommittee   Ref #   In		-				_	_			Lon onibo	% E.o.	Dania for Eas	
A control of control	According to the control of the co	10250	/ccount #								pplicable)	% ree Change	Dasis for ree Increase or Decrease	
State   Stat	1	510250			LABORATORY SERVICES		L							
1   1   1   1   1   1   1   1   1   1	10   Trick Suppercised Solide (785)   221.70   y   252.42   271.70   y   252.42   0.07%     11   Trick Suppercised Solide (785)   251.70   y   252.42   251.70   y   252.42   0.07%     12   Trick Solide (780)   251.70   y   252.42   251.70   y   252.43   0.07%     13   Trick Solide (780)   251.70   y   252.42   251.70   y   252.43   0.07%     14   Trick Solide (780)   251.70   y   252.42   251.70   y   252.43   0.07%     15   Trick Solide (780)   251.70   y   252.42   251.70   y   252.43   0.07%     15   Trick Solide (780)   251.70   y   252.42   251.70   y   252.43   0.07%     15   Trick Solide (780)   251.70   y   252.42   251.70   y   252.43   0.07%     15   Trick Solide (780)   251.70   y   252.42   251.70   y   252.40   0.07%     15   Trick Solide (780)   251.70   y   252.42   251.70   y   252.40   0.07%     15   Trick Solide (780)   251.70   y   252.42   251.70   y   252.40   0.07%     15   Trick Solide (780)   251.70   y   252.40   y   252.40   0.07%     15   Trick Solide (780)   251.70   y   252.40   y   252.40   0.07%     16   Trick Solide (780)   251.70   y   252.40   y   252.40   0.07%     17   Trick Solide (780)   251.70   y   252.40   y   252.40   0.07%     18   Trick Solide (780)   251.70   y   252.40   y   252.40   0.07%     19   Trick Solide (780)   251.70   y   252.40   y   252.40   0.07%     10   Trick Solide (780)   251.70   y   252.40   y   252.40   0.07%     11   Trick Solide (780)   251.70   y   252.40   y   252.40   0.07%     12   Trick Solide (780)   251.70   y   252.40   y   252.40   0.07%     13   Trick Solide (780)   251.70   y   252.40   y   252.40   0.07%     14   Trick Solide (780)   251.70   y   252.40   y   252.40   0.07%     15   Trick Solide (780)   251.70   y   252.40   y   252.40   0.07%     15   Trick Solide (780)   251.70   y   252.40   y   252.40   0.07%     16   Trick Solide (780)   251.70   y   252.40   y   252.40   0.07%     17   Trick Solide (780)   251.70   y   252.40   y   252.40   0.07%     18   Trick Solide (780)   251.70   y   252.40   y   252.40   0.07%     19		45519		Inorganic Tests:									
10   Table State Windle State Windle (185)   511.0   7   122.2   512.10   7   122.2   512.10   7   122.2   512.10   7   122.2   512.10   7   122.2   512.10   7   122.2   512.10   7   122.2   512.10   7   122.2   512.10   7   122.2   512.10   7   122.2   512.10   7   122.2   512.10   7   122.2   512.10   7   122.2   512.10   7   122.2   512.10   7   122.2   512.10   7   122.2   512.10   7   122.2   512.10   7   122.2   512.10   7   122.2   512.10   7   122.2   512.10   7   122.2   512.10   7   122.2   512.10   7   122.2   512.10   7   122.2   512.10   7   122.2   512.10   7   122.2   512.10   7   122.2   512.10   7   122.2   512.2   7   122.2   512.2   7   122.2   512.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.2   7   122.	1   1   1   1   1   1   1   1   1   1			- <u>(</u>	Solids Total Suspended Solids (TSS)	\$24.70		\$24.52	\$21.70		\$24.50	%U U	Current fee achieves full cost recovery	
10   To pure South (%)   \$18.00   Y   \$20.064   St. 8.00   Y   \$20.064   St. 8.00   Y   \$10.004   St. 8.004   Y	1   1   1   1   1   1   1   1   1   1			16)	TSS plus Volatile Suspended Solids (VSS)	\$21.70	. >	\$24.52	\$21.70		\$24.50	%0:0 0:0%	Current fee achieves full cost recovery	
10   Total formation   25   Mather   25	1 15 pt. bit. Valentie Solide (VS) 2 2) Protochrous Steal 2 2) Steal 2 3) Protochrous Steal 2 4) Protochrous Steal 2 5) Protochrous Steal 2 5) Protochrous Steal 2 5) Protochrous Steal 2 6) Protochrous Steal 2 7) Dissolved Capturic Carborn 2 7) Dissolved Capturic Carborn 2 8) Steal 2 7) Dissolved Capturic Carborn 2 8) Steal 2 8) Steal 2 9) Ste			<u>5</u>	Total Solids (TS)	\$18.10	. >	\$20.45	\$18.10		\$20.45	0.0%	Current fee achieves full cost recovery	
2. Dischard Control Co	2. Shalafar (2. Find Carbon (2. State (2. Sta			<u>g</u>	TS plus Volatile Solids (VS)	\$18.30	. >	\$20.68	\$18.30	. >	\$20.70	%0:0	Current fee achieves full cost recovery	
20   Prospitories Total Commission (1985)   255.60   1	2.0) Total Cyanine Total 2.0) Protections Total 2.0) Total Cyanine Carbon 2.0) Total Cyanine Car			7	Skalar									
20   Politi Openide   251.40   Y   555.46   S   551.40   Y   555.46   S   551.40   Y   555.46   S   S   S   S   S   S   S   S   S	2.0) Total field in the field of joint field fie			2a)	Phosphorus Total	\$28.60	×	\$32.32	\$28.60		\$32.30	%0.0	Current fee achieves full cost recovery	
20   The Middle Milkogen (TKO)   551.40   7 554.62   554.00   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   254.60   25	20   Precision Number (TKO)   55146   Y 55446   Y 54446   Y 5444			2b)	Total Cyanide	\$31.40	<u>۸</u>	\$35.48	\$31.40		\$35.50	%0.0	Current fee achieves full cost recovery	
24   Ammonia   24   Ammonia   24   24   25   25   24   25   25   24   25   25	2.0   Total foliation Nuropean (TKM)   254,610   Y 535,448   S314,60   Y 535,450   S314,60   O.0%			Sc)	Phenolics	\$30.90	×	\$34.92	\$30.90		\$34.90	%0.0	Current fee achieves full cost recovery	
20   Dissolved Carbon   S23.46   Y   S23.41   O.W.   Current les anchieres ful cost recovery a format change of the change	2 Di Charmonico Carbon 532.20 y 536.50 532.80 y 538.50 0.0% Charmonico Carbon 532.20 y 536.50 co.0% Charmonico Carbon 632.20 co.0% Charmonico Charmonic			2d)	Total Kjeldhal Nitrogen (TKN)	\$31.40	~ ~	\$35.48	\$31.40		\$35.50	%0.0	Current fee achieves full cost recovery	
21   Discontinue   23.20   4   55.65   6.05   53.20   4   55.65   6.05   53.20   4   55.65   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05   6.05	20   Dissolved Carbon   S12.20   V   S18.50   V   S18.50   O   O   O   O   O   O   O   O   O			2e)	Ammonia	\$34.60	×	\$39.10	\$34.60		\$39.10	%0.0	Current fee achieves full cost recovery	
200   Color True	20) Total Organic Carbon 552.30 y 555.60 S 573.60 y 555.60 0.0% S 51.00 b			£	Dissolved Organic Carbon	\$32.30	y	\$36.50	\$32.30	_	\$36.50	%0.0	Current fee achieves full cost recovery	
2   Notice   Current fee achieves full cost recovery   2   Section   2	20) Reactive Silicia   277,			2g)	Total Organic Carbon	\$32.30	×	\$36.50	\$32.30	_	\$36.50	%0.0	Current fee achieves full cost recovery	
1 Protection   2 Pr	4   PC Titrate			원	Reactive Silica	\$27.50	^	\$31.08	\$27.50	_	\$31.10	%0.0	Current fee achieves full cost recovery	
4 pt Intrate 5 pt	4 PCT Intrate 4 A PCT Intrate 4 B PCT Intrate 4 A PCT Intrate 4 A PCT Intrate 5 S15.01			ო .	lon Chromatography (IC Scan)	\$50.40	×	\$56.95	\$50.40	<u> </u>	\$56.95	%0.0	Current fee achieves full cost recovery	
4   Altaninity   4	44   April			₹ ,	PC Titrate				,			į	:	
40   Michigan   40   Michigan   41   Michigan   41   Michigan   41   Michigan   42   Michigan   43   Michigan   44   Michiga	4-b  Alkalinity   4-b  Alkal			4a)	Ha.	\$15.10	<u>~</u>	\$17.06	\$15.10	_	\$17.05	%0.0	Current fee achieves full cost recovery	
4-6  Conductivity   251.50   Y 57.56   515.10   Y 57.56   515.10   Y 52.5.90   Y 52.5.90   Y 52.5.90   Y 52.5.90   Y 52.5.90   O.0%   Current fee achieves full cost recovery   22.3.70   Y 52.3.80   Y 52.3.80   Y 52.3.80   Y 52.3.80   Y 52.3.80   O.0%   Current fee achieves full cost recovery   Color Apparent	440   Conductivity   Action			4 <sub>P</sub>	Alkalinity	\$15.00	^	\$16.95	\$15.00	_	\$16.95	%0.0	Current fee achieves full cost recovery	
4-4)   Pluotide   4-5	40   Fluncide   41   Fluncide   423.28   1   1   1   1   1   1   1   1   1			<del>(</del> 2	Conductivity	\$15.10	<u>۸</u>	\$17.06	\$15.10		\$17.05	%0.0	Current fee achieves full cost recovery	
1	1   Color Apparent   S25.37   Y   S26.78   S25.37   Y   S26.86   O.0%			- 4d	Fluoride	\$23.80	<b>^</b>	\$26.89	\$23.80		\$26.90	%0.0	Current fee achieves full cost recovery	A
1	1			2	Turbidity	\$23.70	<u> </u>	\$26.78	\$23.70		\$26.80	%0.0	Current fee achieves full cost recovery	\p
7 Color Apparent   220.70   y 523.39   520.70   y 523.40   0.0%   Current fee achieves full cost recovery 520.70   y 523.39   520.70   y 523.39   520.70   y 523.39   520.70   y 523.30   y 520.70   y 523.30   y 520.70   y 523.30   y 520.70   y 523.40   0.0%   Current fee achieves full cost recovery 10 bloch-emical Coxygen Demand (BOD)   537.70   y 542.80   y 542.80   0.0%   Current fee achieves full cost recovery 537.70   y 542.80   y 542.80   0.0%   Current fee achieves full cost recovery 45519   12 Total Collinomic Coll/Total Background Coliform (BOC)   524.20   y 523.73   y 542.80   y 523.73	7   Color Apparent   S22.70   y S23.39   S20.70   y S23.40   0.0%     8   Color Tube Color Demand (COD)   S37.70   y S23.39   S20.70   y S23.40   0.0%     9   Chemical Oxygen Demand (BOD)   S37.70   y S23.39   S27.90   y S23.80     10   Biochemical Oxygen Demand (BOD)   S37.70   y S23.30   y S23.70   y S42.86   0.0%     11   Abdratic Acid Color Tube Color Tu			ဖ	UV Transmittance	\$25.30	<u>~</u>	\$28.59	\$25.30		\$28.60	%0.0	Current fee achieves full cost recovery	pe
Control of the cache of the c	8 Chomical Oxygen Demand (COD) 8 Chomical Oxygen Demand (COD) 8 Chomical Oxygen Demand (COD) 8 S37.30 9 Chomical Oxygen Demand (COD) 8 S37.30 10 Biochemical Oxygen Demand (BOD) 8 S37.30 11 Notatile Acid Workatile Acid 12 Total Colloinogy Tests: 13 EC (mFC-BiG) 8 S37.30 14 Heterotrophic Plate Count 8 S24.20 15 EC (mFC-BiG) 8 S37.30 16 S37.30 17 Total Colloinogy Tests: 18 EC (mFC-BiG) 19 S32.73 10 Y S42.60 10 S37.70 10 S37.30 10 S37.			_	Color Apparent	\$20.70	۸	\$23.39	\$20.70		\$23.40	%0.0	Current fee achieves full cost recovery	en
10   Blochemical Oxygen Demand (DOD)   \$37.70   y \$42.65   537.70   y \$42.65   Current fee achieves full cost recovery   10   Blochemical Oxygen Demand (BOD)   \$37.70   y \$42.65   Current fee achieves full cost recovery   45519   12   Chalcolliocar Teast)   Current fee achieves full cost recovery   45519   Total Colliorar Coultry   Current fee achieves full cost recovery   45519   Total Colliorar Coultry   Current fee achieves full cost recovery   45519   Total Colliorar Coultry   Current fee achieves full cost recovery   45519   Total Colliorar Coultry   Current fee achieves full cost recovery   45519   Total Colliorar Coultry   Current fee achieves full cost recovery   45519   Total Colliorar Coultry   Current fee achieves full cost recovery   45519   Total Colliorar Coultry   Current fee achieves full cost recovery   45519   Total Colliorar Coultry   Current fee achieves full cost recovery   45519   Total Colliorar Coultry   Current fee achieves full cost recovery   45519   Total Colliorar Coultry   Current fee achieves full cost recovery   45519   Total Colliorar Coultry   45519   Total Colliorar Coultry   45519   Total Colliorar Coultry   45519   Total Colliorar Coultry   45519   Total Coultry   45519   Total Colliorar	10   Chemical Oxygen Demand (ODD)   S37.30   Y   S42.83   S37.30   Y   S42.85   O.0%     11   Volatifie Acid   Microthenical Oxygen Demand (BOD)   S37.30   Y   S42.60   S37.30   Y   S42.16   O.0%     12   Microthenical Oxygen Demand (BOD)   S37.30   Y   S42.16   S37.30   Y   S42.16   O.0%     45519   12   Charl Coliform/Coliform (DC)   S24.90   Y   S27.35   S24.20   Y   S27.35   O.0%     45519   13   EC (mf-C-blid)   EC (mf-C			∞ .	Color True	\$20.70	<u>~</u>	\$23.39	\$20.70		\$23.40	%0.0	Current fee achieves full cost recovery	di
10   Noticity Action	10   Biochemical Caygen Demand (BOD)   S37.70   y   S42.60   S37.70   y   S42.60   O.0%     11   Volatile Acid   Wichard Red   S27.70   y   S42.15   O.0%     45519   12   Total ColiformE colif Total Background Coliform (DC)   S24.20   y   S24.75   S24.75   S24.75   S24.75   S24.75   S24.75   O.0%     45519   13   EC (mFC-BiG)   Ec (mFC-BiG)   S24.20   y   S24.75   S24.70   y   S24.75   O.0%     45519   14   Hererotophic Pate Count   S24.20   y   S24.75   S24.70   y   S24.75   O.0%     45519   15   Micro Examination   S45.60   y   S713.50   y   S713.50   O.0%     45519   16a   Antimony   S45.60   y   S51.53   S45.60   y   S51.55   O.0%     45519   16b   Antimony   S45.60   y   S51.53   S45.60   y   S51.55   O.0%     45519   17a   ICP   CP   CP   CP   CP   CP   CP   C			თ :	Chemical Oxygen Demand (COD)	\$37.90	>	\$42.83	\$37.90		\$42.85	%0.0	Current fee achieves full cost recovery	ix.
1	1			e :	Biochemical Oxygen Demand (BOD)	\$37.70	×	\$42.60	\$37.70	<u> </u>	\$42.60	%0.0	Current fee achieves full cost recovery	"(
45519         12 Introduction (Dictionary 1 cashs)         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.20         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$24.75         \$2	45519         12         Trinch Duck of Hash Lested.         \$21.30         y         \$24.75         \$21.30         y         \$24.75         0.0%           45519         13         EC (mFC-BIG)         \$24.20         y         \$27.35         \$24.20         y         \$27.35         0.0%           45519         14         Heterotrophic Plate Count         \$24.20         y         \$24.73         y         \$27.35         0.0%           45519         15         Microl Samination         \$115.50         y         \$115.50         y         \$115.50         y         \$28.15         0.0%           45519         16         Mydride Generation         \$45.60         y         \$51.53         \$45.60         y         \$51.55         0.0%           45519         16a)         Arsenic         \$45.60         y         \$51.53         \$45.60         y         \$51.55         0.0%           45519         16b)         Antimony         \$45.60         y         \$51.53         y         \$51.55         0.0%           45519         17         ICP         AA         \$45.60         y         \$51.55         y         \$51.55         0.0%           45519         18b) <td< td=""><td>_</td><td></td><td><del></del></td><td>Volatile Acid</td><td>\$37.30</td><td><u>۸</u></td><td>\$42.15</td><td>\$37.30</td><td></td><td>\$42.15</td><td>%0.0</td><td>Current fee achieves full cost recovery</td><td><b>}</b>"</td></td<>	_		<del></del>	Volatile Acid	\$37.30	<u>۸</u>	\$42.15	\$37.30		\$42.15	%0.0	Current fee achieves full cost recovery	<b>}</b> "
1	13   Consts not specifically addressed in the schedule will be invoiced at Actual Cost place   13   Consts not specifically addressed in the schedule will be invoiced at Actual Cost place   13   Consts not specifically addressed in the schedule will be invoiced at Actual Cost page   13   Consts not specifically addressed in the schedule will be invoiced at Actual Cost page   13   Consts not specifically addressed in the schedule will be invoiced at Actual Cost page   13   Consts not specifically addressed in the schedule will be invoiced at Actual Cost page   13   Consts not specifically addressed in the schedule will be invoiced at Actual Cost place   13   Consts not specifically addressed in the schedule will be invoiced at Actual Cost place   13   Consts not specifically addressed in the schedule will be invoiced at Actual Cost place   13   Consts not specifically addressed in the schedule will be invoiced at Actual Cost place   13   Consts not specifically addressed in the schedule will be invoiced at Actual Cost place   13   Consts not specifically addressed in the schedule will be invoiced at Actual Cost place   13   Consts not specifically addressed in the schedule will be invoiced at Actual Cost place   13   Consts not specifically addressed in the schedule will be invoiced at Actual Cost place   13   Consts not specifically addressed in the schedule will be invoiced at Actual Cost place   13   Consts not specifically addressed in the schedule will be invoiced at Actual Cost place   13   Consts not specifically addressed in the schedule will be invoiced at Actual Cost place   13   Consts not specifically addressed in the schedule will be invoiced at Actual Cost place   13   Consts not specifically addressed in the schedule   13   Consts not specifically addressed in the schedul	510250	45519	12	Total Coliform/E coli/Total Background Coliform (DC)	\$21.90	>	\$24.75	\$21 an		\$24.75	760 0	Current fee achieves full cost recovery	to
45519         14         Heterotrophic Plate Count         \$24.90         4         \$28.14         \$28.90         4         \$28.15         0.0%         Current fee achieves full cost recovery           45519         15         Micro Examination         \$115.50         y         \$130.52         \$115.50         y         \$130.50         0.0%         Current fee achieves full cost recovery           45519         16         Metals:         Current fee achieves full cost recovery         Current fee achieves full cost recovery         Current fee achieves full cost recovery           45519         160         Selenium         Selenium         Selenium         Current fee achieves full cost recovery           45519         160         Selenium         \$60.12         \$60.12         \$60.00         Current fee achieves full cost recovery           45519         160         Selenium         \$60.12         \$60.12         \$60.00         Current fee achieves full cost recovery           45519         173         ICP Scan (Wastewater)         \$60.12         \$60.10         Current fee achieves full cost recovery           45519         173         ICP Scan (Wastewater)         \$60.12         \$60.10         Current fee achieves full cost recovery           45519         180         Gadmium         \$60.10	45519         14         Heterotrophic Plate Count         \$24.90         y         \$28.14         \$24.90         y         \$28.15         0.0%           45519         15         Micro Examination         \$415.50         y         \$130.52         \$115.50         y         \$130.50         0.0%           45519         16         Hydride Generation         \$45.60         y         \$130.52         \$155.50         y         \$130.50         y         \$150.50         y	510250	45519	1 5	EC (MFC-BIG)	\$24.20	<b>~</b> >	\$27.35	\$24.20	- >	\$27.35	%0:0 0:0%	Current fee achieves full cost recovery	F
45519         15 Micro Examination         \$115.50         y         \$130.52         \$115.50         y         \$130.50         O.0%         Current fee achieves full cost recovery           45519         16 Hydride Generation         45519         16 Hydride Generation         545.60         y         \$51.53         545.60         y         \$51.55         0.0%         Current fee achieves full cost recovery           45519         16a)         Arsenic         0.0%         Current fee achieves full cost recovery         Current fee achieves full cost recovery           45519         16b)         Artimony         Current fee achieves full cost recovery         Current fee achieves full cost recovery           45519         16c)         Selenium         Current fee achieves full cost recovery         Current fee achieves full cost recovery           45519         17a)         ICP Scan (Wastewater)         \$55.20         y         \$60.12         \$53.20         y         \$50.00         Current fee achieves full cost recovery           45519         17a)         ICP Scan (Wastewater)         \$53.20         y         \$50.10         y         Current fee achieves full cost recovery           45519         18b)         Cadmium         \$55.20         y         \$51.55         y         \$51.65         y <t< td=""><td>45519         15         Micro Examination         \$115.50         y         \$130.52         \$115.50         y         \$130.50         0.0%           45519         16         Hydride Generation         \$45.60         y         \$51.55         0.0%         y         \$51.55         0.0%           45519         16b         Antimony         \$45.60         y         \$51.55         0.0%         y         \$51.55         0.0%           45519         170         ICP         Nutmony         \$51.55         y         \$51.55         0.0%         y         \$51.55         0.0%           45519         170         ICP         Nutmony         \$51.55         y         \$51.55         0.0%         y         \$51.55         0.0%           45519         17a         ICP         Nutmony         \$53.20         y         \$51.55         0.0%         y         \$51.55         y         \$51.55         0.0%         y         \$551.55         y         \$51.55         y         \$51.55         y<!--</td--><td>510250</td><td>45519</td><td>4</td><td>Heterotrophic Plate Count</td><td>\$24.90</td><td>• &gt;</td><td>\$28.14</td><td>\$24.90</td><td>. &gt;</td><td>\$28.15</td><td>0.0%</td><td>Current fee achieves full cost recovery</td><td><b>₹e</b></td></td></t<>	45519         15         Micro Examination         \$115.50         y         \$130.52         \$115.50         y         \$130.50         0.0%           45519         16         Hydride Generation         \$45.60         y         \$51.55         0.0%         y         \$51.55         0.0%           45519         16b         Antimony         \$45.60         y         \$51.55         0.0%         y         \$51.55         0.0%           45519         170         ICP         Nutmony         \$51.55         y         \$51.55         0.0%         y         \$51.55         0.0%           45519         170         ICP         Nutmony         \$51.55         y         \$51.55         0.0%         y         \$51.55         0.0%           45519         17a         ICP         Nutmony         \$53.20         y         \$51.55         0.0%         y         \$51.55         y         \$51.55         0.0%         y         \$551.55         y         \$51.55         y         \$51.55         y </td <td>510250</td> <td>45519</td> <td>4</td> <td>Heterotrophic Plate Count</td> <td>\$24.90</td> <td>• &gt;</td> <td>\$28.14</td> <td>\$24.90</td> <td>. &gt;</td> <td>\$28.15</td> <td>0.0%</td> <td>Current fee achieves full cost recovery</td> <td><b>₹e</b></td>	510250	45519	4	Heterotrophic Plate Count	\$24.90	• >	\$28.14	\$24.90	. >	\$28.15	0.0%	Current fee achieves full cost recovery	<b>₹e</b>
45519         Metals:         Ametals:         Ametals: <th< td=""><td>45519         16         Hydride Generation         \$45.60         y         \$51.53         \$45.60         y         \$51.55         0.0%           45519         16c) Selenium         560.10         y         \$51.53         \$45.60         y         \$51.55         0.0%           45519         17         ICP         17         ICP         x         \$51.53         y         \$51.55         0.0%           45519         17         ICP         x         x         x         x         x         x         x         x         x         x         x         x         x         x         x         x         x         x         x         x         x         x         x         x         x         x         x         x         x         x         x         x         x         x         x         x         x         x         x         x         x         x         x         x         x         x         x         x         &lt;</td><td>510250</td><td>45519</td><td>15</td><td>Micro Examination</td><td>\$115.50</td><td>. &gt;</td><td>\$130.52</td><td>\$115.50</td><td></td><td>\$130.50</td><td>%0.0</td><td>Current fee achieves full cost recovery</td><td>рc</td></th<>	45519         16         Hydride Generation         \$45.60         y         \$51.53         \$45.60         y         \$51.55         0.0%           45519         16c) Selenium         560.10         y         \$51.53         \$45.60         y         \$51.55         0.0%           45519         17         ICP         17         ICP         x         \$51.53         y         \$51.55         0.0%           45519         17         ICP         x         x         x         x         x         x         x         x         x         x         x         x         x         x         x         x         x         x         x         x         x         x         x         x         x         x         x         x         x         x         x         x         x         x         x         x         x         x         x         x         x         x         x         x         x         x         x         x         <	510250	45519	15	Micro Examination	\$115.50	. >	\$130.52	\$115.50		\$130.50	%0.0	Current fee achieves full cost recovery	рc
45519         16         Hydride Generation         \$45.60         y         \$51.53         \$45.60         y         \$51.53         \$45.60         y         \$51.55         0.0%         Current fee achieves full cost recovery           45519         16a) Arsenic         Arsenic         \$45.60         y         \$51.55         0.0%         Current fee achieves full cost recovery           45519         16b) Antimony         545.60         y         \$51.55         y         \$51.55         0.0%         Current fee achieves full cost recovery           45519         17         ICP         Current fee achieves full cost recovery         Current fee achieves full cost recovery         Current fee achieves full cost recovery           45519         18         AA         \$53.20         y         \$50.10         0.0%         Current fee achieves full cost recovery           45519         18         AA         \$39.78         \$33.78         \$33.78         \$33.80         0.0%         Current fee achieves full cost recovery           45519         18b) Cadmium         \$45.70         y         \$51.65         y         \$51.65         0.0%         Current fee achieves full cost recovery           45519         18b) Mercury         45519         y         \$51.65         y         \$5	45519         16 Hydride Generation         \$45.60         y         \$51.53         \$45.60         y         \$51.55         0.0%           45519         16a) Arsenic         5ability         \$45.60         y         \$51.53         \$45.60         y         \$51.55         0.0%           45519         16b) Antimony         5ability         \$45.60         y         \$51.53         \$60.00         y         \$61.55         0.0%           45519         17 IGP         17 ICP         17 ICP         17 ICP         17 ICP         0.0%         \$60.12         \$53.20         y         \$60.12         \$50.10         0.0%           45519         18 AA         AA         535.20         y         \$39.78         \$39.78         \$50.10         0.0%           45519         18b) Cadmium         \$55.20         y         \$51.64         \$45.70         y         \$51.64         \$51.65         0.0%           45519         18b) Mercury         Mercury         \$51.64         \$45.70         y         \$51.64         \$60.00         0.0%           45519         18c) Mercury         \$51.64         \$45.70         y         \$51.64         \$45.70         y         \$51.64         \$60.00         0.0%	510250	45519		<u>Metals:</u>									rt
45519         16a)         Arsenic         9         \$51.53         \$45.60         y         \$51.55         0.0%         Current fee achieves full cost recovery           45519         16b)         Antimony         \$45.60         y         \$51.55         0.0%         Current fee achieves full cost recovery           45519         16b)         Antimony         \$45.60         y         \$51.55         0.0%         Current fee achieves full cost recovery           45519         17         ICP         Current fee achieves full cost recovery         Current fee achieves full cost recovery           45519         18         AA         \$53.20         y         \$50.00         Current fee achieves full cost recovery           45519         18         AA         Current fee achieves full cost recovery         Current fee achieves full cost recovery           45519         18b         Lead         \$33.78         \$33.78         \$33.80         0.0%         Current fee achieves full cost recovery           45519         18b         Cadmium         \$35.20         y         \$51.65         0.0%         Current fee achieves full cost recovery           45519         18b         Cadmium         \$35.20         y         \$51.65         0.0%         Current fee achieves full cost recovery	45519         16a)         Arsenic         \$45.60         y         \$51.53         \$45.60         y         \$51.53         \$45.60         y         \$51.55         0.0%           45519         16b)         Antimony         \$45.60         y         \$51.53         \$45.60         y         \$51.55         0.0%           45519         17         ICP         17         ICP         \$60.12         \$53.20         y         \$60.12         \$51.55         0.0%           45519         178         IAA         AA         \$53.20         y         \$50.12         \$50.00         0.0%           45519         18         AA         \$50.00         y         \$50.12         \$50.78         \$50.00         0.0%           45519         18b         Lead         \$39.78         \$39.78         \$39.78         0.0%           45519         18b         Mercury         \$51.64         \$45.70         y         \$51.64         \$45.70         y         \$51.64         \$51.65         0.0%	510250	45519	16	_									_ F
45519         16b   Antimony         Antimony         \$45.60         y         \$51.53         \$45.60         y         \$51.53         \$45.60         y         \$51.53         \$45.60         y         \$51.55         0.0%         Current fee achieves full cost recovery           45519         16b   Selenium         56elenium         45519         17         ICP         Current fee achieves full cost recovery         Current fee achieves full cost recovery           45519         17a)         ICP Scan (Wastewater)         553.20         y         \$60.12         \$50.00         Current fee achieves full cost recovery           45519         17a)         ICP Scan (Wastewater)         539.80         0.0%         Current fee achieves full cost recovery           45519         18a)         Lead         \$339.80         0.0%         Current fee achieves full cost recovery           45519         18b)         Cadmium         \$33.70         y         \$51.64         \$51.65         y         \$51.65         0.0%         Current fee achieves full cost recovery           45519         18b)         Mercury         \$51.65         y         \$51.65         y         \$51.65         y         Current fee achieves full cost recovery	45519         16b)         Antimony         \$45.60         y         \$51.53         \$45.00         y         \$51.53         \$45.00         y         \$51.53         \$45.00         y         \$51.53         y         \$51.55         0.0%           45519         17a)         ICP Scan (Wastewater)         \$53.20         y         \$60.12         \$53.20         y         \$60.12         \$50.10         0.0%           45519         18a         Lead         \$33.70         y         \$33.70         y         \$33.70         y         \$33.70         y         \$51.65         0.0%           45519         18b         Cadmium         \$45.10         y         \$51.65         y         \$51.65         0.0%           45519         18c         Mercury         \$51.65         y         \$51.65         y         \$60.0%           45519         18c         Mercury         \$51.65         y         \$51.65         0.0%         \$60.0%         y         \$60.0%         0.0%         0.0%         0.0%         0.0%         0.0%	510250	45519	16a)		\$45.60	^	\$51.53	\$45.60	>	\$51.55	%0.0	Current fee achieves full cost recovery	`C
45519         16c)         Selenium         \$45.60         y         \$51.53         \$45.60         y         \$51.55         0.0%         Current fee achieves full cost recovery           45519         17         ICP         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10         10	45519         160         Selenium         \$45.60         y         \$51.53         \$45.60         y         \$51.55         0.0%           45519         17 ICP         ICP Scan (Wastewater)         \$53.20         y         \$60.12         \$53.20         y         \$60.12         \$50.10         0.0%           45519         18         AA         AA         \$33.78         \$33.78         \$33.78         \$33.80         0.0%           45519         18b)         Cadmium         \$33.78         \$33.78         \$33.80         0.0%           45519         18c)         Mercury         \$51.64         \$51.65         0.0%         \$51.65         0.0%           45519         18c)         Mercury         \$51.64         \$51.65         0.0%         \$51.65         0.0%	510250	45519	16b)		\$45.60	>	\$51.53	\$45.60	>	\$51.55	%0.0	Current fee achieves full cost recovery	S
45519         17         ICP         Scan (Wastewater)         \$53.20         y         \$60.12         \$53.20         y         \$60.10         0.0%         Current fee achieves full cost recovery           45519         17a) ICP Scan (Wastewater)         17a) ICP Scan (Wastewater)         45519         17a) ICP Scan (Wastewater)         0.0%         Current fee achieves full cost recovery           45519         18a) Lead         \$33.20         y         \$33.78         \$33.80         0.0%         Current fee achieves full cost recovery           45519         18b) Cadmium         \$45.70         y         \$51.64         \$45.70         y         \$51.65         0.0%         Current fee achieves full cost recovery	45519         17 ICP         ICP Scan (Wastewater)         \$53.20         y         \$60.12         \$53.20         y         \$60.12         \$53.20         y         \$60.12         \$53.20         y         \$60.12         \$60.10         \$60.10         0.0%           45519         18         AA         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         B         B         B         B         B         B         B         B         B         B         B         B         B         B         B         B         B         B         B         B         B         B         B         B         B         B         B         B         B         B         B         B         B         B         B         B         B         B         B         B         B         B         B         B         B         B         B         B         B         B         B         B         B         B         B         B         B         B         B         B         B         B         B         B         B         <	510250	45519	16c)		\$45.60	^	\$51.53	\$45.60		\$51.55	%0.0	Current fee achieves full cost recovery	16
45519         17a)         ICP Scan (Wastewater)         \$53.20         y         \$60.10         0.0%         Current fee achieves full cost recovery           45519         18         AA         AA         \$33.20         y         \$33.78         \$33.20         y         \$33.80         0.0%         Current fee achieves full cost recovery           45519         18b)         Lead         \$33.78         \$33.78         \$33.78         \$33.80         0.0%         Current fee achieves full cost recovery           45519         18b)         Mercury         \$45.70         y         \$51.64         \$45.70         y         \$51.65         0.0%         Current fee achieves full cost recovery	45519         17a)         ICP Scan (Wastewater)         \$53.20         y         \$60.12         \$53.20         y         \$60.12         \$60.10         0.0%           45519         18         AA         18a         Lead         \$33.78         \$33.78         \$33.78         \$33.80         0.0%           45519         18b)         Cadmium         \$33.78         \$33.78         \$33.80         0.0%           45519         18c)         Mercury         \$51.64         \$51.64         \$51.65         0.0%           45519         18c)         Mercury         \$51.64         \$51.65         0.0%	510250	45519	17	_									0
45519         18 AA         45519         18 ad         \$39.78         \$39.78         \$35.20         y         \$39.78         \$35.20         y         \$39.78         \$35.20         y         \$39.78         \$35.20         y         \$39.80         0.0%         Current fee achieves full cost recovery           45519         18c)         Mercury         \$51.64         \$45.70         y         \$51.64         \$45.70         y         \$51.65         0.0%         Current fee achieves full cost recovery	45519         18 AA         45519         18 AA         \$35.20         y         \$39.78         \$35.20         y         \$39.78         \$39.78         \$39.80         0.0%           45519         18c)         Amercury         Amercury         \$45.70         y         \$51.64         \$51.65         0.0%           45519         18c)         Mercury         \$51.65         y         \$51.65         0.0%           About a Mercury         About a Mercur	510250	45519	17a)	_	\$53.20	>	\$60.12	\$53.20		\$60.10	%0.0	Current fee achieves full cost recovery	79
45519         18a)         Lead         \$35.20         y         \$39.78         \$35.20         y         \$39.80         0.0%         Current fee achieves full cost recovery           45519         18c)         Mercury         \$51.65         0.0%         Current fee achieves full cost recovery         Current fee achieves full cost recovery	45519         18a)         Lead         \$35.20         y         \$35.00         0.0%           45519         18c)         Mercury         \$51.65         y         \$51.65         0.0%         \$51.65         0.0%           Costs not specifically addressed in the schedule will be involced at Actual Cost plus overhead*         Actual Cost plus overhead*         Actual Cost plus overhead*	510250	45519	18				_		_				<b>9</b> ]
45519         18b)         Cadmium         \$35.20         y         \$39.78         \$35.20         y         \$39.80         0.0%         Current fee achieves full cost recovery           45519         18c)         Mercury         \$51.64         \$45.70         y         \$51.65         0.0%         Current fee achieves full cost recovery	45519         18b)         Cadmium         \$35.20         y         \$35.20         y         \$35.20         y         \$35.80         0.0%           45519         18c)         Mercury         \$45.70         y         \$51.64         \$45.70         y         \$51.65         0.0%	510250	45519	18a)		\$35.20	^	\$39.78	\$35.20	λ	\$39.80	%0.0	Current fee achieves full cost recovery	Pa
45519 18c) Mercury	45519   18c)   Mercury   \$45.70   y   \$51.64   \$45.70   y   \$51.65   0.0%	510250	45519	18b)		\$35.20	^	\$39.78	\$35.20	y	\$39.80	%0.0	Current fee achieves full cost recovery	ge
	**Costs not specifically addressed in the schedule will be invoiced at Actual Cost pius overhead**	510250	45519	18c)		\$45.70	۸	\$51.64	\$45.70	^	\$51.65	%0.0	Current fee achieves full cost recovery	<u>9</u>
	"Costs not specifically addressed in the schedule will be invoiced at Actual Cost plus overhead"				The state of the s									<u>_</u> ,o
	*For general inquiries, please call 905 546 2424 ext 8834**					**For general inquiries, pl	ease call 905 54	6 2424 ext 58.3	14.					1;

PUBLIC WORKS HAMILTON WATER

	To achieve full cost recovery	To achieve full cost recovery Has to remain a multiple of \$47.25	To achieve full cost recovery Has to remain a multiple of \$47.25
	2.0%	2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2	2 2 1 3 %
	\$312.00	\$47.25 \$47.25 \$94.50 \$141.75 \$189.00	\$47.25 \$94.50 \$141.75 \$236.25 \$283.50
	<b>c</b>		
	\$312.00	\$47.25 \$47.25 \$94.50 \$141.75 \$189.00	\$47.25 \$94.50 \$141.75 \$236.25 \$283.50
	\$306.00	\$46.30 \$46.30 \$92.60 \$138.90 \$185.20	\$46.30 \$92.60 \$138.90 \$231.50 \$277.80
	5	c c c c c	
	\$306.00	\$46.30 \$46.30 \$92.60 \$138.90 \$185.20	\$46.30 \$92.60 \$138.90 \$231.50 \$277.80
ENVIRONMENTAL MONITORING & ENFORCEMENT To Regulate the Discharge of any Matter into the Sanitary, Combined, and Storm Sewer Systems.	Annual Permit to Discharge Hauled Sewage Note: Cost for administration and processing of annual permits required to haul sewage within Hamilton	Discharge fees for Hauled Sewage generated: Inside the Clay - Compliant Note: Cost per truck full of sewage containing materials within Sewer Use By-law limits Note: Cost per truck full of sewage containing materials within Sewer Use By-law limits up to 1000 imperial gallons (4.54 m3) or any part thereof greater than 1000 (4.54 m3) but less than or equal to 5800 imperial gallons (22.7 m3) greater than 5800 (52.5 m3) but less than or equal to 6000 imperial gallons (26.3 m3) greater than 8000 (36.3 m3) but less than or equal to 10000 imperial gallons (45.43 m3)	Discharge fees for Hauled Sewage generated: Inside the City - Non-Compliant Note: Cost per truck full of sewage containing materials that exceed one or more Sewer Use By- law limits Haw limits Haw initia 1000 imperial gallons (4.54 m3) but less than or equal to 3500 Imperial gallons (15.9m3) greater than 1000 (4.54 m3) but less than or equal to 3000 Imperial gallons (35.3 m3) greater than 3500 (15.9 m3) but less than or equal to 8000 Imperial gallons (36.3 m3) greater than 8000 (38.3 m3) but less than or equal to 10000 Imperial gallons (48.43 m3)
ENVIRONMENTAL MONITORIN To Regulate the Discharge of any Matt Combined, and Storm Sewer Systems.	Annual Permit to Disch Note: Cost for administi Hamilton	Discharge fees for Hauled Inside the City - Compliant Inside the City - Compliant Note: Cost per fruck full of sup to 1000 impertial gallons greater than 1000 (4.5 m3) greater than 3500 (15.9 m3) greater than 5000 (22.7 m3) greater than 8000 (36.3 m3) greater than 8000 (36.3 m3)	Discharge fees for Hauled Sewinsiath Note: Compliant Note: Cost per truck full of sewag will mills to 1000 (4.54 m3) but 1 greater than 1000 (4.54 m3) but 1 greater than 3500 (15.9 m3) but 1 greater than 5000 (22.7 m3) but 1 greater than 5000 (22.7 m3) but 1 greater than 5000 (32.3 m3) but 1 greater than 8000 (36.3 m3) but 1
ENVIRONMENTAL M To Regulate the Discharge Combined, and Storn Sev	1 Annual Permit to Discharge Hauled Sewage Note: Cost for administration and processing ( Hamilton	Inside the City - Com Inside the City - Com Note: Cost per truck. L 2a) up to 1000 imperial ga 2b) greater than 1000 (4.5, 2c) greater than 3500 (15.2, 2d) greater than 5000 (22, 2d) greater than 5000 (22, 2d) greater than 5000 (22,	Discharge fees for H Inside the City - Non-Note: Cost per truck f law limits 3a) up to 1000 imperial gs 3b) greater than 1000 (4.8) 3c) greater than 5000 (35) 3d) greater than 5000 (32) 3d) greater than 8000 (35)
ENVIRONMENTAL M To Regulate the Discharge Combined, and Storn Sev	47232 1 Annual Permit to Disch Note: Cost for administ Hamilton		
ENVIRONMENTAL M To Regulate the Discharge Combined, and Storm Sev	4-	23 2 2 2 2 2 2 2 2 2 3 3 3 3 3 3 3 3 3	3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3
	NITORING & ENFORCEMENT  of any Matter into the Sanitary,  r Systems.	VFORCEMENT         1	VFORCEMENT         \$306.00         \$312.00         \$312.00         2.0%           of annual permits required to haul sewage within         \$306.00         \$312.00         \$312.00         2.0%           d:         ant thereof are trained to haul sewage within         \$46.30         \$46.30         \$47.25         18.47.25         2.1%           d:         ant thereof are trained to make right all and to 3000 imperial gallons (15.9m3)         \$46.30         847.25         1.8         \$47.25         2.1%           qual to 3000 imperial gallons (25.7 m3)         \$5138.90         \$138.90         \$143.75         2.1%           qual to 3000 imperial gallons (45.43 m3)         \$185.20         \$189.00         \$189.00         2.1%

\*Costs not specifically addressed in the schedule will be invoiced at Actual Cost plus overhead\*

### PUBLIC WORKS HAMILTON WATER

Political   Poli		_								
Second   S	Basis for Fee	Increase or Decrease	Rounded for cash handling purposes	To achieve full cost recovery	Equal to variable wastewater rate increase	Increase due to incorporating 7b) and 7c) fees into	Application Fee Decrease due to difficulty collecting \$1500 as deposit	from users without PO # To achieve full cost recovery	Lab costs did not change from 2015	Current fee achieves full cost recovery
Pept ID Account # Ref # Holding Tanks for Recreational Vehicles   Service Offered   Feeting   HST   Including HST   Proposed   HST   Including HST   Holding Tanks for Recreational Vehicles   Holding Tanks for Recreational Vehicles   HST   Including HST   Including HST   Holding Tanks for Recreational Vehicles   HST   Including	% Fee	Change	%0.0	2.0% 2.0% 2.0% 2.0%	4.1%	21.9%	-66.7%	1.9%	0.0% 0.0% 0.0% 0.0%	0.0%
Section   Register   Service Offered   Free   Fre	2017 including HST	(if applicable)	\$8.50	\$0.7532 \$0.6025 \$0.6326 \$2.2335 \$1.6132	\$1.54	\$640.70	\$500.00	\$307.35	\$364.00 \$364.00 \$364.00 \$564.00 \$859.00	\$156.95
Count # Ref # Holding Tanks for Recreational Vahicles   Service Offered   Fee   Count # Ref # Holding Tanks for Recreational Vahicles   Service Offered   Fee   Count # Ref # Holding Tanks for Recreational Vahicles (R/Vs) to clump sewer waste at the Mountain Transfer   Sec. 2016   Mote: Coct for Recreational Vahicles (R/Vs) to clump sewer waste at the Mountain Transfer   Sec. 2016   Mote: Coct for Recreational Vahicles (R/Vs) to clump sewer waste at the Mountain Transfer   Sec. 2016   Mote: Coct for Recreational Vahicles (R/Vs) to clump sewer waste at the Mountain Transfer   Sec. 2016   Mote: Coct for Recreational Vahicles (R/Vs) to clump sewer waste at the Mountain Transfer   Sec. 2016   Mote: Coct for Recreational Vahicles (R/Vs) to clump sewer waste at the Mountain Transfer   Sec. 2016   Mote: Coct for Recreational Vahicles (R/Vs) to clump sewer waste at the Mountain Transfer   Sec. 2016   Mote: Coct for Recreational Vahicles (R/Vs) to clump sewer waste at the Mountain Transfer   Sec. 2016   Mote: Coct for Recreational Vahicles (R/Vs) to clump sewer waste at the Mountain Transfer   Sec. 2016   Mote: Coct for Recreational Vahicles (R/Vs) to clump sewer waste at the Mountain Transfer   Sec. 2016   Mote: Coct for Recreational Vahicles (R/Vs) to clump sewer waste at the Mountain Transfer   Sec. 2016   Mote: Coct for Recreational Vahicles (R/Vs) to clump sewer waste at the Walling sewer waste at the Walling sewer waste waste (R/Vs) to clump sewer waste waste (R/Vs) to clump sewer waste (R/Vs) to clump sewer waste waste (R/Vs) to clump sewer wast	HST		c	c c c c c	c	>	_	>		>
Dept ID   Account # Ref # Holding Tanks for Recreational Vehicles   Service Offered   Free   Vini   Interpolation   Protect Cost for Recreational Vehicles   Note: Recreation Recreational Vehicles   Note: Recreational Vehicl		Fee	\$8.50	\$0.7532 \$0.6025 \$0.6326 \$2.2935 \$1.6132	\$1.54	\$567.00	\$500.00	\$272.00	\$364.00 \$364.00 \$364.00 \$859.00	\$138.90
Dept ID   Account# Ref #   Service Offered   Existing   Existing   Existing   Existing   Existing   Service Offered   Existing   Existing   Service Offered   Service Offered	2016 including HST	(if applicable)	\$8.50	\$0,7384 \$0,5907 \$0,6202 \$2,2485 \$1,5816	\$1.48	\$525.45	\$1,500.00	\$301.71	\$360.00 \$360.00 \$360.00 \$852.50 \$852.50	\$156.96
Dept ID   Account# Ref #   Service Offered   Existing   Existing   Existing   Existing   Existing   Service Offered   Existing   Existing   Service Offered   Service Offered		\$	<b>-</b>	5555	E	>	_	>	cccc	>
Dept ID   Account#   Ref #   Holding Tanks for Recreational Vehicles   Service Offered		1	\$8.50	\$0.7384 \$0.5907 \$0.5202 \$2.2488 \$1.5816	\$1.48	\$465.00	\$1,500.00	\$267.00	\$360.00 \$360.00 \$360.00 \$652.50 \$852.50	\$138.90
516175 516175 516080 516080 516080 516080 510260 510260 510260 510260 510260 510260 510260 510260 510260			Holding Tanks for Recreational Vehicles Note: Cost for Recreational Vehicles (RV's) to dump sewer waste at the Mountain Transfer Station	ameter that is in excess of Sewer g)	Surcharae Discharae Fee (charae per m3)	Application Fees for Sewer Discharge Permits NOTE: Fee to be paid upon application for Sewer Discharge Permit Application Fee	Wastewater Characterization deposit (optional)	Amendment Fee (all permit types)	Administrative Fees for Sewer Discharge Permits Note: Multiple Demit holders pay the higher administration fee (for example, if the permit holder has both an Overstrength Discharge Permit and a Compiliance Program Permit they will pay \$80 t00 to per quarter Overstrength Discharge Permit (charged quarterly) Sanitary Discharge Permit (charged quarterly) Compiliance Discharge Permit (charged quarterly) Compiliance Discharge Permit (charged quarterly) Compiliance Discharge Permit (charged quarterly)	Information Requests Note: Fee per property for records search related to Sewer Use By-law historical violations
516175 516175 516080 516080 516080 516080 510260 510260 510260 510260 510260 510260 510260 510260 510260		get #								
516175 516175 516080 516080 516080 516080 510260 510260 510260 510260 510260 510260 510260 510260 510260	3	Account # F	41314		41317	45519	45519	45519	45532 45532 45532 45532 45532	45519
By-law # # # # # # # # # # # # # # # # # # #			516175	516080 516080 516080 516080 516080	516080	510260	510260	510260	510260 510260 510260 510260 510260	510260
	Dept. By-Law	#	14-090	14-090 14-090 14-090 14-090 14-090	14-090	14-090	14-090	14-090	4-090 14-090 14-090 14-090	14-090

"Costs not specifically addressed in the schedule will be involced at Actual Cost plus overhead"
""En connect Innuities nieses call 80% & 6.0.5180 or email sausentechtiow@hamilton cas"

### PUBLIC WORKS HAMILTON WATER

45532   10   Wastewater Sampling (optional)   Note: Per unit costs to conduct wastewater sampling to be conduct wastewater sampling to determine permit conduct wastewater sampling to conduct wastewater sampling behinder by \$1.13   \$1.28   \$1.15   \$1.28   \$1.15   \$1.28   \$1.15   \$1.28   \$1.15   \$1.28   \$1.15   \$1.28   \$1.15   \$1.28   \$1.15   \$1.28   \$1.28   \$1.15   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28   \$1.28		Dept ID Account # Ref #	tef#	Service Offered	2016 Existing I- Fee (	HST ii (y/n)	2016 including HST (if applicable)	2017 Proposed Fee	HST i	2017 including HST (if applicable)	% Fee Change	Basis for Fee Increase or Decrease
\$1.13 y \$1.28 \$1.15 y \$1.30 1.8% \$33.00 y \$33.30 \$30.00 y \$33.30 0.0% \$45.20 y \$45.20 y \$47.61 0.0% \$67.80 y \$76.61 \$67.80 y \$76.60 0.0% \$90.40 y \$102.15 0.0%			2	Nastewater Sampling (optional)								
- Fri			<u> 0</u>	Note: Per unit costs to conduct wastewater sampling to fetermine permit conditions and limits								
- Fri 550.40 y \$33.90 \$30.00 y \$33.90 0.0% - 567.80 y \$51.00 0.0% - 567.80 y \$51.00 0.0% - 567.80 y \$76.60 0.0% - 590.40 y \$102.15 0.0%	_	5	10a)	Nastewater Sampling Vehicle Fee (per kilometer)	\$1.13	>	\$1.28	\$1.15	^	\$1.30	1.8%	To achieve full cost recovery
Fri \$45.20 y \$51.08 \$45.20 y \$51.10 0.0% \$67.80 y \$76.61 \$67.80 y \$76.60 0.0% \$90.40 y \$102.15 \$90.40 y \$102.15 0.0%		5	10b)	Nastewater Sampling Equipment Fee (per day)	\$30.00	^	\$33.90	\$30.00	>	\$33.90	%0.0	Current fee achieves full cost recovery
\$67.80 y \$76.61 \$67.80 y \$76.60 0.0%		2	100,	Nastewater Sampling Technician Fee (per hour) Mon - Fri	\$45.20	^	\$51.08	\$45.20	^	\$51.10	0.0%	Current fee achieves full cost recovery
\$90.40 y \$102.15 \$90.40 y \$102.15 0.0%		5	10d)	Nastewater Sampling Technician Fee (per hour) Sat	\$67.80	>	\$76.61	\$67.80	^	\$76.60	0.0%	Current fee achieves full cost recovery
		<del></del>	10e)	Nastewater Sampling Technician Fee (per hour) Sun	\$90.40	>	\$102.15	\$90.40	>	\$102.15	%0.0	Current fee achieves full cost recovery

"Costs not specifically addressed in the schedule will be invoiced at Actual Cost plus overhead"
"For peneral loguiries, please call 905-540-5190 or email sewerusebylaw@hamilton.ca"

### PUBLIC WORKS HAMIL TON WATER

Dept. By-Law # Der	pt ID	Dept ID Account # Ref #	Ref#	Service Offered	2016 Existing Fee	HST (y/n)	2016 including HST (if applicable)	2017 Proposed Fee	HST (y/n)	2017 HST including HST (y/n) (if applicable)	% Fee Change	Basis for Fee Increase or Decrease	
				ENVIRONMENTAL MONITORING & ENFORCEMENT Fees related to the Wastewater Abatement Program									
03-272   510	510260	45532	-	Application Fee (plus cost recovery for peer review if required)	\$374.50	>	\$423.19	\$374.50 y	>	\$423.20	0.0%	Current fee achieves full cost recovery	
510	510260	45532	7	Annual Administration Fee	\$578.80	>	\$654.04	\$583.20	Υ .	\$659.00	0.8%	To achieve full cost recovery	
										A CONTRACTOR OF THE CONTRACTOR			

"Costs not specifically addressed in the schedule will be involced at Actual Cost plus overhead" 
"For general inquiries, please call 905-540-5190 or email seweruseby/aw@namilton.ca"