

5.1(c)

From: E. Robert Ross [REDACTED]

Sent: Monday, August 30, 2021 7:34 PM

To: Davenport, Alicia <Alicia.Davenport@hamilton.ca>; Ward 1 Office <ward1@hamilton.ca>; Farr, Jason <Jason.Farr@hamilton.ca>; Nann, Nrinder <Nrinder.Nann@hamilton.ca>; Merulla, Sam <Sam.Merulla@hamilton.ca>; Collins, Chad <Chad.Collins@hamilton.ca>; Jackson, Tom <Tom.Jackson@hamilton.ca>; Pauls, Esther <Esther.Pauls@hamilton.ca>; Ward 8 Office <ward8@hamilton.ca>; Clark, Brad <Brad.Clark@hamilton.ca>; Pearson, Maria <Maria.Pearson@hamilton.ca>; Johnson, Brenda <Brenda.Johnson@hamilton.ca>; Ferguson, Lloyd <Lloyd.Ferguson@hamilton.ca>; VanderBeek, Arlene <Arlene.VanderBeek@hamilton.ca>; Whitehead, Terry <Terry.Whitehead@hamilton.ca>; Partridge, Judi <Judi.Partridge@hamilton.ca>; Office of the Mayor <mayor@hamilton.ca>

Subject: sewage overflow pipe Ancaster creek

Dear Councillors:

I am absolutely flabbergasted that anyone would dream of suggesting the pollution of Ancaster creek with raw sewage as an alternative

to infrastructure that can carry sewage away to be treated properly. We already discharge raw sewage into the bay with virtually every rainfall

now, as heavy rainfall events seem to be the norm these days. Need I remind anyone of the sewer gate scandal? Surely we can come up with a better solution to take away waste for the homes in question.

This is another example of work that should be done on existing infrastructure instead of proposing the building of new infrastructure to service urban sprawl. Let us get the existing system

up to contemporary standards.

Sincerely,

Mrs. Wendy Leigh-Bell

Mr. E.Robert Ross

Ward !