

Heritage Permit Review Subcommittee (Hamilton Municipal Heritage Committee)

May 17, 2022
Virtual Meeting

Members of the public are advised that individuals and the media may be audibly and/or visually recording this meeting. Please note that, while this meeting is open to the public for observation, any member of the public wishing to provide comment on any of the agenda items are encouraged to contact Cultural Heritage Planning staff or may choose to give a delegation to the Hamilton Municipal Heritage Committee.

Cultural Heritage Planning:

Stacey Kursikowski, E-mail: Stacey.Kursikowski@hamilton.ca, Phone: ext. 1202

Chloe Richer, E-mail: Chloe.Richer@hamilton.ca, Phone: ext. 7163

AGENDA

1. Approval of Minutes from Previous Meetings:

- April 19, 2022

2. Heritage Permit Applications

- HP2022-010 – 64 James Street South, Hamilton (Part IV)
 - Replacement of the existing wooden door on north elevation with a new door that matches the original style and specifications, the existing door will be removed, salvaged, and stored on-site;
 - Existing door frame will be retained, repaired, and repainted, while defective mortar will be repointed with a lime-based historic mortar mix to match existing;
 - Fabricate new door with white oak to replicate existing door. Glazing will be full size clear insulated glass units with surface mounted wood grid, and curved top to match existing profile;
 - Remove cracked mortar joint around the perimeter of the frame to surrounding stone structure, remove and replace weather stripping, scrape and sand frame, prime and paint frame, replace cracked mortar joint around the perimeter of the frame with heritage mortar and sealant.
- HP2021-004 – 45 Main Street East, Hamilton (Part IV)
 - Interior security upgrades including new surveillance equipment that will interface with various heritage elements;
 - New exterior entrance sign reading "Public Entrance / Entrée Publique", to be located the left of the new public entrance on Main Street East.

- HP2021-012 – 20 Union Street, Waterdown (Part V) (Revised Submission)
 - Revised Submission to permit alterations to facades of the existing house, minimizing the previously proposed stone cladding and increasing the board and batten cladding (original portion) and the addition of horizontal siding (addition).

Next meeting: June 21, 2022