COMMITTEE OF ADJUSTMENT



City Hall, 5th floor, 71 Main Street West, Hamilton, ON L8P 4Y5
Telephone (905) 546-2424, ext. 4221, 3935

E-mail: cofa@hamilton.ca

NOTICE OF PUBLIC HEARING Minor Variance

You are receiving this notice because you are either:

- Assessed owner of a property located within 60 metres of the subject property
- Applicant/agent on file, or
- · Person likely to be interested in this application

APPLICATION	HM/A-23:05	SUBJECT 99 AUGUSTA STREET,	
NO.:		PROPERTY:	HAMILTON
ZONE:	"R1a" (Low Density	ZONING BY-	Zoning By-law City of Hamilton 05-
	Residential – Small Lot)	LAW:	200, as Amended

APPLICANTS: Owner: J. Thorn & D. Minns

Agent: Len Angelici Design – L. Angelici

The following variances are requested:

1. A minimum setback of 0.0m from the front lot line shall be permitted instead of the minimum 3.0m setback from the front lot line required.

PURPOSE & EFFECT: To facilitate the construction of a proposed 3.78m2 covered porch;

Notes:

- 1. Should this variance be approved, a porch, deck, or canopy will be permitted to encroach up to the front lot line.
- 2. It is noted that the proposed construction traverses the front lot line and projects a total of 1.37m into the Augusta Street road allowance. As such, An Encroachment Agreement with the Public Works Department may be required for the portion of the front porch steps shown to encroach on the Road Allowance.

This Notice must be posted by the owner of any land which contains seven or more residential units so that it is visible to all residents.

This application will be heard by the Committee as shown below:

DATE:	Thursday, February 16, 2023
TIME:	2:40 p.m.
PLACE:	Via video link or call in (see attached sheet for details)

HM/A-23:05

2 nd floor City Hall, room 222 (see attached sheet for details), 71 Main St. W., Hamilton
To be streamed (viewing only) at
www.hamilton.ca/committeeofadjustment

For more information on this matter, including access to drawings illustrating this request and other information submitted:

- Visit www.hamilton.ca/committeeofadjustment
- Visit Committee of Adjustment staff at 5th floor City Hall, 71 Main St. W., Hamilton
- Call 905-546-CITY (2489) or 905-546-2424 extension 4221, 4130, or 3935

PUBLIC INPUT

Written: If you would like to submit written comments to the Committee of Adjustment you may do so via email or hardcopy. Please see attached page for complete instructions, <u>including deadlines</u> for submitting to be seen by the Committee.

Orally: If you would like to speak to this item at the hearing you may do so via video link, calling in, or attending in person. Please see attached page for complete instructions, including deadlines for registering to participate virtually and instructions for check in to participate in person.

FURTHER NOTIFICATION

If you wish to be notified of future Public Hearings, if applicable, regarding HM/A-23:05, you must submit a written request to cofa@hamilton.ca or by mailing the Committee of Adjustment, City of Hamilton, 71 Main Street West, 5th Floor, Hamilton, Ontario, L8P 4Y5.

If you wish to be provided a Notice of Decision, you must attend the Public Hearing and file a written request with the Secretary-Treasurer by emailing cofa@hamilton.ca or by mailing the Committee of Adjustment, City of Hamilton, 71 Main Street West, 5th Floor, Hamilton, Ontario, L8P 4Y5.



DATED: January 31, 2023

Jamila Sheffield, Secretary-Treasurer Committee of Adjustment Information respecting this application is being collected under the authority of the Planning Act, R.S.O., 1990, c. P. 13. All comments and opinions submitted to the City of Hamilton on this matter, including the name, address, and contact information of persons submitting comments and/or opinions, will become part of the public record and will be made available to the Applicant and the general public, and may include posting electronic versions.



COMMITTEE OF ADJUSTMENT

City Hall, 5th floor, 71 Main Street West, Hamilton, ON L8P 4Y5
Telephone (905) 546-2424, ext. 4221, 3935

E-mail: cofa@hamilton.ca

PARTICIPATION PROCEDURES

Written Submissions

Members of the public who would like to participate in a Committee of Adjustment meeting are able to provide comments in writing or via email in advance of the meeting. Comments can be submitted by emailing cofa@hamilton.ca or by mailing the Committee of Adjustment, City of Hamilton, 71 Main Street West, 5th Floor, Hamilton, Ontario, L8P 4Y5. **Comments must be received by noon two days before the Hearing.**

Comment packages are available two days prior to the Hearing and are available on our website: www.hamilton.ca/committeeofadjustment

Oral Submissions

Members of the public are also able to provide oral comments regarding Committee of Adjustment Hearing items by participating Virtually through Webex via computer or phone or by attending the Hearing In-person. Participation Virtually requires pre-registration in advance. Please contact staff for instructions if you wish to make a presentation containing visual materials.

1. Virtual Oral Submissions

Interested members of the public, agents, and owners <u>must register by noon the day</u> <u>before the hearing</u> to participate Virtually.

To register to participate Virtually by Webex either via computer or phone, please contact Committee of Adjustment staff by email cofa@hamilton.ca. The following information is required to register: Committee of Adjustment file number, hearing date, name and mailing address of each person wishing to speak, if participation will be by phone or video, and if applicable the phone number they will be using to call in.


A separate registration for each person wishing to speak is required. Upon registering for a meeting, members of the public will be emailed a link for the Webex meeting the Wednesday afternoon before the hearing. The link must not be shared with others as it is unique to the registrant.


2. In person Oral Submissions

Interested members of the public, agents, and owners who wish to participate in person must sign in at City Hall room 222 (2nd floor) no less than 10 minutes before the time of the Public Hearing as noted on the Notice of Public Hearing.

We hope this is of assistance and if you need clarification or have any questions, please email cofa@hamilton.ca or by phone at 905-546-2424 ext. 4221.

Please note: Webex (video) participation requires either a compatible computer or smartphone and an application (app/program) must be downloaded by the interested party in order to participate. It is the interested party's responsibility to ensure that their device is compatible and operating correctly prior to the Hearing.





ZONE:	R1a
LOT AREA:	150.87m²
EXISTING BUILDING FOOTPRINT:	73.67m²
PROPOSED COVERE FRONT PORCH:	D 3.78m²
LOT COVERAGE:	38.35%
BUILDING HEIGHT No. of STOREYS: PORCH SETBACKS	2
FRONT:	0.38m BEYOND STREET LINE
FRONT (STAIRS):	1.37m BEYOND STREET LINE
RIGHT SIDE:	3.93m
LEFT SIDE:	0.00m

SITE DATA

PRO	JECT NORTH	TRUE	NORTH
01.	DRAWINGS FOR VAR	RIANCE	01/13/2023
No.	REVISION		DATE

ALL CONTRACTORS AND/OR TRADES SHALL VERIFY ALL DIMENSIONS, NOTES, SITE AND REPORT ANY DISCREPANCIES PRIOR TO THE COMMENCEMENT OF WORK

THIS DRAWING IS NOT TO BE SCALED, ALL DRAWINGS, PRINTS AND RELATED DOCUMENTS ARE THE PROPERTY OF LEN ANGELICI DESIGN AND MUST BE RETURNED UPON REQUEST

REPRODUCTION OF DRAWINGS AND RELATED DOCUMENTS IN PART OR IN WHOLE IS STRICTLY PROHIBITED WITHOUT WRITTEN CONSENT OF LEN ANGELICI DESIGN.

CONTRACTOR SHALL REVIEW ALL DRAWINGS PRIOR TO COMMENCING CONSTRUCTION FOR ANY ERRORS OR

5. LEN ANGELICI DESIGN IS NOT RESPONSIBLE FOR THE DESIGN OR PRE-ENGINEERED TRUSSES OR ANY PRE-ENGINEERED PRODUCTS.

 LEN ANGELICI DESIGN IS NOT RESPONSIBLE FOR HEATING, PLUMBING, OR ELECTRICAL DRAWINGS.

7. DRAWING MAY NOT BE CHANGED, ALTERED OR COPIED WITHOUT WRITTEN CONSENT OF LEN ANGELICI DESIGN. FAILURE TO COMPLY WITH THIS STATEMENT IS NOT THE RESPONSIBILITY OF LEN ANGELICI DESIGN.

8. LEN ANGELICI DESIGN IS NOT RESPONSIBLE FOR POOR CONSTRUCTION PRACTICES.

SEAL

THE UNDERSIGNED HAS REVIEWED AND TAKES RESPONSIBILITY

FOR THIS DESIGN, AND HAS THE QUALIFICATIONS AND MEETS
THE REQUIREMENTS SET OUT IN THE ONTARIO BUILDING CODE
TO BE A DESIGNER.

QUALIFICATION INFORMATION

LEONARD ANGELICI

REGISTRATION INFORMATION

LEN ANGELICI DESIGN INC.

01/13/2023

Len Angelici Design

270 SHERMAN AVE N, UNIT MILL-125 HAMILTON, ON L8L 6N4 (905) 393-8868 info@lenangelicidesign.ca

PROJECT

99 AUGUSTA ST HAMILTON, ON

SHEET TITLE


SITE PLAN

DRAWN BY
L. ANGELICI
DATE
01/13/2023
SCALE
3/16"=1'-0"


PROJECT No.

22080


SP




EXISTING MAIN FLOOR PLAN SCALE 3/16"=1'-0"



PROPOSED MAIN FLOOR PLAN SCALE 3/16"=1'-0"



FRONT ELEVATION
SCALE 3/16"=1'-0"



RIGHT SIDE ELEVATION
SCALE 3/16"=1'-0"

PROJECT NORTH	TRUE NORTH

01.	DRAWINGS FOR VARIANCE	01/13/2023
No.	REVISION	DATE

ALL CONTRACTORS AND/OR TRADES SHALL VERIFY ALL DIMENSIONS, NOTES, SITE AND REPORT ANY DISCREPANCIES PRIOR TO THE COMMENCEMENT OF

THIS DRAWING IS NOT TO BE SCALED, ALL DRAWINGS, PRINTS AND RELATED DOCUMENTS ARE THE PROPERTY OF LEN ANGELICI DESIGN AND MUST BE RETURNED UPON REQUEST

3. REPRODUCTION OF DRAWINGS AND RELATED DOCUMENTS IN PART OR IN WHOLE IS STRICTLY PROHIBITED WITHOUT WRITTEN CONSENT OF LEN ANGELICI DESIGN.

CONTRACTOR SHALL REVIEW ALL DRAWINGS PRIOR TO COMMENCING CONSTRUCTION FOR ANY ERRORS OR

 LEN ANGELICI DESIGN IS NOT RESPONSIBLE FOR THE DESIGN OR PRE-ENGINEERED TRUSSES OR ANY PRE-ENGINEERED PRODUCTS.

LEN ANGELICI DESIGN IS NOT RESPONSIBLE FOR HEATING, PLUMBING, OR ELECTRICAL DRAWINGS.

DRAWING MAY NOT BE CHANGED, ALTERED OR COPIED WITHOUT WRITTEN CONSENT OF LEN ANGELICI DESIGN. FAILURE TO COMPLY WITH THIS STATEMENT IS NOT THE RESPONSIBILITY OF LEN ANGELICI DESIGN.
 LEN ANGELICI DESIGN IS NOT RESPONSIBLE FOR POOR CONSTRUCTION PRACTICES.

SEAL

THE UNDERSIGNED HAS REVIEWED AND TAKES RESPONSIBILITY FOR THIS DESIGN, AND HAS THE QUALIFICATIONS AND MEETS THE REQUIREMENTS SET OUT IN THE ONTARIO BUILDING CODE TO BE A DESIGNER.

QUALIFICATION INFORMATION

REGISTRATION INFORMATION

LEN ANGELICI DESIGN INC. 12

LEN ANGELICI DESIGN INC. 12445

NAME BCI

01/13/2023

DATE SIGNATURE



270 SHERMAN AVE N, UNIT MILL-125 HAMILTON, ON L8L 6N4 (905) 393-8868 info@lenangelicidesign.ca

PROJ

99 AUGUSTA ST HAMILTON, ON

SHEET TITLE

EXISTING &
PROPOSED FLOOR
PLANS & ELEVATIONS

DRAWN BY
L. ANGELICI
DATE
01/13/2023
SCALE

³/₁₆"=1'-0"

22080

PROJECT No.

A1



Committee of Adjustment

City Hall, 5th Floor, 71 Main St. W., Hamilton, ON L8P4Y5

Phone: (905) 546-2424 ext. 4221

Email: cofa@hamilton.ca

APPLICATION FOR A MINOR VARIANCE

FOR OFFICE USE OF	NLY.		
APPLICATION NO	DAT	E APPLICATION RECEIVE	D
PAID	DATE APPLICATI	ON DEEMED COMPLETE	
SECRETARY'S SIGNATURE			
	The	Planning Act	
	Application for Min	or Variance or for Permiss	sion
	ning Act, R.S.O. 1990, C	ttee of Adjustment for the C hapter P.13 for relief, as de	
1, 2	NAME	MAILING ADDRESS	
Registered Owners(s)			Phone:
o mioro (o)			E-mail:
Applicant(s)*			Phone:
			E-mail:
Agent or Solicitor			Phone:
			E-mail:
any.		I communications will be	

Additional sheets can be submitted if there is not sufficient room to answer the following questions. Additional sheets must be clearly labelled

4.	Nature and extent of relief applied for:			
	RELIEF FROM FRONT SETBACK OF 3.0m TO 1.37m BEYOND THE FRONT LOT LINE			
	☐ Second Dwelling Unit ☐ Reconstruction of Existing Dwelling			
5.	Why it is not possible to comply with the provisions of the By-law?			
	LOCATION OF EXISTING DWELLING DOES NOT ALLOW FOR RECONSTRUCTION OF FRONT PORCH TO COMPLY WITH REQUIRED SETBACKS.			
6.	Legal description and Address of subject lands (registered plan number and lot number or other legal description and where applicable, street and street number): 99 AUGUSTA ST			
	HAMILTON, ON L8N 1R3			
7.	PREVIOUS USE OF PROPERTY			
	Residential			
	Agricultural Vacant			
	Other			
8.1	If Industrial or Commercial, specify use			
8.2	Has the grading of the subject land been changed by adding earth or other material, i.e. has filling occurred?			
	Yes ☐ No ✓ Unknown ☐			
8.3	Has a gas station been located on the subject land or adjacent lands at any time? Yes □ No ☑ Unknown □			
8.4	Has there been petroleum or other fuel stored on the subject land or adjacent lands? Yes □ No ☑ Unknown □			
8.5	Are there or have there ever been underground storage tanks or buried waste on the subject land or adjacent lands?			
	Yes ☐ No ✓ Unknown ☐			
8.6	Have the lands or adjacent lands ever been used as an agricultural operation where cyanide products may have been used as pesticides and/or sewage sludge was applied to the lands?			
	Yes ☐ No ☑ Unknown ☐			
8.7	Have the lands or adjacent lands ever been used as a weapon firing range? Yes □ No ☑ Unknown □			
8.8	Is the nearest boundary line of the application within 500 metres (1,640 feet) of the fill area of an operational/non-operational landfill or dump? Yes □ No ✓ Unknown □			
8.9	If there are existing or previously existing buildings, are there any building materials remaining on site which are potentially hazardous to public health (eg. asbestos, PCB's)?			
	Yes No V Unknown			