



2 SITE PLAN - DPOS



1 GROUND FLOOR sheet DPOS

PARKING NOTES PER CITY OF HAMILTON BY-LAW 62-00:
 1. MINIMUM PARKING SPACE SIZES AND USES (CONFORMANCE NOTES):
 - 2000mm WIDE x 5000mm LONG (ONE SIDE) UNRESTRICTED
 - 2000mm WIDE x 4000mm LONG (ONE SIDE) RESTRICTED
 - 2400mm WIDE x 4000mm LONG (TWO SIDES) UNRESTRICTED
 - 2400mm WIDE x 4000mm LONG (TWO SIDES) RESTRICTED
 2. MAINTAIN MINIMUM DRIVE-ABLE WIDTH OF 6000mm UNLESS OTHERWISE NOTED
 3. MAINTAIN MINIMUM HEADROOM CLEARANCE OF 2100mm THROUGHOUT



Date	No.	Description
REVISION RECORD		

2024-02-21 [Draft Plan of Subdivision Resubmission]

ISSUE RECORD



BDP. Quadrangle

Quadrangle Architects Limited
 The World's Exchange Centre, Suite 2100, Toronto, ON M5W 1S8
 416-593-1234 www.bdpquadrangle.com

Eastgate Square Master Plan
 75 Centennial Parkway North,
 Hamilton, Ontario
 Harrison Equity Partners

21043 As indicated/VT
 PROJECT SCALE DRAWN REVIEWED

Site and Ground Floor Plan for DPOS

A201.T

Note: This drawing is the property of the Architect and may not be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, recording, or by any information storage and retrieval system, without the prior written permission of the Architect.