

Authority: Item
Report (PED24208(a)) CM:
Ward: City-wide

Bill No.

CITY OF HAMILTON

BY-LAW No. _____

**To Amend Zoning By-law No. 3692-92 (Stoney Creek) Respecting
Modifications and Updates to Secondary Dwelling Unit and
Secondary Dwelling Unit-Detached Regulations to
Implement Ontario Regulation 462/24 – Additional Residential Units**

WHEREAS the *City of Hamilton Act 1999*, Statutes of Ontario, 1999 Chap.14, Sch. C. did incorporate, as of January 1st, 2001, the municipality "City of Hamilton";

AND WHEREAS the City of Hamilton is the successor to certain area municipalities, including the former area municipality known as "The Corporation of the City of Stoney Creek" and is the successor to the former Regional Municipality, namely, The Regional Municipality of Hamilton-Wentworth;

AND WHEREAS the *City of Hamilton Act, 1999* provides that the Zoning By-laws of the former area municipalities continue in force in the City of Hamilton until subsequently amended or repealed by the Council of the City of Hamilton;

AND WHEREAS Zoning By-law No. 3692-92 (Stoney Creek) was enacted on the 8th day of December, 1992, and approved by the Ontario Municipal Board on the 31st day of May, 1994;

AND WHEREAS Council, in approving Item _____ of Report _____ of the Planning Committee, at its meeting held on the 4th of February, 2025, recommended that Zoning By-law No. 3692-92 (Stoney Creek) be amended as hereinafter provided;

AND WHEREAS this By-law conforms to the Urban Hamilton Official Plan;

NOW THEREFORE the Council of the City of Hamilton amends Zoning By-law No. 3692-92 (Stoney Creek) as follows:

**To Amend Zoning By-law No. 3692-92 (Stoney Creek) Respecting
Modifications and Updates to Secondary Dwelling Unit and
Secondary Dwelling Unit-Detached Regulations**

1. That SECTION 6.1: GENERAL PROVISIONS FOR ALL RESIDENTIAL ZONES be amended as follows:

i) By modifying Section 6.1.7.2 (h) (i) by replacing "7.5 metres" with "4.0 metres" so it reads:

"Where a Secondary Dwelling Unit – Detached is located in the Rear Yard, a minimum distance of 4.0 metres shall be required between the rear wall of the principal dwelling and the Secondary Dwelling Unit – Detached".

ii) By deleting Section 6.1.7.2 (j) (a) in its entirety and replacing it with the following:

"In addition to Sections 6.1.7.2 (j) and 6.1.7.2 (j) (b), and notwithstanding 6.2.3 (g), 6.2.3.1 (a), 6.3.3 (g), 6.3.3.1 (a), 6.4.3.1 (a), 6.5.3 (g), 6.5.3.1 (a), 6.6.3 (g), 6.7.3 (a) 7., 6.7.3 (b) 7., 6.8.3 (a) 7., 6.8.3 (b) 7, and 6.8.4, the maximum combined lot coverage of all buildings and structures on a lot containing a Secondary Dwelling Unit - Detached shall be 45%."

2. That the Clerk is hereby authorized and directed to proceed with the giving of notice of the passing of this By-law in accordance with the *Planning Act*.

3. That this By-law comes into force in accordance with Section 34 of the *Planning Act*.

PASSED this _____, 2025

A. Horwath
Mayor

M. Trennum
City Clerk

CI 25-B

**To Amend Zoning By-law No. 3692-92 (Stoney Creek) Respecting
Modifications and Updates to Secondary Dwelling Unit and
Secondary Dwelling Unit-Detached Regulations**

For Office Use Only, this doesn't appear in the by-law - Clerk's will use this information in the Authority Section of the by-law

Is this by-law derived from the approval of a Committee Report? Yes	
Committee: Planning Committee	Report No.: PED24208(a) Date: 02/04/2025
Ward: City-wide	(MM/DD/YYYY)

Prepared by: Madeleine Giroux	Phone No: ext. 2664
<i>For Office Use Only, this doesn't appear in the by-law</i>	