

From: [AMIN Pranav](#)
To: [Committee of adjustment](#)
Subject: Hamilton - 143 Margaret Avenue - B-24:68
Date: Thursday, November 21, 2024 12:41:06 PM

External Email: Use caution with links and attachments


Hello,

We are in receipt of your Application for Consent, B-24:68 dated 2024-11-08. We have reviewed the documents concerning the noted Plan and have no comments or concerns at this time. Our preliminary review considers issues affecting Hydro One's 'High Voltage Facilities and Corridor Lands' only.

For proposals affecting 'Low Voltage Distribution Facilities' the Owner/Applicant should consult their local area Distribution Supplier. Where Hydro One is the local supplier the Owner/Applicant must contact the Hydro subdivision group at subdivision@Hydroone.com or 1-866-272-3330.

To confirm if Hydro One is your local distributor please follow the following link: [Stormcentre \(hydroone.com\)](https://stormcentre.hydroone.com)

Please select "Search" and locate the address in question by entering the address or by zooming in and out of the map.



If you have any further questions or inquiries, please contact Customer Service at 1-888-664-9376 or e-mail CustomerCommunications@HydroOne.com to be connected to your Local Operations Centre

If you have any questions please feel free to contact myself.

Thank you,

Dennis De Rango

Specialized Services Team Lead,
Real Estate Department
Hydro One Networks Inc.
Tel: (905)946-6237

Email: Dennis.DeRango@HydroOne.com

From: [Jessica Worsnop](#)
To: [Committee of adjustment](#)
Subject: Re: Application B-24:68
Date: Thursday, November 21, 2024 10:00:06 AM

External Email: Use caution with links and attachments

Yes please!

145 Margaret Ave, Stoney Creek, ON L8G 3G7

Thanks so much.

On Thu, Nov 21, 2024 at 9:53 AM Committee of adjustment <cofa@hamilton.ca> wrote:

Hi Jessica,

Are you intending these to be public comments?

If yes, could you please provide your full address for the record.

Thanks,

Morgan

From: Jessica Worsnop <jessdalcock@gmail.com>
Sent: Thursday, November 21, 2024 9:44 AM
To: Committee of adjustment <cofa@hamilton.ca>
Subject: Application B-24:68

External Email: Use caution with links and attachments

Hello,

We are the neighbouring lot at 145. Assuming there is intent to build in future, we have six large, old pine trees a few feet from the property line. Our concern is damage to the root systems and trees in general. How can we be sure this will be mitigated in future to protect our trees?

Many thanks,