Enbridge (ongoing) clean-up of Kalamazoo River in Michigan



Kalamazoo collateral damage

Risks for what? Dirty oil from Alberta…
Profits for big oil corporations and added value for China

Line 9 reversal is for export of dilbit



Philosophical Transactions of the Royal Society A: Mathematical, Physical and Engineering Sciences
rsta.royalsocietypublishing.org

doi: 10.1098/rsta.2010.0291
Phil. Trans. R. Soc. A **13 January 2011** vol. 369 no. 1934 **161-181**

Sea-level rise and its possible impacts given a 'beyond 4°C world' in the twenty-first century

Robert J. Nicholls[1,*], Natasha Marinova[2], Jason A. Lowe[3], Sally Brown[1], Pier Vellinga[2], Diogo de Gusmão[4], Jochen Hinkel[5,6] and Richard S. J. Tol[7,8,9,10]

+ Author Affiliations

*Author for correspondence (R.J.Nicholls@soton.ac.uk).

Abstract

The range of future climate-induced sea-level rise remains highly uncertain with continued concern that large increases in the twenty-first century cannot be ruled out. The biggest source of uncertainty is the response of the large ice sheets of Greenland and west Antarctica. Based on our analysis, a pragmatic estimate of sea-level rise by 2100, for a temperature rise of 4°C or more over the same time frame, is between 0.5 m and 2 m—the probability of rises at the high end is judged to be very low, but of unquantifiable probability. However, if realized, an indicative analysis shows that the impact potential is severe, with the real risk of the forced displacement of up to 187 million people over the century (up to 2.4% of global population). This is potentially avoidable by widespread upgrade of protection, albeit rather costly with up to 0.02 per cent

sheets of Greenland and west Antarctica. Based on our analysis, a pragmatic estimate of sea-level rise by 2100, for a temperature rise of 4°C or more over the same time frame, is between 0.5 m and 2 m—the probability of rises at the high end is judged to be very low, but of unquantifiable probability. However, if realized, an indicative analysis shows that the impact potential is severe, with the real risk of the forced displacement of up to 187 million people over the century (up to 2.4% of global population). This is potentially avoidable by widespread upgrade of protection, albeit rather costly with up to 0.02 per cent

sheets of Greenland and west Antarctica. Based on our analysis, a pragmatic estimate of sea-level rise by 2100, for a temperature rise of 4°C or more over the same time frame, is between 0.5 m and 2 m—the probability of rises at the high end is judged to be very low, but of unquantifiable probability. However, if realized, an indicative analysis shows that the impact potential is severe, with The real risk of the forced displacement of up to 187 million people over the century century (up to 2.4% of global population). This is potentially avoidable by widespread upgrade of protection, albeit rather costly with up to 0.02 per cent


"Larger values cannot be excluded"
Additional contributions from potential ice-sheet dynamic processes
Model projections (mainly from ocean thermal expansion and glacier melting)
CSIRO
Sea level (metres)
Year
0.0
0.2
0.4
0.6
0.8
1.0
1990
2000
2010
2020
2030
2040
2050
2060
2070
2080
2090
2100

St Mark's Square, Venice November 12, 2012

Venice → Atlantis?



The Milgram Experiment

Have Moral Fortitude

Say NO! This is wrong!

What Can You Do?

- Letter to MOE requesting environmental assessment (Line 9 crosses watersheds critical to the water supplies of Southern Ontario!)
- Share the letter with other municipalities and request solidarity among municipalities
- Take a stand and do what is morally responsible.