Council Date: October 23, 2013

## CITY OF HAMILTON

## MOTION

MOVED BY COUNCILLOR B. McHATTIE.....

SECONDED BY COUNCILLOR .....

Objection to Liquor License Application – Brown Dog Coffee Shoppe, 211 Locke Street South, Hamilton, L8P 4B6

Whereas, the City of Hamilton has received notification that Brown Dog Coffee Shoppe at 211 Locke Street South, Hamilton has applied for a liquor license;

And Whereas, under Section 7.1 (1) of the Alcohol and Gaming Commission of Ontario's legislation, they shall consider a resolution of Council of the municipality, in which are located the premises for which a person makes an application to sell liquor or holds a license to sell liquor, as proof of the needs and wishes of the residents of the municipality for the purposes of clause 6 (2) (h) of the Act;

Therefore, be it resolved:

- (a) That the Alcohol and Gaming Commission of Ontario (AGCO) be advised that the City of Hamilton wishes to object to the Liquor License application for Brown Dog Coffee Shoppe at 211 Locke Street South, Hamilton, Ontario, as it is not in the public interest;
- (b) That should the AGCO determine that a Hearing is to be scheduled, that Legal Services be authorized and directed to attend the Hearing to represent the City's interest.



## APPLICATION FOR NEW SALE/CHANGE TO EXISTING LIQUOR LICENCE


CONTACT	informa	TION - Same	name will appear on all do	ocumentation issu	ed to the AGCO	
ESTABLISHMENT NAME		Δ ΔΔ	CI	1) con-th-organization and begins to a soft of the	of controlled and controlled to the control of the	
ESTABLISHMENT OWNER	V DOG	COTTE	Shoppe			
	Soin		1 1	EST	TABLISHMENT PHONE NUMBE	:R
STREET ADDRESS OF EST	ABLISHMANT	.0/		DA	YTIME PHONE NUMBER	
211 Lo	CKR .	St Soi	Ah			
Hamil	ton			CEI	105 7-46	9953
	.B6			FAX	KNUMBER	
EMAIL ADDRESS OCKR	browno	log coffee	eshoppe.com			
		NFORMATI	ON – IF DIFFERENT FROM	1 ESTABLISHMENT	OWNER	
APPLICANT/AGENT NAM		$\alpha$			Secretary of Contract Secretary	· · · · · · · · · · · · · · · · · · ·
STREET ADDRESS.	Spin					
	•	•				
_						
_						
HOURS OF	OPERATIO	DN — PLEASE C	IRGLE TIME OF DAY (A.v.)	uvij		
Monday	Open	7	(AM)PN	√ Closed	12	(AM)PM)
Tuesday	Open	7	AÑ/PN	∕l Closed	12	AM/PM
Wednesday	Open	4	(AM) PM	1 Closed	12	(AM)/PM
Thursday	Open	7	AMYPN	1 Closed	12	(AM)PM
Friday	Open	7	AMYPM	1 Closed	12	AMYPM
Saturday	Open	8	(AM) PM	1 Closed	12	(AM)(M)
Sunday	Open	8	AM)PM	Closed	17-	(AM)RM)

The personal information collected on this form will be used to contact you for the administration of performing record searches as authorized under the Municipal Act, 2001, section 227. If you have any questions regarding the collection of the information please contact the Senior Zoning Examiner at 71 Main Street West, 3rd Floor or at 905.546.2720.

OWNER HISTORY							
PREVIOUS ESTABLISHMENT OWNED/OPERATED	ADDRESS		<del></del>		DATES		
PREVIOUS ESTABLISHMENT OWNED/OPERATED	ADDRESS				DATES		
7	,			•	DATES	·	
PREVIOUS ESTABLISHMENT OWNED/OPERATED	ADDRESS				DATES		
#Viling#Association #22kowers hand resistances or example with the Association for the					Decar on or or		
BUILDING INFORMATION  FLOOR AREA (M2) - 1ST FLOOR	— MISSING OR	of a series of a series of the series of the	A produce management and explosive and in the product state of the contract of	<ul><li>A STREET STREET, STREE</li></ul>	YS OR DI	NIAL	
1	39.4hr	_	SED INDOOR SEATING CAPACITY:  A	B =	6		
Section B. 5'S	: 24g2		59 G INDOOR SEATING CAPACITY:		<u> </u>		
T LOOK AREA (WZ) - SKO FLOOR		EVISINA	G INDOOR SEATING CAPACITY:				
FLOOR AREA (M2) – BASEMENT		TOTAL E	XISTING OCCUPANT LOAD!		·-·		
			8	ξ			
TOTAL GROSS FLOOR AREA (M2)	-	TOTAL IN	NDOOR SEATING CAPACITY:		<del>-</del>		
225.	525. 15 M2 A- 48 B- 6						
		, , , , , ,	.5	9.		•	
PATIO INFORMATION – Outdoor areas							
Existing Encroachment Agr	eement?		Yes/No				
Existing Patio Location	FRONT YA	\RD	SIDE YARD	REAR YA	RD	ROOF TOP	
Proposed Patio Location	FRONT YA	ARD	SIDE YARD	REAR YA	RD	ROOF TOP	
DIMENSIONS OF PROPOSED OUTDOOR PATIO (M2):	·		CAPACITY OF PROPSED	OUTDOOR PATIO:			
DIMENSIONS OF EXISTING OUTDOOR PATIO (M2):	NA		CAPACITY OF EXISTING	OUTDOOR PATIO:			
TOTAL AREA OF ALL OUTDOOR AREAS (M2):			TOTAL OUTDOOR PATIO	CAPACITY:			
OFFICE: USE ONLY:			'				
CONTRACTOR OF STREET CONTRACTOR C				,			
	•						
					<u>-</u>		
				•			

The personal information collected on this form will be used to contact you for the administration of performing record searches as authorized under the Municipal Act, 2001, section 227. If you have any questions regarding the collection of the information please contact the Senior Zoning Examiner at 71 Main Street West, 3rd Floor or at 905.546.2720.

September 18, 2013



FIRM NAME: ARCHITECTURAL DESIGN ASSOCIATES INC. ARCHITECT

CERTIFICATE OF PRACTICE NUMBER: 3339
1880 ASSUMPTION STREET, WINGSOR, ON PAID, 1841 104
PHONE: 519-254-3420, FAX: 519-254-3642

HAME OF PROJECT:
PROPOSED HENDAN GAS TO EXSTAG BUILDING
FOR NEW RESTAURANT
LOCATEMY.
211 LOCKE ST. SCHILHAVITON, ONTIREC



1	ONTARIO 2008 BUILDING CODE DATA MATRIX PART 1" - RENOWATION OF EXISTING BUILDING GEC Reference					
1'.1	CAIQ. UE SNITSIKS	DESCRIBE EXISTING USE: FORMER	ROLF A. INESCH 2)	11,2,1		
	CLASSIFICATION:	CONSTRUCTION INDEX: 2		1:2,1.14		
		FAZARD INDEX:	77.2.180 O V			
1	1	S ROLKY TO BOYE O OA) BLEVOLORY TORKE				
11.2	ALTERATION TO EXISTING		11,3 3,1			
l	BUILDING IS:	EXTENSIVE REVOKULON [	11.3.32			
1.3	REDUCTON IN		11.4.2			
	PERFORMANCE LEVEL:	STR_CTURA_:	Z IO	Dv3	11.4.2.1	
		SY NOREASE IN OCCUPANT LCAD:	X(11)		11 4 2 2	
		BY CHANGE OF MAJOR OCCUPANCY:		Cires	P 3.2.5	
1		FLJAIBING:	CH KZ		11.4.2.4	
		SEWAGE-SYSTEM:	⊠ND		11.4.25	
11.4	COMPENSATING				17.4.3	
1	CONSTRUCTION:	STRUCTURAL:	2000	□rts (ene,43)	11432	
	CONSTRUCTION.	3 1000	X510.1	T1 20 (745.94)	1354-774	
l		BY INCREASE IN OCCUPANT LOAD:	Sinn	Fivre temant	113.33	
		BY INCHEASE IN COCOPART ECAD.	N; RU	(1112 fraction)	(LALALA	
		-				
			***			
		BY CHANGE OF MAJOR OCCUPANCY:	23 NO	THES (EXPLAIN)	11.4.3.4	
		PLUMBING;	⊒ 80	XYES (ECPLAN)	11.4.3.5	
		SSE ATACHED DRAWINGS				
	•	-				
		SEWAGE-SYSTEM:	Ø2.62	I YES (EXPLAIN)	11,4,3,6	
		*				
11.5	nutral estima	-				
11.5	COMPLIANCE	⊠AC .			`ns.`	
416	ALTERNATIVES PROPOSED:					
0,1	ACTERNATIVE MEASURES	Minc				
, ,					1.5.1	
H	PRCPOSED:	Lines (one houseris)) .				
11.7	OCCUPATE LOAD BASED O	Dimo PER PEPSON № DESERT O			11.5.2 3.1.17	
3 1.7	OCCUPANT LOAD BASED OF GROUND FLOOR AS	0 ACRES & HOPPLE FLE NA SUCER Y, BRISE 2× CAOL 2 - NO A SUCER Y, BRISE	PERSONS	,		
\$ 1.7	OCCUPANT LOAD BASED O GROUND FLOOR AS	0 ACRES   2 MC A **LOSP ( ** 1 MC A **LOSP ( ** 1 MG A ** 1 MC A	PERSONS PERSONS	•	3.1.17	
11.7	OCCUPATI LOAD BASED C GROUND FLOOR AS EX BASEMENT FLOOR EX	IN I we all appen ≥ common the common that it is a common that i	PERSONS PERSONS PERSONS	do not includ	3.1.17	
¥1.7	OCCUPANT LOAD BASED C GROUND FLOOR AS  EV  BASEMENT FLOOR EX  MEZZANINE FLOOR AS	IN The PLAN END A SECOND TO SECOND T	PERSONS PERSONS PERSONS	do not includ	3.1.17	
<u>(</u>	OCCUPAIT OAS BASED O GROUND FLOOR AS EV BASEMENT FLOOR EX MEZZANINE FLOOR SE TOTAL OCCUPANT LOAD	IN was all Pepson Scients of Elmb. 1900 A confidence of LOAD accordance of LOAD accord	PERSONS PERSONS PERSONS PERSONS	do not includ	3.1.17	
13	OCCUPANT LOAD BASED OF CROWND FLOOR AS CAMBERT FLOOR AS COTAL OCCUPANT LOAD FLOOR SECONDS FLOOR AS CORS FLOOR AS C	######################################	PERSONS PERSONS PERSONS PERSONS	4 west includ	3.1.17	
(13 14	OCCUPAIT OAS BASED OF CROUND FLOOR AS COMMENT FLOOR AS MEZZANINE FLOOR AS TOTAL OCCUPANT LOAD FORESS COMMANS CAPACITY OF ACCESS TO		PERSONS PERSONS PERSONS PERSONS PERSONS	4 west includ	3.1.17 3.3.16 3.3.17€.	
13 14 15	OCCUPAIT OAS BASED OF CROUND FLOOR AS EXEMENT FLOOR FOR MEZZANINE FLOOR AS TOTAL OCCUPANT LOAD FORESS COORNAY CAPACITY OF ACCESS TO TRAVEL DISTANCE		PERSONS PERSONS PERSONS PERSONS 2 FRONDED	4 12/4 includ	3.1.17 3.3.16 3.3.17€ 23.16	
(13 14	OCCUPAIT OAS BASED OF CROUND FLOOR AS EXEMENT FLOOR FOR MEZZANINE FLOOR AS TOTAL OCCUPANT LOAD FORESS COORNAY CAPACITY OF ACCESS TO TRAVEL DISTANCE		PERSONS PERSONS PERSONS PERSONS 2 FRONDED	4 12/4 includ	3.1.17 3.3.16 3.3.17€.	
13 14 15	OCCUPAIT OAS BASED OF CROUND FLOOR AS EXEMENT FLOOR FOR MEZZANINE FLOOR AS TOTAL OCCUPANT LOAD FORESS COORNAY CAPACITY OF ACCESS TO TRAVEL DISTANCE		PERSONS PERSONS PERSONS PERSONS 2 FROMBEG CSUM ASSENBLY	4 12/4 includ	3.1.17 3.3.16 3.3.16 3.3.16	
13 14 15	OCCUPAIT OAS BASED OF CROUND FLOOR AS EXEMENT FLOOR FOR MEZZANINE FLOOR AS TOTAL OCCUPANT LOAD FORESS COORNAY CAPACITY OF ACCESS TO TRAVEL DISTANCE	### TWO ### PEPONE X CONTAINS  #### PEPONE X CONTAINS  #### PEPONE X CONTAINS  ###################################	PERSONS PERSONS PERSONS PERSONS 2 FROMBEG CSUM ASSENBLY	4 12/4 includ	3.1.17 3.3.16 3.3.16 3.3.16	
13 14 15	OCCUPAIT OAS BASED OF CROUND FLOOR AS EXEMENT FLOOR FOR MEZZANINE FLOOR AS TOTAL OCCUPANT LOAD FORESS COORNAY CAPACITY OF ACCESS TO TRAVEL DISTANCE	The Part Pepsin X 15910A 6   SEMBLY 1800F A 100 C	PERSONS PERSONS PERSONS PERSONS 2 FRONDEG- CSUM ASSEMBLY 1 49 SEATS	4 12/4 includ	3.1.17 3.3.16 3.3.16 3.3.16	
13 14 15	OCCUPAIT OAS BASED OF CROUND FLOOR AS EXEMENT FLOOR FOR MEZZANINE FLOOR AS TOTAL OCCUPANT LOAD FORESS COORNAY CAPACITY OF ACCESS TO TRAVEL DISTANCE	THE PERSON SECURITY OF THE PROPERTY OF THE PERSON OF THE P	PERSONS PERSONS PERSONS PERSONS 2 FROMBED CSUM ASSEMBLY 40 SEATS HEMEN 27	4 12/4 includ	3.1.17 3.3.16 3.3.16 3.3.16	
13 14 15	OCCUPAIT LOAD BASED OF GROUND FLOOR AS EXEMENT FLOOR AS MEZZANINE FLOOR AS TOTAL OCCUPANT LOAD FORESS COORNAY CAPACITY OF ACCESS TO TRAVEL DISTANCE PLUMBING FACILITIES	The Part Person X 25000 6   SEMBLY 1800	PERSONS PERSONS PERSONS PERSONS 2 FEDNIDEG COM PERSONS	4 12/4 includ	3.1.17 3.3.16 3.3.16 3.3.16	
13 14 15	OCCUPAIT LOAD BASED OF GROUND FLOOR AS EXEMENT FLOOR AS MEZZANINE FLOOR AS TOTAL OCCUPANT LOAD FORESS COORNAY CAPACITY OF ACCESS TO TRAVEL DISTANCE PLUMBING FACILITIES		PERSONS PERSONS PERSONS PERSONS 2 FEDNIDEG COM PERSONS	4 12/4 includ	3.1.17 3.3.16 3.3.16 3.3.16	

ÇA.	arch	itecti	Jral ¥
343E	desi	an .	44.00
		al.	ā
VA	185C	Clate	s g

188) assumption street size 100 windset ordina canada ney lot pa 519 234 2490 fan 619 254 2542 will hadde grown and grown 254

TIGHT PROPOSED NEW RESTAURANT IN EXISTING BUILDING 211 LOCKE ST. SOUTH, HAVILTON, ONT. BROWN DOG COFFEE SHOPPE

Q.O.C. DATA MATRIX 1 #arity TO M K: ckally SMB/TC

SEPT. 2013 (3) 11 2013-088 OBC-1